

TABEL NOMINAL CU CANDIDATII IN AȘTEPTARE - DREPT ZI

Nr	Legitim.	Optiuni	Note	Medie	Admis la	Obs.	S
1	DR000159	DR	MBAC=9.71,RO_S=9.65,DO=9.65,NBPA=9.85	9.71			1
2	DR000269	DR	MBAC=9.68,RO_S=9.55,DO=9.50,NBPA=10.00	9.68			1
3	DR001064	DR	MBAC=9.68,RO_S=9.30,DO=9.75,NBPA=10.00	9.68			1
4	DR000252	DR	MBAC=9.66,RO_S=9.70,DO=9.50,NBPA=9.80	9.66			1
5	DR000575	DR	MBAC=9.66,RO_S=9.40,DO=9.80,NBPA=9.80	9.66			1
6	DR001091	DR	MBAC=9.66,RO_S=9.35,DO=9.65,NBPA=10.00	9.66			1
7	DR000874	DR	MBAC=9.65,RO_S=9.90,DO=9.55,NBPA=9.50	9.65			1
8	DR001192	DR	MBAC=9.65,RO_S=9.45,DO=9.60,NBPA=9.90	9.65			1
9	DR000951	DR	MBAC=9.65,RO_S=9.15,DO=9.80,NBPA=10.00	9.65			1
10	DR000695	DR	MBAC=9.63,RO_S=9.60,DO=9.40,NBPA=9.90	9.63			1
11	DR000621	DR	MBAC=9.63,RO_S=9.55,DO=9.55,NBPA=9.80	9.63			1
12	DR000443	DR	MBAC=9.61,RO_S=9.55,DO=9.30,NBPA=10.00	9.61			1
13	DR000603	DR	MBAC=9.58,RO_S=9.10,DO=9.70,NBPA=9.95	9.58			1
14	DR000084	DR	MBAC=9.56,RO_S=9.90,DO=8.80,NBPA=10.00	9.56			1
15	DR000352	DR	MBAC=9.56,RO_S=9.60,DO=9.50,NBPA=9.60	9.56			1
16	DR000036	DR	MBAC=9.53,RO_S=9.65,DO=8.95,NBPA=10.00	9.53			1
17	DR000827	DR	MBAC=9.53,RO_S=9.45,DO=9.45,NBPA=9.70	9.53			1
18	DR000786	DR	MBAC=9.53,RO_S=9.25,DO=9.35,NBPA=10.00	9.53			1
19	DR000677	DR	MBAC=9.51,RO_S=9.15,DO=9.70,NBPA=9.70	9.51			1
20	DR000801	DR	MBAC=9.46,RO_S=9.25,DO=9.30,NBPA=9.85	9.46			1
21	DR000393	DR	MBAC=9.45,RO_S=9.60,DO=9.10,NBPA=9.25	9.45			1
22	DR001171	DR	MBAC=9.45,RO_S=8.80,DO=9.75,NBPA=9.80	9.45			1
23	DR000630	DR	MBAC=9.43,RO_S=9.55,DO=9.40,NBPA=9.35	9.43			1
24	DR000423	DR	MBAC=9.43,RO_S=9.55,DO=8.95,NBPA=9.80	9.43			1
25	DR000076	DR	MBAC=9.43,RO_S=9.30,DO=9.50,NBPA=9.50	9.43			1
26	DR001191	DR	MBAC=9.43,RO_S=9.00,DO=9.65,NBPA=9.65	9.43			1
27	DR001116	DR	MBAC=9.41,RO_S=9.40,DO=9.25,NBPA=9.60	9.41			1
28	DR000073	DR	MBAC=9.41,RO_S=9.05,DO=9.20,NBPA=10.00	9.41			1
29	DR000464	DR	MBAC=9.41,RO_S=8.40,DO=9.85,NBPA=10.00	9.41			1
30	DR000030	DR	MBAC=9.40,RO_S=9.00,DO=9.45,NBPA=9.75	9.40			1
31	DR000202	DR	MBAC=9.36,RO_S=9.75,DO=9.00,NBPA=9.35	9.36			1
32	DR000590	DR	MBAC=9.36,RO_S=9.20,DO=8.90,NBPA=10.00	9.36			1
33	DR000396	DR	MBAC=9.36,RO_S=8.70,DO=9.85,NBPA=9.55	9.36			1
34	DR001146	DR	MBAC=9.35,RO_S=8.15,DO=10.00,NBPA=9.90	9.35			1
35	DR001063	DR	MBAC=9.33,RO_S=8.90,DO=9.30,NBPA=9.80	9.33			1
36	DR000297	DR	MBAC=9.31,RO_S=8.90,DO=9.65,NBPA=9.40	9.31			1
37	DR000588	DR	MBAC=9.30,RO_S=8.90,DO=9.80,NBPA=9.20	9.30			1
38	DR000526	DR	MBAC=9.30,RO_S=8.90,DO=9.15,NBPA=9.85	9.30			1
39	DR000888	DR	MBAC=9.28,RO_S=8.35,DO=9.80,NBPA=9.70	9.28			1
40	DR000716	DR	MBAC=9.26,RO_S=9.40,DO=9.05,NBPA=9.35	9.26			1
41	DR000267	DR	MBAC=9.26,RO_S=9.40,DO=8.60,NBPA=9.80	9.26			1
42	DR000452	DR, \$DR	MBAC=9.25,RO_S=9.85,DO=9.35,NBPA=8.55	9.25			1
43	DR001166	DR, \$DR	MBAC=9.25,RO_S=9.70,DO=8.70,NBPA=9.35	9.25			1
44	DR000317	DR, \$DR	MBAC=9.25,RO_S=9.50,DO=9.75,NBPA=8.50	9.25			1
45	DR000885	DR, \$DR	MBAC=9.25,RO_S=9.50,DO=8.25,NBPA=10.00	9.25			1
46	DR000251	DR, \$DR	MBAC=9.25,RO_S=9.30,DO=9.45,NBPA=9.00	9.25			1
47	DR001178	DR, \$DR	MBAC=9.25,RO_S=9.30,DO=9.00,NBPA=9.45	9.25			1
48	DR000193	DR, \$DR	MBAC=9.25,RO_S=9.25,DO=9.20,NBPA=9.30	9.25			1
49	DR000563	DR, \$DR	MBAC=9.25,RO_S=9.25,DO=9.00,NBPA=9.50	9.25			1
50	DR000947	DR, \$DR	MBAC=9.25,RO_S=9.20,DO=8.75,NBPA=9.80	9.25			1
51	DR000219	DR, \$DR	MBAC=9.25,RO_S=9.15,DO=9.40,NBPA=9.20	9.25			1
52	DR000296	DR, \$DR	MBAC=9.25,RO_S=9.05,DO=9.20,NBPA=9.50	9.25			1
53	DR000617	DR, \$DR	MBAC=9.25,RO_S=9.00,DO=9.15,NBPA=9.60	9.25			1
54	DR000410	DR, \$DR	MBAC=9.25,RO_S=8.95,DO=9.00,NBPA=9.80	9.25			1
55	DR000255	DR, \$DR	MBAC=9.25,RO_S=8.75,DO=9.45,NBPA=9.55	9.25			1
56	DR000709	DR, \$DR	MBAC=9.25,RO_S=8.70,DO=9.15,NBPA=9.90	9.25			1
57	DR000689	DR, \$DR	MBAC=9.25,RO_S=8.65,DO=9.10,NBPA=10.00	9.25			1
58	DR000803	DR, \$DR	MBAC=9.25,RO_S=8.40,DO=9.35,NBPA=10.00	9.25			1
59	DR001077	DR, \$DR	MBAC=9.25,RO_S=8.25,DO=10.00,NBPA=9.50	9.25			1
60	DR000797	DR, \$DR	MBAC=9.23,RO_S=9.40,DO=9.00,NBPA=9.30	9.23			1
61	DR001096	DR, \$DR	MBAC=9.23,RO_S=9.35,DO=9.65,NBPA=8.70	9.23			1
62	DR001130	DR, \$DR	MBAC=9.23,RO_S=9.35,DO=8.85,NBPA=9.50	9.23			1
63	DR000626	DR, \$DR	MBAC=9.23,RO_S=9.25,DO=9.65,NBPA=8.80	9.23			1
64	DR001156	DR, \$DR	MBAC=9.23,RO_S=9.20,DO=9.50,NBPA=9.00	9.23			1
65	DR000017	DR, \$DR	MBAC=9.23,RO_S=9.15,DO=9.95,NBPA=8.60	9.23			1

Nr	Legitim.	Optiuni	Note	Medie	Admis la	Obs.	S
66	DR000035	DR, \$DR	MBAC=9.23, RO S=9.10, DO=9.65, NBPA=8.95	9.23			1
67	DR000019	DR	MBAC=9.23, RO S=9.10, DO=9.25, NBPA=9.35	9.23			1
68	DR000204	DR, \$DR	MBAC=9.23, RO S=8.95, DO=9.30, NBPA=9.45	9.23			1
69	DR000879	DR, \$DR	MBAC=9.23, RO S=8.90, DO=9.35, NBPA=9.45	9.23			1
70	DR000761	DR	MBAC=9.23, RO S=8.80, DO=8.90, NBPA=10.00	9.23			1
71	DR000604	DR, \$DR	MBAC=9.23, RO S=8.65, DO=9.25, NBPA=9.80	9.23			1
72	DR000289	DR, \$DR	MBAC=9.23, RO S=8.40, DO=9.30, NBPA=10.00	9.23			1
73	DR000426	DR, \$DR	MBAC=9.21, RO S=9.50, DO=8.65, NBPA=9.50	9.21			1
74	DR000422	DR, \$DR	MBAC=9.21, RO S=9.15, DO=9.55, NBPA=8.95	9.21			1
75	DR000514	DR, \$DR	MBAC=9.21, RO S=9.00, DO=9.25, NBPA=9.40	9.21			1
76	DR000670	DR, \$DR	MBAC=9.21, RO S=9.00, DO=9.00, NBPA=9.65	9.21			1
77	DR000943	DR, \$DR	MBAC=9.21, RO S=8.95, DO=9.30, NBPA=9.40	9.21			1
78	DR001081	DR, \$DR	MBAC=9.21, RO S=8.80, DO=9.40, NBPA=9.45	9.21			1
79	DR000018	DR, \$DR	MBAC=9.21, RO S=8.80, DO=9.10, NBPA=9.75	9.21			1
80	DR000848	DR, \$DR	MBAC=9.21, RO S=8.80, DO=9.05, NBPA=9.80	9.21			1
81	DR000515	DR, \$DR	MBAC=9.21, RO S=8.65, DO=9.75, NBPA=9.25	9.21			1
82	DR000993	\$DR, DR	MBAC=9.20, RO S=9.40, DO=9.35, NBPA=8.85	9.20			1
83	DR000386	DR, \$DR	MBAC=9.20, RO S=9.35, DO=9.25, NBPA=9.00	9.20			1
84	DR000245	DR, \$DR	MBAC=9.20, RO S=9.35, DO=9.00, NBPA=9.25	9.20			1
85	DR001127	DR, \$DR	MBAC=9.20, RO S=9.15, DO=9.15, NBPA=9.30	9.20			1
86	DR000550	DR, \$DR	MBAC=9.20, RO S=9.15, DO=8.60, NBPA=9.85	9.20			1
87	DR000728	DR, \$DR	MBAC=9.20, RO S=9.00, DO=9.60, NBPA=9.60	9.20			1
88	DR000072	\$DR, DR	MBAC=9.20, RO S=8.90, DO=8.70, NBPA=10.00	9.20			1
89	DR000119	DR, \$DR	MBAC=9.20, RO S=8.85, DO=9.55, NBPA=9.20	9.20			1
90	DR001010	DR, \$DR	MBAC=9.20, RO S=8.80, DO=9.35, NBPA=9.45	9.20			1
91	DR000984	DR, \$DR	MBAC=9.20, RO S=8.60, DO=9.40, NBPA=9.60	9.20			1
92	DR001163	\$DR	MBAC=9.20, RO S=8.40, DO=9.70, NBPA=9.50	9.20			1
93	DR000712	DR, \$DR	MBAC=9.20, RO S=8.35, DO=9.55, NBPA=9.70	9.20			1
94	DR000259	DR, \$DR	MBAC=9.20, RO S=8.30, DO=9.60, NBPA=9.70	9.20			1
95	DR000367	DR, \$DR	MBAC=9.18, RO S=9.75, DO=9.85, NBPA=7.95	9.18			1
96	DR001184	DR, \$DR	MBAC=9.18, RO S=9.30, DO=8.45, NBPA=9.80	9.18			1
97	DR000114	DR, \$DR	MBAC=9.18, RO S=9.25, DO=8.55, NBPA=9.75	9.18			1
98	DR000462	DR, \$DR	MBAC=9.18, RO S=9.25, DO=8.50, NBPA=9.80	9.18			1
99	DR000552	DR, \$DR	MBAC=9.18, RO S=9.20, DO=9.00, NBPA=9.35	9.18			1
100	DR001043	DR, \$DR	MBAC=9.18, RO S=9.05, DO=9.65, NBPA=8.85	9.18			1
101	DR000775	DR, \$DR	MBAC=9.18, RO S=9.00, DO=9.35, NBPA=9.20	9.18			1
102	DR000877	DR, \$DR	MBAC=9.18, RO S=8.95, DO=9.35, NBPA=9.25	9.18			1
103	DR000069	DR	MBAC=9.18, RO S=8.90, DO=8.75, NBPA=9.90	9.18			1
104	DR000254	DR, \$DR	MBAC=9.18, RO S=8.75, DO=9.50, NBPA=9.30	9.18			1
105	DR000170	DR, \$DR	MBAC=9.18, RO S=8.75, DO=9.35, NBPA=9.45	9.18			1
106	DR000809	DR, \$DR	MBAC=9.18, RO S=8.65, DO=9.35, NBPA=9.55	9.18			1
107	DR000228	DR	MBAC=9.18, RO S=8.45, DO=9.15, NBPA=9.95	9.18			1
108	DR000319	DR, \$DR	MBAC=9.18, RO S=8.35, DO=9.25, NBPA=9.95	9.18			1
109	DR000275	DR, \$DR	MBAC=9.16, RO S=9.30, DO=9.25, NBPA=8.95	9.16			1
110	DR000078	DR, \$DR	MBAC=9.16, RO S=9.30, DO=8.80, NBPA=9.40	9.16			1
111	DR000901	DR, \$DR	MBAC=9.16, RO S=9.30, DO=8.65, NBPA=9.55	9.16			1
112	DR000928	DR, \$DR	MBAC=9.16, RO S=9.25, DO=8.75, NBPA=9.50	9.16			1
113	DR001164	DR, \$DR	MBAC=9.16, RO S=9.20, DO=9.45, NBPA=8.85	9.16			1
114	DR000395	DR	MBAC=9.16, RO S=9.10, DO=8.60, NBPA=9.80	9.16			1
115	DR000505	DR	MBAC=9.16, RO S=9.05, DO=9.40, NBPA=9.05	9.16			1
116	DR000894	DR, \$DR	MBAC=9.16, RO S=9.00, DO=9.45, NBPA=9.05	9.16			1
117	DR001025	DR, \$DR	MBAC=9.16, RO S=9.00, DO=9.00, NBPA=9.50	9.16			1
118	DR000186	DR, \$DR	MBAC=9.16, RO S=8.80, DO=9.60, NBPA=9.10	9.16			1
119	DR000828	DR, \$DR	MBAC=9.16, RO S=8.70, DO=9.20, NBPA=9.60	9.16			1
120	DR001042	DR, \$DR	MBAC=9.16, RO S=8.65, DO=9.30, NBPA=9.55	9.16			1
121	DR000414	DR, \$DR	MBAC=9.16, RO S=8.50, DO=9.00, NBPA=10.00	9.16			1
122	DR000536	DR	MBAC=9.16, RO S=8.45, DO=9.35, NBPA=9.70	9.16			1
123	DR000697	DR, \$DR	MBAC=9.16, RO S=8.40, DO=9.60, NBPA=9.50	9.16			1
124	DR000768	DR, \$DR	MBAC=9.16, RO S=8.30, DO=9.20, NBPA=10.00	9.16			1
125	DR000356	DR, \$DR	MBAC=9.16, RO S=8.25, DO=9.95, NBPA=9.30	9.16			1
126	DR001059	DR, \$DR	MBAC=9.16, RO S=8.05, DO=9.90, NBPA=9.55	9.16			1
127	DR000417	DR, \$DR	MBAC=9.15, RO S=9.80, DO=8.25, NBPA=9.40	9.15			1
128	DR001136	DR	MBAC=9.15, RO S=8.95, DO=9.25, NBPA=9.25	9.15			1
129	DR000618	DR, \$DR	MBAC=9.15, RO S=8.75, DO=9.00, NBPA=9.70	9.15			1
130	DR000961	DR	MBAC=9.15, RO S=8.55, DO=9.40, NBPA=9.50	9.15			1
131	DR000806	DR, \$DR	MBAC=9.15, RO S=8.45, DO=9.65, NBPA=9.35	9.15			1
132	DR000420	DR, \$DR	MBAC=9.15, RO S=8.40, DO=9.70, NBPA=9.35	9.15			1
133	DR001196	DR, \$DR	MBAC=9.15, RO S=8.35, DO=9.50, NBPA=9.60	9.15			1
134	DR000730	DR, \$DR	MBAC=9.15, RO S=7.85, DO=10.00, NBPA=9.20	9.15			1
135	DR000113	DR, \$DR	MBAC=9.15, RO S=7.85, DO=9.80, NBPA=9.80	9.15			1
136	DR001135	DR, \$DR	MBAC=9.13, RO S=9.10, DO=9.00, NBPA=9.30	9.13			1
137	DR000638	DR, \$DR	MBAC=9.13, RO S=9.05, DO=8.45, NBPA=9.90	9.13			1
138	DR000609	DR, \$DR	MBAC=9.13, RO S=9.00, DO=9.90, NBPA=8.50	9.13			1
139	DR000994	DR, \$DR	MBAC=9.13, RO S=9.00, DO=8.50, NBPA=9.90	9.13			1
140	DR000029	DR, \$DR	MBAC=9.13, RO S=8.95, DO=8.80, NBPA=9.65	9.13			1

Nr	Legitim.	Optiuni	Note	Medie	Admis la	Obs.	S
141	DR000020	DR, \$DR	MBAC=9.13, RO S=8.90, DO=9.70, NBPA=8.80	9.13			1
142	DR000639	DR, \$DR	MBAC=9.13, RO S=8.85, DO=8.90, NBPA=9.65	9.13			1
143	DR000634	DR, \$DR	MBAC=9.12, RO S=9.40, DO=9.30, NBPA=9.90	9.12			1
144	DR001076	DR, \$DR	MBAC=9.11, RO S=9.60, DO=8.60, NBPA=9.15	9.11			1
145	DR000608	DR, \$DR	MBAC=9.11, RO S=9.25, DO=9.10, NBPA=9.00	9.11			1
146	DR001187	DR, \$DR	MBAC=9.11, RO S=9.15, DO=8.70, NBPA=9.50	9.11			1
147	DR000811	DR	MBAC=9.11, RO S=9.05, DO=9.25, NBPA=9.05	9.11			1
148	DR000664	DR, \$DR	MBAC=9.11, RO S=8.90, DO=8.90, NBPA=9.55	9.11			1
149	DR000819	DR, \$DR	MBAC=9.11, RO S=8.70, DO=8.85, NBPA=9.80	9.11			1
150	DR001037	DR	MBAC=9.11, RO S=8.65, DO=9.30, NBPA=9.40	9.11			1
151	DR000174	DR, \$DR	MBAC=9.11, RO S=8.55, DO=9.30, NBPA=9.50	9.11			1
152	DR000201	DR, \$DR	MBAC=9.11, RO S=8.05, DO=9.75, NBPA=9.55	9.11			1
153	DR000739	DR, \$DR	MBAC=9.10, RO S=9.60, DO=9.00, NBPA=8.70	9.10			1
154	DR000286	DR, \$DR	MBAC=9.10, RO S=9.30, DO=9.00, NBPA=9.00	9.10			1
155	DR001124	DR, \$DR	MBAC=9.10, RO S=9.20, DO=9.60, NBPA=8.50	9.10			1
156	DR000387	DR, \$DR	MBAC=9.10, RO S=9.10, DO=8.20, NBPA=10.00	9.10			1
157	DR000629	DR, \$DR	MBAC=9.10, RO S=8.95, DO=8.70, NBPA=9.65	9.10			1
158	DR000654	DR, \$DR	MBAC=9.10, RO S=8.90, DO=8.60, NBPA=9.80	9.10			1
159	DR000881	DR	MBAC=9.10, RO S=8.80, DO=8.90, NBPA=9.60	9.10			1
160	DR000160	DR, \$DR	MBAC=9.10, RO S=8.75, DO=8.95, NBPA=9.60	9.10			1
161	DR000105	DR, \$DR	MBAC=9.10, RO S=8.70, DO=9.60, NBPA=9.00	9.10			1
162	DR000044	DR, \$DR	MBAC=9.10, RO S=8.70, DO=9.10, NBPA=9.50	9.10			1
163	DR000333	DR, \$DR	MBAC=9.10, RO S=8.65, DO=10.00, NBPA=8.65	9.10			1
164	DR001179	DR, \$DR	MBAC=9.10, RO S=8.65, DO=9.60, NBPA=9.05	9.10			1
165	DR001140	DR, \$DR	MBAC=9.10, RO S=8.65, DO=9.45, NBPA=9.20	9.10			1
166	DR001084	DR, \$DR	MBAC=9.10, RO S=8.60, DO=8.80, NBPA=9.90	9.10			1
167	DR000845	DR, \$DR	MBAC=9.10, RO S=8.45, DO=8.85, NBPA=10.00	9.10			1
168	DR000277	DR, \$DR	MBAC=9.10, RO S=7.95, DO=9.35, NBPA=10.00	9.10			1
169	DR000532	DR, \$DR	MBAC=9.08, RO S=9.35, DO=9.75, NBPA=8.15	9.08			1
170	DR000679	DR, \$DR	MBAC=9.08, RO S=9.30, DO=8.35, NBPA=9.60	9.08			1
171	DR000024	\$DR, DR	MBAC=9.08, RO S=9.30, DO=8.20, NBPA=9.75	9.08			1
172	DR000355	\$DR, DR	MBAC=9.08, RO S=9.20, DO=8.25, NBPA=9.80	9.08			1
173	DR000798	DR, \$DR	MBAC=9.08, RO S=9.10, DO=9.70, NBPA=8.45	9.08			1
174	DR000779	DR, \$DR	MBAC=9.08, RO S=9.10, DO=8.55, NBPA=9.60	9.08			1
175	DR000896	\$DR	MBAC=9.08, RO S=8.95, DO=9.60, NBPA=8.70	9.08			1
176	DR000499	DR, \$DR	MBAC=9.08, RO S=8.90, DO=8.75, NBPA=9.60	9.08			1
177	DR000124	DR, \$DR	MBAC=9.08, RO S=8.80, DO=9.30, NBPA=9.15	9.08			1
178	DR000933	DR, \$DR	MBAC=9.08, RO S=8.75, DO=9.30, NBPA=9.20	9.08			1
179	DR000450	DR, \$DR	MBAC=9.08, RO S=8.60, DO=9.55, NBPA=9.10	9.08			1
180	DR000872	DR, \$DR	MBAC=9.08, RO S=8.55, DO=9.75, NBPA=8.95	9.08			1
181	DR000871	DR, \$DR	MBAC=9.08, RO S=8.55, DO=9.25, NBPA=9.45	9.08			1
182	DR000490	DR, \$DR	MBAC=9.08, RO S=8.50, DO=9.75, NBPA=9.00	9.08			1
183	DR000229	DR, \$DR	MBAC=9.08, RO S=8.40, DO=9.70, NBPA=9.15	9.08			1
184	DR000781	DR, \$DR	MBAC=9.08, RO S=8.15, DO=9.90, NBPA=9.20	9.08			1
185	DR001090	DR, \$DR	MBAC=9.07, RO S=8.30, DO=10.00, NBPA=9.55	9.07			1
186	DR000559	DR, \$DR	MBAC=9.06, RO S=9.45, DO=9.40, NBPA=8.35	9.06			1
187	DR000906	DR, \$DR	MBAC=9.06, RO S=9.35, DO=9.15, NBPA=8.70	9.06			1
188	DR000431	DR, \$DR	MBAC=9.06, RO S=9.30, DO=8.55, NBPA=9.35	9.06			1
189	DR000250	DR, \$DR	MBAC=9.06, RO S=9.25, DO=8.90, NBPA=9.05	9.06			1
190	DR000808	DR, \$DR	MBAC=9.06, RO S=9.20, DO=8.40, NBPA=9.60	9.06			1
191	DR000610	DR, \$DR	MBAC=9.06, RO S=9.15, DO=8.95, NBPA=9.10	9.06			1
192	DR000090	DR, \$DR	MBAC=9.06, RO S=9.10, DO=8.50, NBPA=9.60	9.06			1
193	DR000722	DR, \$DR	MBAC=9.06, RO S=9.00, DO=8.85, NBPA=9.35	9.06			1
194	DR000292	DR, \$DR	MBAC=9.06, RO S=8.85, DO=8.75, NBPA=9.60	9.06			1
195	DR000758	DR, \$DR	MBAC=9.06, RO S=8.75, DO=8.80, NBPA=9.65	9.06			1
196	DR000101	DR, \$DR	MBAC=9.06, RO S=8.70, DO=9.20, NBPA=9.30	9.06			1
197	DR000774	DR, \$DR	MBAC=9.06, RO S=8.65, DO=9.50, NBPA=9.05	9.06			1
198	DR000341	DR, \$DR	MBAC=9.06, RO S=8.55, DO=9.70, NBPA=8.95	9.06			1
199	DR000309	DR, \$DR	MBAC=9.06, RO S=8.25, DO=9.45, NBPA=9.50	9.06			1
200	DR000644	DR, \$DR	MBAC=9.06, RO S=8.05, DO=9.35, NBPA=9.80	9.06			1
201	DR000708	DR, \$DR	MBAC=9.05, RO S=9.30, DO=8.35, NBPA=9.50	9.05			1
202	DR000732	DR, \$DR	MBAC=9.05, RO S=9.10, DO=9.40, NBPA=8.65	9.05			1
203	DR000856	DR	MBAC=9.05, RO S=9.10, DO=8.65, NBPA=9.40	9.05			1
204	DR001016	DR, \$DR	MBAC=9.05, RO S=9.10, DO=8.35, NBPA=9.70	9.05			1
205	DR000348	DR, \$DR	MBAC=9.05, RO S=9.00, DO=8.95, NBPA=9.20	9.05			1
206	DR001175	\$DR	MBAC=9.05, RO S=9.00, DO=8.85, NBPA=9.30	9.05			1
207	DR000400	DR, \$DR	MBAC=9.05, RO S=8.35, DO=9.90, NBPA=8.90	9.05			1
208	DR000321	DR, \$DR	MBAC=9.03, RO S=9.80, DO=7.40, NBPA=9.90	9.03			1
209	DR000895	DR, \$DR	MBAC=9.03, RO S=9.75, DO=9.45, NBPA=7.90	9.03			1
210	DR000222	DR, \$DR	MBAC=9.03, RO S=9.60, DO=8.85, NBPA=8.65	9.03			1
211	DR000624	DR, \$DR	MBAC=9.03, RO S=9.35, DO=8.45, NBPA=9.30	9.03			1
212	DR000385	DR, \$DR	MBAC=9.03, RO S=9.25, DO=8.90, NBPA=8.95	9.03			1
213	DR000379	DR, \$DR	MBAC=9.03, RO S=9.20, DO=9.15, NBPA=8.75	9.03			1
214	DR000237	DR, \$DR	MBAC=9.03, RO S=9.15, DO=9.25, NBPA=8.70	9.03			1
215	DR000197	\$DR, DR	MBAC=9.03, RO S=9.10, DO=8.60, NBPA=9.40	9.03			1

Nr	Legitim.	Optiuni	Note	Medie	Admis la	Obs.	S
216	DR000474	DR, \$DR	MBAC=9.03, RO S=9.00, DO=8.80, NBPA=9.30	9.03			1
217	DR000703	DR, \$DR	MBAC=9.03, RO S=8.85, DO=9.70, NBPA=8.55	9.03			1
218	DR000123	DR, \$DR	MBAC=9.03, RO S=8.85, DO=9.15, NBPA=9.10	9.03			1
219	DR000655	DR, \$DR	MBAC=9.03, RO S=8.85, DO=9.10, NBPA=9.15	9.03			1
220	DR000481	DR, \$DR	MBAC=9.03, RO S=8.70, DO=8.90, NBPA=9.50	9.03			1
221	DR000310	DR, \$DR	MBAC=9.03, RO S=8.60, DO=9.35, NBPA=9.15	9.03			1
222	DR001193	DR, \$DR	MBAC=9.03, RO S=8.20, DO=8.90, NBPA=10.00	9.03			1
223	DR000136	DR, \$DR	MBAC=9.03, RO S=7.95, DO=9.25, NBPA=9.90	9.03			1
224	DR000757	DR, \$DR	MBAC=9.03, RO S=7.80, DO=9.55, NBPA=9.75	9.03			1
225	DR000759	DR, \$DR	MBAC=9.01, RO S=8.85, DO=9.10, NBPA=9.10	9.01			1
226	DR000484	DR, \$DR	MBAC=9.01, RO S=8.60, DO=9.50, NBPA=8.95	9.01			1
227	DR000799	DR, \$DR	MBAC=9.01, RO S=8.55, DO=8.90, NBPA=9.60	9.01			1
228	DR000001	DR, \$DR	MBAC=9.01, RO S=8.35, DO=9.30, NBPA=9.40	9.01			1
229	DR001013	\$DR, DR	MBAC=9.01, RO S=8.30, DO=9.25, NBPA=9.50	9.01			1
230	DR000941	DR, \$DR	MBAC=9.01, RO S=8.25, DO=9.60, NBPA=9.20	9.01			1
231	DR001082	DR, \$DR	MBAC=9.01, RO S=8.20, DO=9.85, NBPA=9.00	9.01			1
232	DR000109	DR, \$DR	MBAC=9.00, RO S=9.50, DO=8.90, NBPA=8.60	9.00			1
233	DR000842	DR, \$DR	MBAC=9.00, RO S=9.45, DO=8.35, NBPA=9.20	9.00			1
234	DR000962	DR, \$DR	MBAC=9.00, RO S=9.30, DO=8.80, NBPA=8.90	9.00			1
235	DR000561	DR, \$DR	MBAC=9.00, RO S=9.15, DO=7.85, NBPA=10.00	9.00			1
236	DR001028	DR, \$DR	MBAC=9.00, RO S=9.10, DO=8.40, NBPA=9.50	9.00			1
237	DR000817	DR, \$DR	MBAC=9.00, RO S=8.35, DO=9.05, NBPA=9.60	9.00			1
238	DR000751	DR, \$DR	MBAC=9.00, RO S=8.30, DO=9.10, NBPA=9.60	9.00			1
239	DR000829	DR, \$DR	MBAC=8.98, RO S=9.25, DO=8.75, NBPA=8.95	8.98			1
240	DR000606	DR, \$DR	MBAC=8.98, RO S=9.15, DO=7.90, NBPA=9.90	8.98			1
241	DR000662	\$DR, DR	MBAC=8.98, RO S=9.10, DO=9.05, NBPA=8.80	8.98			1
242	DR000528	DR, \$DR	MBAC=8.98, RO S=8.55, DO=9.20, NBPA=9.20	8.98			1
243	DR000950	DR	MBAC=8.98, RO S=8.50, DO=9.15, NBPA=9.30	8.98			1
244	DR000436	DR, \$DR	MBAC=8.98, RO S=8.30, DO=9.50, NBPA=9.15	8.98			1
245	DR000358	DR, \$DR	MBAC=8.98, RO S=8.20, DO=9.20, NBPA=9.55	8.98			1
246	DR000986	DR, \$DR	MBAC=8.98, RO S=7.80, DO=9.65, NBPA=9.50	8.98			1
247	DR000997	DR, \$DR	MBAC=8.97, RO S=8.20, DO=9.50, NBPA=9.60	8.97			1
248	DR000864	DR, \$DR	MBAC=8.96, RO S=9.85, DO=8.90, NBPA=8.15	8.96			1
249	DR001169	DR, \$DR	MBAC=8.96, RO S=9.45, DO=8.45, NBPA=9.00	8.96			1
250	DR001106	DR, \$DR	MBAC=8.96, RO S=9.35, DO=7.85, NBPA=9.70	8.96			1
251	DR001075	DR, \$DR	MBAC=8.96, RO S=9.20, DO=8.55, NBPA=9.15	8.96			1
252	DR001154	DR, \$DR	MBAC=8.96, RO S=9.10, DO=8.10, NBPA=9.70	8.96			1
253	DR001126	DR, \$DR	MBAC=8.96, RO S=8.65, DO=8.80, NBPA=9.45	8.96			1
254	DR000998	DR, \$DR	MBAC=8.96, RO S=8.30, DO=8.90, NBPA=9.70	8.96			1
255	DR000653	\$DR, DR	MBAC=8.95, RO S=9.60, DO=8.30, NBPA=8.95	8.95			1
256	DR000231	DR, \$DR	MBAC=8.95, RO S=9.15, DO=8.50, NBPA=9.20	8.95			1
257	DR000175	DR, \$DR	MBAC=8.95, RO S=9.00, DO=8.75, NBPA=9.10	8.95			1
258	DR000569	DR, \$DR	MBAC=8.95, RO S=8.75, DO=9.10, NBPA=9.00	8.95			1
259	DR000014	DR, \$DR	MBAC=8.95, RO S=8.70, DO=9.35, NBPA=8.80	8.95			1
260	DR001202	DR, \$DR	MBAC=8.95, RO S=8.40, DO=8.70, NBPA=9.75	8.95			1
261	DR000594	DR	MBAC=8.93, RO S=9.10, DO=9.95, NBPA=7.75	8.93			1
262	DR000507	DR, \$DR	MBAC=8.93, RO S=9.10, DO=9.45, NBPA=8.25	8.93			1
263	DR000632	DR, \$DR	MBAC=8.93, RO S=9.00, DO=8.95, NBPA=8.85	8.93			1
264	DR000645	DR, \$DR	MBAC=8.93, RO S=8.95, DO=8.35, NBPA=9.50	8.93			1
265	DR000280	DR, \$DR	MBAC=8.93, RO S=8.80, DO=9.75, NBPA=8.25	8.93			1
266	DR001168	DR, \$DR	MBAC=8.93, RO S=8.70, DO=8.75, NBPA=9.35	8.93			1
267	DR000196	\$DR, DR	MBAC=8.93, RO S=8.50, DO=9.10, NBPA=9.20	8.93			1
268	DR001147	DR, \$DR	MBAC=8.93, RO S=8.50, DO=8.75, NBPA=9.55	8.93			1
269	DR000651	DR, \$DR	MBAC=8.93, RO S=8.45, DO=8.70, NBPA=9.65	8.93			1
270	DR001040	DR, \$DR	MBAC=8.93, RO S=8.00, DO=9.20, NBPA=9.60	8.93			1
271	DR000150	DR, \$DR	MBAC=8.93, RO S=7.70, DO=9.60, NBPA=9.50	8.93			1
272	DR000152	DR, \$DR	MBAC=8.93, RO S=7.60, DO=9.50, NBPA=9.70	8.93			1
273	DR000153	DR, \$DR	MBAC=8.91, RO S=9.25, DO=8.55, NBPA=8.95	8.91			1
274	DR000558	DR	MBAC=8.91, RO S=9.00, DO=7.95, NBPA=9.80	8.91			1
275	DR000517	DR	MBAC=8.91, RO S=8.95, DO=8.65, NBPA=9.15	8.91			1
276	DR000167	DR, \$DR	MBAC=8.91, RO S=8.85, DO=8.65, NBPA=9.25	8.91			1
277	DR000453	DR, \$DR	MBAC=8.91, RO S=8.55, DO=9.20, NBPA=9.00	8.91			1
278	DR000940	DR, \$DR	MBAC=8.91, RO S=8.25, DO=8.75, NBPA=9.75	8.91			1
279	DR001097	DR	MBAC=8.90, RO S=9.55, DO=8.05, NBPA=9.10	8.90			1
280	DR000399	DR, \$DR	MBAC=8.90, RO S=9.45, DO=8.85, NBPA=8.40	8.90			1
281	DR000079	DR, \$DR	MBAC=8.90, RO S=8.75, DO=8.70, NBPA=9.25	8.90			1
282	DR000966	DR, \$DR	MBAC=8.90, RO S=8.75, DO=8.20, NBPA=9.75	8.90			1
283	DR001094	DR, \$DR	MBAC=8.90, RO S=8.50, DO=8.80, NBPA=9.40	8.90			1
284	DR000010	DR, \$DR	MBAC=8.90, RO S=8.05, DO=9.00, NBPA=9.65	8.90			1
285	DR000054	DR, \$DR	MBAC=8.88, RO S=9.40, DO=8.65, NBPA=8.60	8.88			1
286	DR000068	DR, \$DR	MBAC=8.88, RO S=8.75, DO=9.25, NBPA=8.65	8.88			1
287	DR000088	DR, \$DR	MBAC=8.88, RO S=8.15, DO=8.95, NBPA=9.45	8.88			1
288	DR000043	DR, \$DR	MBAC=8.86, RO S=9.30, DO=8.05, NBPA=9.25	8.86			1
289	DR000905	DR, \$DR	MBAC=8.86, RO S=8.90, DO=8.05, NBPA=9.65	8.86			1
290	DR000183	DR, \$DR	MBAC=8.86, RO S=8.60, DO=8.30, NBPA=9.70	8.86			1

Nr	Legitim.	Optiuni	Note	Medie	Admis la	Obs.	S
291	DR000488	DR, \$DR	MBAC=8.86, RO S=8.15, DO=9.85, NBPA=8.60	8.86			1
292	DR000129	DR, \$DR	MBAC=8.85, RO S=9.80, DO=7.30, NBPA=9.45	8.85			1
293	DR000262	DR, \$DR	MBAC=8.85, RO S=9.30, DO=8.90, NBPA=8.35	8.85			1
294	DR001174	DR, \$DR	MBAC=8.85, RO S=9.00, DO=8.05, NBPA=9.50	8.85			1
295	DR000071	DR, \$DR	MBAC=8.85, RO S=8.95, DO=8.70, NBPA=8.90	8.85			1
296	DR000948	DR, \$DR	MBAC=8.85, RO S=8.90, DO=8.65, NBPA=9.00	8.85			1
297	DR000067	DR, \$DR	MBAC=8.85, RO S=8.60, DO=8.55, NBPA=9.40	8.85			1
298	DR000635	DR, \$DR	MBAC=8.85, RO S=8.40, DO=9.50, NBPA=8.65	8.85			1
299	DR000668	DR, \$DR	MBAC=8.85, RO S=8.25, DO=9.65, NBPA=8.65	8.85			1
300	DR000442	DR, \$DR	MBAC=8.85, RO S=7.80, DO=9.50, NBPA=9.25	8.85			1
301	DR001117	\$DR	MBAC=8.85, RO S=7.60, DO=9.85, NBPA=9.10	8.85			1
302	DR000573	DR, \$DR	MBAC=8.83, RO S=9.60, DO=8.40, NBPA=8.50	8.83			1
303	DR000862	DR, \$DR	MBAC=8.83, RO S=9.55, DO=7.90, NBPA=9.05	8.83			1
304	DR000766	DR, \$DR	MBAC=8.83, RO S=9.40, DO=7.95, NBPA=9.15	8.83			1
305	DR000548	DR, \$DR	MBAC=8.83, RO S=8.85, DO=7.80, NBPA=9.85	8.83			1
306	DR000169	DR, \$DR	MBAC=8.83, RO S=8.60, DO=8.30, NBPA=9.60	8.83			1
307	DR000688	DR, \$DR	MBAC=8.83, RO S=8.25, DO=8.95, NBPA=9.30	8.83			1
308	DR001092	DR, \$DR	MBAC=8.83, RO S=7.30, DO=9.75, NBPA=9.45	8.83			1
309	DR000527	DR, \$DR	MBAC=8.81, RO S=9.75, DO=7.30, NBPA=9.40	8.81			1
310	DR000266	DR, \$DR	MBAC=8.81, RO S=9.40, DO=8.35, NBPA=8.70	8.81			1
311	DR000690	DR, \$DR	MBAC=8.81, RO S=9.40, DO=7.30, NBPA=9.75	8.81			1
312	DR000504	DR, \$DR	MBAC=8.81, RO S=9.25, DO=7.85, NBPA=9.35	8.81			1
313	DR217019	DR-DZ, DR, \$DR	MBAC=8.81, RO S=9.00, DO=8.55, NBPA=8.90	8.81		DZ	1
314	DR000659	DR, \$DR	MBAC=8.81, RO S=8.85, DO=9.05, NBPA=8.55	8.81			1
315	DR000598	DR, \$DR	MBAC=8.81, RO S=8.05, DO=9.00, NBPA=9.40	8.81			1
316	DR001095	DR, \$DR	MBAC=8.81, RO S=8.00, DO=8.95, NBPA=9.50	8.81			1
317	DR000912	DR, \$DR	MBAC=8.81, RO S=7.95, DO=8.65, NBPA=9.85	8.81			1
318	DR000669	DR, \$DR	MBAC=8.81, RO S=7.90, DO=8.85, NBPA=9.70	8.81			1
319	DR000369	\$DR, DR	MBAC=8.81, RO S=7.65, DO=9.55, NBPA=9.25	8.81			1
320	DR000814	DR, \$DR	MBAC=8.80, RO S=9.45, DO=8.30, NBPA=8.65	8.80			1
321	DR000487	DR, \$DR	MBAC=8.80, RO S=9.25, DO=9.70, NBPA=7.45	8.80			1
322	DR000258	\$DR, DR	MBAC=8.80, RO S=8.90, DO=8.10, NBPA=9.40	8.80			1
323	DR000211	\$DR	MBAC=8.80, RO S=8.70, DO=8.90, NBPA=8.80	8.80			1
324	DR000051	\$DR	MBAC=8.80, RO S=8.60, DO=9.95, NBPA=9.50	8.80			1
325	DR000145	DR, \$DR	MBAC=8.80, RO S=8.60, DO=8.50, NBPA=9.70	8.80			1
326	DR000130	\$DR	MBAC=8.80, RO S=8.60, DO=8.50, NBPA=9.30	8.80			1
327	DR000405	DR, \$DR	MBAC=8.80, RO S=8.35, DO=8.95, NBPA=9.10	8.80			1
328	DR000740	DR, \$DR	MBAC=8.80, RO S=7.70, DO=9.05, NBPA=9.65	8.80			1
329	DR000432	DR, \$DR	MBAC=8.80, RO S=7.55, DO=9.60, NBPA=9.25	8.80			1
330	DR000816	DR, \$DR	MBAC=8.78, RO S=9.40, DO=7.20, NBPA=9.75	8.78			1
331	DR000968	DR, \$DR	MBAC=8.78, RO S=9.15, DO=7.95, NBPA=9.25	8.78			1
332	DR000700	DR, \$DR	MBAC=8.78, RO S=8.70, DO=7.90, NBPA=9.75	8.78			1
333	DR000521	DR, \$DR	MBAC=8.78, RO S=8.40, DO=8.15, NBPA=9.80	8.78			1
334	DR000483	DR, \$DR	MBAC=8.78, RO S=8.35, DO=8.30, NBPA=9.70	8.78			1
335	DR001045	DR, \$DR	MBAC=8.78, RO S=8.25, DO=8.90, NBPA=9.20	8.78			1
336	DR000721	DR, \$DR	MBAC=8.78, RO S=8.10, DO=9.10, NBPA=9.15	8.78			1
337	DR000412	DR, \$DR	MBAC=8.78, RO S=8.00, DO=9.15, NBPA=9.20	8.78			1
338	DR000122	DR, \$DR	MBAC=8.78, RO S=8.00, DO=8.95, NBPA=9.40	8.78			1
339	DR000500	DR, \$DR	MBAC=8.78, RO S=7.85, DO=9.70, NBPA=8.80	8.78			1
340	DR000577	DR, \$DR	MBAC=8.76, RO S=9.75, DO=8.15, NBPA=8.40	8.76			1
341	DR000477	DR, \$DR	MBAC=8.76, RO S=9.60, DO=7.65, NBPA=9.05	8.76			1
342	DR000705	DR, \$DR	MBAC=8.76, RO S=8.95, DO=7.65, NBPA=9.70	8.76			1
343	DR001159	DR, \$DR	MBAC=8.76, RO S=8.90, DO=9.40, NBPA=8.00	8.76			1
344	DR000368	DR, \$DR	MBAC=8.76, RO S=8.20, DO=8.85, NBPA=9.25	8.76			1
345	DR000666	DR, \$DR	MBAC=8.75, RO S=9.30, DO=7.95, NBPA=9.00	8.75			1
346	DR000899	DR	MBAC=8.75, RO S=9.15, DO=7.20, NBPA=9.90	8.75			1
347	DR000929	DR	MBAC=8.75, RO S=9.00, DO=7.95, NBPA=9.30	8.75			1
348	DR000056	DR, \$DR	MBAC=8.75, RO S=8.25, DO=9.40, NBPA=8.60	8.75			1
349	DR000693	\$DR, DR	MBAC=8.75, RO S=8.10, DO=9.05, NBPA=9.10	8.75			1
350	DR000176	DR, \$DR	MBAC=8.75, RO S=8.10, DO=8.90, NBPA=9.25	8.75			1
351	DR217007	\$DR	MBAC=8.75, RO S=8.00, DO=8.00, NBPA=9.00	8.75		RX	1
352	DR217024	DR-MR, DR, \$DR	MBAC=8.75, RO S=7.80, DO=9.05, NBPA=9.40	8.75		MR	1
353	DR000702	DR, \$DR	MBAC=8.73, RO S=9.45, DO=7.55, NBPA=9.20	8.73			1
354	DR000135	DR, \$DR	MBAC=8.73, RO S=9.15, DO=9.00, NBPA=8.05	8.73			1
355	DR000824	DR, \$DR	MBAC=8.73, RO S=8.55, DO=9.05, NBPA=8.60	8.73			1
356	DR000064	DR, \$DR	MBAC=8.73, RO S=8.50, DO=8.55, NBPA=9.15	8.73			1
357	DR000087	DR, \$DR	MBAC=8.73, RO S=8.35, DO=8.95, NBPA=8.90	8.73			1
358	DR000238	DR, \$DR	MBAC=8.73, RO S=8.35, DO=8.50, NBPA=9.35	8.73			1
359	DR000294	DR, \$DR	MBAC=8.73, RO S=8.00, DO=9.05, NBPA=9.15	8.73			1
360	DR000330	DR, \$DR	MBAC=8.71, RO S=9.70, DO=7.35, NBPA=9.10	8.71			1
361	DR000815	DR	MBAC=8.71, RO S=9.25, DO=7.75, NBPA=9.15	8.71			1
362	DR000793	DR, \$DR	MBAC=8.71, RO S=9.20, DO=7.20, NBPA=9.75	8.71			1
363	DR000093	\$DR	MBAC=8.71, RO S=8.80, DO=8.90, NBPA=8.45	8.71			1
364	DR001047	DR, \$DR	MBAC=8.71, RO S=8.70, DO=9.30, NBPA=8.15	8.71			1
365	DR000300	\$DR, DR	MBAC=8.71, RO S=6.85, DO=9.80, NBPA=9.50	8.71			1

Nr	Legitim.	Optiuni	Note	Medie	Admis la	Obs.	S
366	DR000869	DR, \$DR	MBAC=8.70, RO S=9.30, DO=8.65, NBPA=8.15	8.70			1
367	DR000746	DR, \$DR	MBAC=8.70, RO S=8.80, DO=8.30, NBPA=9.00	8.70			1
368	DR000784	DR, \$DR	MBAC=8.70, RO S=8.70, DO=7.60, NBPA=9.80	8.70			1
369	DR000290	DR, \$DR	MBAC=8.70, RO S=7.60, DO=9.15, NBPA=9.35	8.70			1
370	DR000121	DR, \$DR	MBAC=8.68, RO S=9.25, DO=7.90, NBPA=8.90	8.68			1
371	DR000055	DR, \$DR	MBAC=8.68, RO S=8.30, DO=8.80, NBPA=8.95	8.68			1
372	DR000168	DR, \$DR	MBAC=8.68, RO S=8.15, DO=8.80, NBPA=9.10	8.68			1
373	DR000727	DR, \$DR	MBAC=8.68, RO S=8.10, DO=8.95, NBPA=9.00	8.68			1
374	DR000820	DR, \$DR	MBAC=8.68, RO S=7.90, DO=9.35, NBPA=8.80	8.68			1
375	DR000205	DR, \$DR	MBAC=8.66, RO S=9.25, DO=8.45, NBPA=8.30	8.66			1
376	DR000900	DR, \$DR	MBAC=8.66, RO S=8.80, DO=9.15, NBPA=8.05	8.66			1
377	DR000261	DR, \$DR	MBAC=8.66, RO S=8.30, DO=8.25, NBPA=9.45	8.66			1
378	DR000215	DR, \$DR	MBAC=8.66, RO S=8.20, DO=9.30, NBPA=8.50	8.66			1
379	DR000339	\$DR, DR	MBAC=8.66, RO S=7.90, DO=8.80, NBPA=9.30	8.66			1
380	DR000691	DR, \$DR	MBAC=8.65, RO S=9.70, DO=8.70, NBPA=7.55	8.65			1
381	DR000235	DR, \$DR	MBAC=8.65, RO S=9.00, DO=8.50, NBPA=8.45	8.65			1
382	DR000970	DR, \$DR	MBAC=8.65, RO S=9.00, DO=8.50, NBPA=8.45	8.65			1
383	DR001185	DR, \$DR	MBAC=8.65, RO S=9.00, DO=7.90, NBPA=9.05	8.65			1
384	DR000637	DR, \$DR	MBAC=8.65, RO S=8.55, DO=8.10, NBPA=9.30	8.65			1
385	DR000506	DR, \$DR	MBAC=8.65, RO S=8.20, DO=8.35, NBPA=9.40	8.65			1
386	DR000523	DR, \$DR	MBAC=8.65, RO S=8.00, DO=8.95, NBPA=9.00	8.65			1
387	DR000497	DR, \$DR	MBAC=8.63, RO S=8.55, DO=8.85, NBPA=8.50	8.63			1
388	DR000591	DR, \$DR	MBAC=8.63, RO S=8.50, DO=8.45, NBPA=8.95	8.63			1
389	DR000615	DR, \$DR	MBAC=8.63, RO S=8.45, DO=8.95, NBPA=8.50	8.63			1
390	DR000463	DR	MBAC=8.63, RO S=8.35, DO=8.90, NBPA=8.65	8.63			1
391	DR001026	DR, \$DR	MBAC=8.63, RO S=8.15, DO=9.30, NBPA=8.45	8.63			1
392	DR000866	DR, \$DR	MBAC=8.63, RO S=7.70, DO=8.50, NBPA=9.70	8.63			1
393	DR000625	DR, \$DR	MBAC=8.62, RO S=9.30, DO=8.80, NBPA=9.15	8.62			1
394	DR000320	DR, \$DR	MBAC=8.61, RO S=9.15, DO=7.45, NBPA=9.25	8.61			1
395	DR217006	DR, \$DR	MBAC=8.61, RO S=8.30, DO=9.35, NBPA=8.20	8.61		DZ	1
396	DR000614	DR, \$DR	MBAC=8.61, RO S=8.30, DO=8.45, NBPA=9.10	8.61			1
397	DR001206	DR, \$DR	MBAC=8.61, RO S=7.60, DO=8.65, NBPA=9.60	8.61			1
398	DR000719	DR, \$DR	MBAC=8.60, RO S=9.45, DO=7.00, NBPA=9.35	8.60			1
399	DR000041	\$DR, DR	MBAC=8.60, RO S=9.10, DO=7.15, NBPA=9.55	8.60			1
400	DR000886	DR, \$DR	MBAC=8.60, RO S=8.20, DO=9.30, NBPA=8.30	8.60			1
401	DR000398	DR, \$DR	MBAC=8.60, RO S=8.15, DO=8.85, NBPA=8.80	8.60			1
402	DR000555	DR, \$DR	MBAC=8.60, RO S=8.15, DO=8.70, NBPA=8.95	8.60			1
403	DR000282	DR, \$DR	MBAC=8.60, RO S=7.80, DO=10.00, NBPA=8.00	8.60			1
404	DR000469	DR, \$DR	MBAC=8.60, RO S=7.45, DO=9.50, NBPA=8.85	8.60			1
405	DR000763	\$DR, DR	MBAC=8.60, RO S=7.25, DO=9.15, NBPA=9.40	8.60			1
406	DR000667	DR, \$DR	MBAC=8.58, RO S=8.90, DO=8.00, NBPA=8.85	8.58			1
407	DR000489	DR, \$DR	MBAC=8.58, RO S=8.80, DO=8.55, NBPA=8.40	8.58			1
408	DR000031	\$DR, DR	MBAC=8.58, RO S=8.70, DO=7.55, NBPA=9.50	8.58			1
409	DR000162	\$DR, DR	MBAC=8.58, RO S=8.50, DO=8.05, NBPA=9.20	8.58			1
410	DR000486	DR, \$DR	MBAC=8.58, RO S=8.20, DO=8.45, NBPA=9.10	8.58			1
411	DR001070	DR	MBAC=8.56, RO S=9.65, DO=6.55, NBPA=9.50	8.56			1
412	DR000479	DR, \$DR	MBAC=8.56, RO S=8.50, DO=7.70, NBPA=9.50	8.56			1
413	DR001121	DR, \$DR	MBAC=8.56, RO S=8.45, DO=7.95, NBPA=9.30	8.56			1
414	DR000445	DR	MBAC=8.56, RO S=8.35, DO=7.85, NBPA=9.50	8.56			1
415	DR000444	DR, \$DR	MBAC=8.56, RO S=8.30, DO=8.20, NBPA=9.20	8.56			1
416	DR001165	DR, \$DR	MBAC=8.56, RO S=8.25, DO=8.15, NBPA=9.30	8.56			1
417	DR000884	DR, \$DR	MBAC=8.56, RO S=7.95, DO=8.50, NBPA=9.25	8.56			1
418	DR000052	\$DR	MBAC=8.56, RO S=7.40, DO=8.85, NBPA=7.90	8.56			1
419	DR000083	DR, \$DR	MBAC=8.55, RO S=8.85, DO=7.95, NBPA=8.85	8.55			1
420	DR000151	DR, \$DR	MBAC=8.55, RO S=8.75, DO=7.80, NBPA=9.10	8.55			1
421	DR000435	DR, \$DR	MBAC=8.55, RO S=8.60, DO=9.25, NBPA=7.80	8.55			1
422	DR000451	\$DR, DR	MBAC=8.55, RO S=8.60, DO=7.05, NBPA=10.00	8.55			1
423	DR001067	DR, \$DR	MBAC=8.55, RO S=8.40, DO=7.95, NBPA=9.30	8.55			1
424	DR000754	\$DR, DR	MBAC=8.55, RO S=8.30, DO=8.15, NBPA=9.20	8.55			1
425	DR000560	DR, \$DR	MBAC=8.55, RO S=7.90, DO=8.10, NBPA=9.65	8.55			1
426	DR000930	DR, \$DR	MBAC=8.55, RO S=7.75, DO=8.70, NBPA=9.20	8.55			1
427	DR000327	DR, \$DR	MBAC=8.53, RO S=9.25, DO=7.70, NBPA=8.65	8.53			1
428	DR000889	DR, \$DR	MBAC=8.53, RO S=8.95, DO=7.05, NBPA=9.60	8.53			1
429	DR000710	DR, \$DR	MBAC=8.53, RO S=8.75, DO=8.85, NBPA=8.00	8.53			1
430	DR000924	DR, \$DR	MBAC=8.53, RO S=8.25, DO=8.85, NBPA=8.50	8.53			1
431	DR000985	DR, \$DR	MBAC=8.53, RO S=8.25, DO=8.05, NBPA=9.30	8.53			1
432	DR000391	DR, \$DR	MBAC=8.53, RO S=8.15, DO=7.75, NBPA=9.70	8.53			1
433	DR001125	DR, \$DR	MBAC=8.53, RO S=8.05, DO=9.65, NBPA=7.90	8.53			1
434	DR000958	DR, \$DR	MBAC=8.53, RO S=7.95, DO=9.15, NBPA=8.60	8.53			1
435	DR000649	DR, \$DR	MBAC=8.52, RO S=7.50, DO=9.75, NBPA=8.35	8.52			1
436	DR000165	DR, \$DR	MBAC=8.52, RO S=6.95, DO=9.60, NBPA=9.55	8.52			1
437	DR000830	DR, \$DR	MBAC=8.51, RO S=9.15, DO=7.30, NBPA=9.10	8.51			1
438	DR000750	DR, \$DR	MBAC=8.51, RO S=9.00, DO=7.45, NBPA=9.10	8.51			1
439	DR000434	DR, \$DR	MBAC=8.51, RO S=8.75, DO=8.60, NBPA=8.20	8.51			1
440	DR000062	DR, \$DR	MBAC=8.51, RO S=8.50, DO=8.25, NBPA=8.80	8.51			1

Nr	Legitim.	Optiuni	Note	Medie	Admis la	Obs.	S
441	DR001122	DR, \$DR	MBAC=8.51, RO_S=8.50, DO=7.40, NBPA=9.65	8.51			1
442	DR000375	DR, \$DR	MBAC=8.51, RO_S=8.15, DO=8.00, NBPA=9.40	8.51			1
443	DR000665	DR, \$DR	MBAC=8.50, RO_S=9.60, DO=8.50, NBPA=7.40	8.50			1
444	DR001102	DR, \$DR	MBAC=8.50, RO_S=9.55, DO=9.30, NBPA=6.65	8.50			1
445	DR000455	DR, \$DR	MBAC=8.50, RO_S=8.65, DO=7.30, NBPA=9.55	8.50			1
446	DR001141	DR, \$DR	MBAC=8.50, RO_S=8.45, DO=8.25, NBPA=8.80	8.50			1
447	DR001024	DR, \$DR	MBAC=8.50, RO_S=8.25, DO=8.20, NBPA=9.05	8.50			1
448	DR000681	\$DR	MBAC=8.50, RO_S=8.20, DO=8.60, NBPA=8.70	8.50			1
449	DR000861	DR, DR-DZ, \$DR	MBAC=8.50, RO_S=7.75, DO=8.20, NBPA=9.55	8.50		DZ	1
450	DR000538	DR, \$DR	MBAC=8.50, RO_S=7.45, DO=8.65, NBPA=9.40	8.50			1
451	DR000987	DR, \$DR	MBAC=8.50, RO_S=7.40, DO=8.85, NBPA=9.25	8.50			1
452	DR001181	DR, \$DR	MBAC=8.49, RO_S=9.00, DO=8.49, NBPA=8.49	8.49			1
453	DR000956	DR, \$DR	MBAC=8.48, RO_S=8.80, DO=7.20, NBPA=9.45	8.48			1
454	DR000584	DR, \$DR	MBAC=8.48, RO_S=8.70, DO=7.65, NBPA=9.10	8.48			1
455	DR000908	DR, \$DR	MBAC=8.48, RO_S=8.35, DO=8.95, NBPA=8.15	8.48			1
456	DR000978	DR, \$DR	MBAC=8.48, RO_S=8.30, DO=7.70, NBPA=9.45	8.48			1
457	DR000427	DR	MBAC=8.48, RO_S=7.00, DO=9.40, NBPA=9.05	8.48			1
458	DR000892	DR, \$DR	MBAC=8.47, RO_S=8.35, DO=9.10, NBPA=9.60	8.47			1
459	DR000540	DR, \$DR	MBAC=8.46, RO_S=9.30, DO=7.45, NBPA=8.65	8.46			1
460	DR001073	DR, \$DR	MBAC=8.46, RO_S=8.60, DO=9.15, NBPA=9.20	8.46			1
461	DR001086	DR, \$DR	MBAC=8.46, RO_S=8.15, DO=8.60, NBPA=8.65	8.46			1
462	DR000725	DR, \$DR	MBAC=8.46, RO_S=8.15, DO=8.40, NBPA=8.85	8.46			1
463	DR000140	DR, \$DR	MBAC=8.46, RO_S=7.90, DO=9.10, NBPA=8.45	8.46			1
464	DR001029	DR, \$DR	MBAC=8.45, RO_S=9.55, DO=7.20, NBPA=8.60	8.45			1
465	DR000008	DR, \$DR	MBAC=8.45, RO_S=8.65, DO=7.70, NBPA=9.00	8.45			1
466	DR000328	DR, \$DR	MBAC=8.45, RO_S=8.50, DO=8.60, NBPA=8.25	8.45			1
467	DR000586	DR, \$DR	MBAC=8.45, RO_S=8.50, DO=8.35, NBPA=8.50	8.45			1
468	DR000963	DR, \$DR	MBAC=8.45, RO_S=8.45, DO=8.50, NBPA=8.40	8.45			1
469	DR001209	\$DR	MBAC=8.45, RO_S=8.35, DO=7.50, NBPA=9.50	8.45			1
470	DR000556	DR, \$DR	MBAC=8.45, RO_S=8.10, DO=8.95, NBPA=8.30	8.45			1
471	DR000777	DR, \$DR	MBAC=8.45, RO_S=7.85, DO=9.10, NBPA=8.40	8.45			1
472	DR000189	DR, \$DR	MBAC=8.45, RO_S=7.65, DO=9.35, NBPA=8.35	8.45			1
473	DR000988	DR, \$DR	MBAC=8.45, RO_S=7.20, DO=8.65, NBPA=9.50	8.45			1
474	DR000465	DR, \$DR	MBAC=8.45, RO_S=6.70, DO=9.70, NBPA=8.95	8.45			1
475	DR000910	DR, \$DR	MBAC=8.43, RO_S=9.45, DO=6.45, NBPA=9.40	8.43			1
476	DR000853	DR, \$DR	MBAC=8.43, RO_S=8.65, DO=8.25, NBPA=8.40	8.43			1
477	DR000011	\$DR, DR	MBAC=8.43, RO_S=8.60, DO=8.05, NBPA=8.65	8.43			1
478	DR000127	DR, \$DR	MBAC=8.43, RO_S=8.45, DO=6.85, NBPA=10.00	8.43			1
479	DR000619	DR, \$DR	MBAC=8.43, RO_S=8.35, DO=7.70, NBPA=9.25	8.43			1
480	DR000421	DR, \$DR	MBAC=8.43, RO_S=7.70, DO=9.85, NBPA=7.75	8.43			1
481	DR000952	DR, \$DR	MBAC=8.43, RO_S=7.70, DO=9.35, NBPA=8.25	8.43			1
482	DR000542	DR, \$DR	MBAC=8.41, RO_S=9.85, DO=7.40, NBPA=8.00	8.41			1
483	DR000353	\$DR, DR	MBAC=8.41, RO_S=8.65, DO=7.95, NBPA=8.65	8.41			1
484	DR000037	DR, \$DR	MBAC=8.41, RO_S=8.20, DO=8.80, NBPA=8.25	8.41			1
485	DR000859	DR, \$DR	MBAC=8.41, RO_S=8.10, DO=7.55, NBPA=9.60	8.41			1
486	DR000049	DR, \$DR	MBAC=8.41, RO_S=7.55, DO=9.20, NBPA=8.50	8.41			1
487	DR000657	DR, \$DR	MBAC=8.40, RO_S=7.85, DO=7.70, NBPA=9.65	8.40			1
488	DR000846	DR, \$DR	MBAC=8.40, RO_S=6.70, DO=9.70, NBPA=8.80	8.40			1
489	DR001031	DR, \$DR	MBAC=8.38, RO_S=8.95, DO=7.20, NBPA=9.00	8.38			1
490	DR000734	DR, \$DR	MBAC=8.38, RO_S=8.50, DO=7.45, NBPA=9.20	8.38			1
491	DR217025	DR-MR, DR, \$DR	MBAC=8.38, RO_S=8.25, DO=8.15, NBPA=8.75	8.38		MR	1
492	DR000923	DR, \$DR	MBAC=8.38, RO_S=7.70, DO=8.65, NBPA=8.80	8.38			1
493	DR001194	DR, \$DR	MBAC=8.38, RO_S=6.35, DO=10.00, NBPA=8.80	8.38			1
494	DR000457	DR, \$DR	MBAC=8.36, RO_S=9.05, DO=7.25, NBPA=8.80	8.36			1
495	DR001048	DR, \$DR	MBAC=8.36, RO_S=9.00, DO=8.55, NBPA=7.55	8.36			1
496	DR000408	DR, \$DR	MBAC=8.36, RO_S=8.80, DO=7.80, NBPA=8.50	8.36			1
497	DR000529	DR, \$DR	MBAC=8.36, RO_S=8.65, DO=7.35, NBPA=9.10	8.36			1
498	DR001145	DR, \$DR	MBAC=8.36, RO_S=8.50, DO=8.65, NBPA=8.30	8.36			1
499	DR000551	DR, \$DR	MBAC=8.36, RO_S=8.40, DO=7.80, NBPA=8.90	8.36			1
500	DR000891	DR	MBAC=8.36, RO_S=8.30, DO=8.50, NBPA=8.30	8.36			1
501	DR000125	DR, \$DR	MBAC=8.36, RO_S=8.05, DO=9.00, NBPA=8.05	8.36			1
502	DR000468	\$DR, DR	MBAC=8.36, RO_S=8.00, DO=8.40, NBPA=8.70	8.36			1
503	DR001182	DR, \$DR	MBAC=8.36, RO_S=7.75, DO=9.10, NBPA=8.25	8.36			1
504	DR000415	DR, \$DR	MBAC=8.36, RO_S=7.25, DO=8.65, NBPA=9.20	8.36			1
505	DR001049	DR	MBAC=8.36, RO_S=6.80, DO=8.70, NBPA=9.60	8.36			1
506	DR001033	DR	MBAC=8.35, RO_S=8.90, DO=8.45, NBPA=7.70	8.35			1
507	DR000471	DR, \$DR	MBAC=8.35, RO_S=8.80, DO=7.60, NBPA=8.65	8.35			1
508	DR000844	DR	MBAC=8.35, RO_S=8.40, DO=8.15, NBPA=8.50	8.35			1
509	DR001132	DR, \$DR	MBAC=8.33, RO_S=9.55, DO=8.10, NBPA=7.35	8.33			1
510	DR000094	DR, \$DR	MBAC=8.33, RO_S=8.55, DO=7.75, NBPA=8.70	8.33			1
511	DR001072	DR, \$DR	MBAC=8.33, RO_S=8.20, DO=8.25, NBPA=8.55	8.33			1
512	DR000042	\$DR	MBAC=8.33, RO_S=8.05, DO=7.70, NBPA=9.25	8.33			1
513	DR000350	DR, \$DR	MBAC=8.33, RO_S=7.95, DO=9.40, NBPA=7.65	8.33			1
514	DR000741	DR, \$DR	MBAC=8.33, RO_S=7.40, DO=8.60, NBPA=9.00	8.33			1
515	DR000120	DR, \$DR	MBAC=8.32, RO_S=7.70, DO=8.15, NBPA=9.70	8.32			1

Nr	Legitim.	Optiuni	Note	Medie	Admis la	Obs.	S
516	DR001177	DR, \$DR	MBAC=8.31, RO <sup>-</sup> S=9.50, DO=7.40, NBPA=8.05	8.31			1
517	DR001074	DR, \$DR	MBAC=8.31, RO <sup>-</sup> S=9.35, DO=7.20, NBPA=8.40	8.31			1
518	DR000034	DR, \$DR	MBAC=8.31, RO <sup>-</sup> S=8.50, DO=8.05, NBPA=8.40	8.31			1
519	DR000850	DR, \$DR	MBAC=8.31, RO <sup>-</sup> S=8.30, DO=7.30, NBPA=9.35	8.31			1
520	DR000926	DR, \$DR	MBAC=8.31, RO <sup>-</sup> S=8.20, DO=8.05, NBPA=8.70	8.31			1
521	DR001161	DR, \$DR	MBAC=8.31, RO <sup>-</sup> S=7.65, DO=8.55, NBPA=8.75	8.31			1
522	DR000498	DR, \$DR	MBAC=8.30, RO <sup>-</sup> S=8.50, DO=9.30, NBPA=7.10	8.30			1
523	DR000460	DR, \$DR	MBAC=8.30, RO <sup>-</sup> S=8.45, DO=6.80, NBPA=9.65	8.30			1
524	DR000413	DR	MBAC=8.30, RO <sup>-</sup> S=8.25, DO=7.95, NBPA=8.70	8.30			1
525	DR001017	DR, \$DR	MBAC=8.30, RO <sup>-</sup> S=8.20, DO=7.95, NBPA=8.75	8.30			1
526	DR000792	DR, \$DR	MBAC=8.30, RO <sup>-</sup> S=8.20, DO=7.65, NBPA=9.05	8.30			1
527	DR000932	DR, \$DR	MBAC=8.30, RO <sup>-</sup> S=8.05, DO=9.70, NBPA=7.15	8.30			1
528	DR000404	DR, \$DR	MBAC=8.30, RO <sup>-</sup> S=8.00, DO=8.40, NBPA=8.50	8.30			1
529	DR001188	\$DR	MBAC=8.30, RO <sup>-</sup> S=7.95, DO=7.50, NBPA=9.45	8.30			1
530	DR000520	DR, \$DR	MBAC=8.30, RO <sup>-</sup> S=7.70, DO=8.65, NBPA=8.55	8.30			1
531	DR000472	DR, \$DR	MBAC=8.30, RO <sup>-</sup> S=7.15, DO=9.00, NBPA=8.75	8.30			1
532	DR000765	DR	MBAC=8.30, RO <sup>-</sup> S=6.90, DO=8.15, NBPA=9.85	8.30			1
533	DR000337	DR, \$DR	MBAC=8.28, RO <sup>-</sup> S=8.90, DO=6.10, NBPA=9.85	8.28			1
534	DR000224	DR, \$DR	MBAC=8.28, RO <sup>-</sup> S=8.60, DO=7.90, NBPA=8.35	8.28			1
535	DR000430	\$DR, DR	MBAC=8.28, RO <sup>-</sup> S=8.40, DO=7.50, NBPA=7.80	8.28			1
536	DR001104	DR, \$DR	MBAC=8.28, RO <sup>-</sup> S=6.80, DO=9.15, NBPA=8.90	8.28			1
537	DR000311	DR, \$DR	MBAC=8.28, RO <sup>-</sup> S=6.60, DO=9.40, NBPA=8.85	8.28			1
538	DR000016	\$DR, DR	MBAC=8.26, RO <sup>-</sup> S=7.80, DO=8.10, NBPA=8.90	8.26			1
539	DR001150	DR, \$DR	MBAC=8.26, RO <sup>-</sup> S=7.00, DO=8.75, NBPA=8.40	8.26			1
540	DR000647	DR, \$DR	MBAC=8.26, RO <sup>-</sup> S=6.75, DO=9.50, NBPA=8.55	8.26			1
541	DR000549	\$DR, DR	MBAC=8.25, RO <sup>-</sup> S=9.00, DO=8.45, NBPA=7.30	8.25			1
542	DR000922	DR, \$DR	MBAC=8.25, RO <sup>-</sup> S=7.90, DO=8.35, NBPA=8.50	8.25			1
543	DR000082	DR, \$DR	MBAC=8.25, RO <sup>-</sup> S=7.50, DO=8.75, NBPA=8.50	8.25			1
544	DR000541	DR, \$DR	MBAC=8.25, RO <sup>-</sup> S=7.45, DO=9.05, NBPA=8.25	8.25			1
545	DR000855	DR, \$DR	MBAC=8.25, RO <sup>-</sup> S=7.30, DO=8.70, NBPA=8.75	8.25			1
546	DR000762	\$DR, DR	MBAC=8.23, RO <sup>-</sup> S=8.80, DO=8.50, NBPA=7.40	8.23			1
547	DR000964	DR, \$DR	MBAC=8.23, RO <sup>-</sup> S=8.10, DO=7.70, NBPA=8.90	8.23			1
548	DR001110	DR, \$DR	MBAC=8.23, RO <sup>-</sup> S=7.75, DO=7.30, NBPA=9.65	8.23			1
549	DR000939	DR	MBAC=8.23, RO <sup>-</sup> S=7.40, DO=8.45, NBPA=8.85	8.23			1
550	DR000009	DR	MBAC=8.23, RO <sup>-</sup> S=6.45, DO=9.00, NBPA=9.25	8.23			1
551	DR000914	DR	MBAC=8.22, RO <sup>-</sup> S=5.75, DO=9.05, NBPA=9.45	8.22			1
552	DR000102	DR, \$DR	MBAC=8.21, RO <sup>-</sup> S=8.65, DO=7.90, NBPA=8.10	8.21			1
553	DR000704	DR, \$DR	MBAC=8.21, RO <sup>-</sup> S=8.55, DO=9.95, NBPA=6.15	8.21			1
554	DR000860	DR, \$DR	MBAC=8.21, RO <sup>-</sup> S=8.30, DO=7.15, NBPA=9.20	8.21			1
555	DR000381	DR, \$DR	MBAC=8.21, RO <sup>-</sup> S=8.05, DO=8.30, NBPA=8.30	8.21			1
556	DR000684	\$DR, DR	MBAC=8.21, RO <sup>-</sup> S=7.65, DO=8.40, NBPA=8.60	8.21			1
557	DR000938	DR, \$DR	MBAC=8.21, RO <sup>-</sup> S=7.35, DO=9.65, NBPA=7.65	8.21			1
558	DR000852	DR, \$DR	MBAC=8.20, RO <sup>-</sup> S=8.70, DO=8.25, NBPA=7.65	8.20			1
559	DR000403	DR, \$DR	MBAC=8.20, RO <sup>-</sup> S=8.65, DO=7.65, NBPA=8.30	8.20			1
560	DR001133	DR, \$DR	MBAC=8.20, RO <sup>-</sup> S=8.50, DO=6.95, NBPA=9.15	8.20			1
561	DR000494	DR, \$DR	MBAC=8.20, RO <sup>-</sup> S=8.40, DO=7.85, NBPA=8.35	8.20			1
562	DR000812	DR, \$DR	MBAC=8.20, RO <sup>-</sup> S=8.35, DO=6.55, NBPA=9.70	8.20			1
563	DR000503	DR, \$DR	MBAC=8.20, RO <sup>-</sup> S=8.20, DO=8.15, NBPA=8.25	8.20			1
564	DR000537	DR, \$DR	MBAC=8.20, RO <sup>-</sup> S=8.10, DO=8.20, NBPA=8.30	8.20			1
565	DR000265	DR, \$DR	MBAC=8.20, RO <sup>-</sup> S=8.00, DO=7.35, NBPA=9.25	8.20			1
566	DR000086	DR, \$DR	MBAC=8.20, RO <sup>-</sup> S=7.85, DO=7.40, NBPA=9.35	8.20			1
567	DR001158	DR, \$DR	MBAC=8.20, RO <sup>-</sup> S=6.65, DO=8.35, NBPA=8.75	8.20			1
568	DR000519	DR, \$DR	MBAC=8.18, RO <sup>-</sup> S=8.95, DO=6.70, NBPA=8.90	8.18			1
569	DR000767	DR, \$DR	MBAC=8.18, RO <sup>-</sup> S=8.50, DO=7.90, NBPA=8.15	8.18			1
570	DR000281	DR, \$DR	MBAC=8.18, RO <sup>-</sup> S=8.30, DO=7.90, NBPA=8.35	8.18			1
571	DR000039	\$DR, DR	MBAC=8.18, RO <sup>-</sup> S=8.30, DO=6.45, NBPA=9.80	8.18			1
572	DR217003	DR-MR, DR, \$DR	MBAC=8.18, RO <sup>-</sup> S=7.75, DO=8.35, NBPA=8.45	8.18		MR	1
573	DR001002	DR, \$DR	MBAC=8.18, RO <sup>-</sup> S=7.35, DO=8.70, NBPA=8.50	8.18			1
574	DR000788	DR, \$DR	MBAC=8.18, RO <sup>-</sup> S=7.15, DO=9.80, NBPA=7.60	8.18			1
575	DR000957	DR, \$DR	MBAC=8.18, RO <sup>-</sup> S=7.15, DO=8.90, NBPA=8.50	8.18			1
576	DR000382	\$DR, DR	MBAC=8.18, RO <sup>-</sup> S=7.05, DO=8.20, NBPA=9.30	8.18			1
577	DR000686	DR, \$DR	MBAC=8.16, RO <sup>-</sup> S=8.50, DO=7.30, NBPA=8.70	8.16			1
578	DR000636	DR, \$DR	MBAC=8.16, RO <sup>-</sup> S=8.00, DO=7.00, NBPA=9.50	8.16			1
579	DR000459	DR, \$DR	MBAC=8.16, RO <sup>-</sup> S=7.40, DO=9.95, NBPA=7.15	8.16			1
580	DR000813	DR, \$DR	MBAC=8.15, RO <sup>-</sup> S=8.10, DO=8.25, NBPA=8.10	8.15			1
581	DR000100	DR, \$DR	MBAC=8.15, RO <sup>-</sup> S=7.30, DO=8.20, NBPA=8.95	8.15			1
582	DR000316	DR, \$DR	MBAC=8.13, RO <sup>-</sup> S=8.50, DO=7.70, NBPA=8.20	8.13			1
583	DR000911	DR, \$DR	MBAC=8.13, RO <sup>-</sup> S=8.05, DO=6.75, NBPA=9.60	8.13			1
584	DR000318	DR, \$DR	MBAC=8.13, RO <sup>-</sup> S=7.30, DO=7.95, NBPA=9.15	8.13			1
585	DR001100	DR, \$DR	MBAC=8.13, RO <sup>-</sup> S=7.00, DO=9.10, NBPA=8.30	8.13			1
586	DR000156	DR, \$DR	MBAC=8.11, RO <sup>-</sup> S=8.70, DO=7.25, NBPA=8.40	8.11			1
587	DR000596	DR, \$DR	MBAC=8.11, RO <sup>-</sup> S=7.65, DO=9.30, NBPA=7.40	8.11			1
588	DR000661	\$DR	MBAC=8.11, RO <sup>-</sup> S=7.35, DO=8.15, NBPA=8.85	8.11			1
589	DR000390	DR, \$DR	MBAC=8.11, RO <sup>-</sup> S=6.95, DO=8.30, NBPA=9.10	8.11			1
590	DR000458	DR, \$DR	MBAC=8.10, RO <sup>-</sup> S=8.30, DO=7.95, NBPA=8.05	8.10			1



Nr	Legitim.	Optiuni	Note	Medie	Admis la	Obs.	S
591	DR000063	\$DR	MBAC=8.10,RO S=8.30,DO=7.20,NBPA=8.80	8.10			1
592	DR000981	DR,\$DR	MBAC=8.10,RO S=8.25,DO=7.95,NBPA=8.05	8.10			1
593	DR000935	\$DR,DR	MBAC=8.10,RO S=8.05,DO=7.70,NBPA=8.55	8.10			1
594	DR000307	DR,\$DR	MBAC=8.10,RO S=7.70,DO=7.25,NBPA=9.35	8.10			1
595	DR000955	DR,\$DR	MBAC=8.10,RO S=7.65,DO=7.70,NBPA=8.95	8.10			1
596	DR001009	DR,\$DR	MBAC=8.10,RO S=7.05,DO=9.75,NBPA=7.50	8.10			1
597	DR000737	DR,\$DR	MBAC=8.10,RO S=6.80,DO=7.80,NBPA=9.70	8.10			1
598	DR000593	DR,\$DR	MBAC=8.08,RO S=8.60,DO=7.75,NBPA=7.90	8.08			1
599	DR000511	DR,\$DR	MBAC=8.08,RO S=8.50,DO=7.55,NBPA=8.20	8.08			1
600	DR001200	DR,\$DR	MBAC=8.08,RO S=8.40,DO=6.45,NBPA=9.40	8.08			1
601	DR000587	DR,\$DR	MBAC=8.08,RO S=8.05,DO=9.35,NBPA=6.85	8.08			1
602	DR001119	DR,\$DR	MBAC=8.08,RO S=7.90,DO=7.35,NBPA=9.00	8.08			1
603	DR000185	DR,\$DR	MBAC=8.06,RO S=9.10,DO=7.30,NBPA=7.80	8.06			1
604	DR000394	\$DR	MBAC=8.06,RO S=8.70,DO=7.00,NBPA=8.50	8.06			1
605	DR001189	DR,\$DR	MBAC=8.06,RO S=7.80,DO=6.80,NBPA=9.60	8.06			1
606	DR000990	DR,\$DR	MBAC=8.06,RO S=7.20,DO=9.50,NBPA=9.60	8.06			1
607	DR000133	\$DR,DR	MBAC=8.06,RO S=5.90,DO=9.50,NBPA=8.80	8.06			1
608	DR001061	DR,\$DR	MBAC=8.05,RO S=8.00,DO=7.00,NBPA=9.15	8.05			1
609	DR000473	DR,\$DR	MBAC=8.05,RO S=8.00,DO=6.90,NBPA=9.25	8.05			1
610	DR000075	DR,\$DR	MBAC=8.05,RO S=7.80,DO=7.65,NBPA=8.70	8.05			1
611	DR000343	DR,\$DR	MBAC=8.05,RO S=7.50,DO=8.05,NBPA=8.60	8.05			1
612	DR000580	\$DR	MBAC=8.05,RO S=6.85,DO=8.45,NBPA=8.85	8.05			1
613	DR000279	\$DR	MBAC=8.03,RO S=8.60,DO=8.40,NBPA=7.10	8.03			1
614	DR001144	\$DR	MBAC=8.03,RO S=8.60,DO=7.30,NBPA=8.20	8.03			1
615	DR000795	DR,\$DR	MBAC=8.03,RO S=7.95,DO=7.15,NBPA=9.00	8.03			1
616	DR000340	DR,\$DR	MBAC=8.03,RO S=6.90,DO=7.85,NBPA=8.50	8.03			1
617	DR000437	\$DR,DR	MBAC=8.03,RO S=6.50,DO=8.70,NBPA=8.90	8.03			1
618	DR000299	DR,\$DR	MBAC=8.02,RO S=8.30,DO=8.10,NBPA=8.70	8.02			1
619	DR000496	DR,\$DR	MBAC=8.01,RO S=8.45,DO=7.70,NBPA=7.90	8.01			1
620	DR000582	DR,\$DR	MBAC=8.01,RO S=8.30,DO=8.35,NBPA=9.05	8.01			1
621	DR001152	DR,\$DR	MBAC=8.01,RO S=8.30,DO=7.15,NBPA=8.60	8.01			1
622	DR000566	DR,\$DR	MBAC=8.01,RO S=8.25,DO=6.55,NBPA=9.25	8.01			1
623	DR001032	DR,\$DR	MBAC=8.01,RO S=7.65,DO=9.25,NBPA=7.15	8.01			1
624	DR000770	DR,\$DR	MBAC=8.01,RO S=7.05,DO=8.70,NBPA=8.25	8.01			1
625	DR000832	DR,\$DR	MBAC=8.01,RO S=7.00,DO=7.95,NBPA=9.10	8.01			1
626	DR000501	\$DR,DR	MBAC=8.00,RO S=7.85,DO=8.25,NBPA=7.90	8.00			1
627	DR000331	\$DR,DR	MBAC=8.00,RO S=7.70,DO=7.50,NBPA=8.80	8.00			1
628	DR000713	DR,\$DR	MBAC=8.00,RO S=7.60,DO=8.30,NBPA=8.10	8.00			1
629	DR001054	DR,\$DR	MBAC=8.00,RO S=7.00,DO=8.00,NBPA=7.00	8.00			1
630	DR000325	DR,\$DR	MBAC=8.00,RO S=6.95,DO=8.75,NBPA=8.30	8.00			1
631	DR001142	DR-MR,DR	MBAC=8.00,RO S=6.70,DO=9.55,NBPA=7.75	8.00		MR	1
632	DR000936	\$DR,DR	MBAC=7.98,RO S=8.45,DO=5.80,NBPA=9.70	7.98			1
633	DR001139	DR,\$DR	MBAC=7.98,RO S=7.80,DO=8.85,NBPA=7.30	7.98			1
634	DR001034	\$DR	MBAC=7.98,RO S=7.75,DO=7.90,NBPA=8.30	7.98			1
635	DR001111	DR,\$DR	MBAC=7.98,RO S=7.70,DO=8.65,NBPA=7.60	7.98			1
636	DR000802	DR,\$DR	MBAC=7.96,RO S=9.65,DO=5.90,NBPA=8.35	7.96			1
637	DR000729	\$DR	MBAC=7.96,RO S=7.80,DO=7.55,NBPA=8.55	7.96			1
638	DR000493	DR,\$DR	MBAC=7.96,RO S=7.75,DO=7.35,NBPA=8.80	7.96			1
639	DR000658	DR,\$DR	MBAC=7.96,RO S=7.35,DO=7.90,NBPA=8.65	7.96			1
640	DR000736	DR,\$DR	MBAC=7.96,RO S=7.20,DO=7.55,NBPA=9.15	7.96			1
641	DR000918	DR,\$DR	MBAC=7.95,RO S=8.35,DO=7.40,NBPA=8.10	7.95			1
642	DR001035	\$DR	MBAC=7.93,RO S=9.50,DO=7.05,NBPA=7.25	7.93			1
643	DR000847	DR,\$DR	MBAC=7.93,RO S=8.00,DO=8.70,NBPA=7.10	7.93			1
644	DR000478	DR,\$DR	MBAC=7.93,RO S=7.75,DO=8.70,NBPA=7.35	7.93			1
645	DR000954	DR,\$DR	MBAC=7.93,RO S=6.70,DO=7.55,NBPA=9.55	7.93			1
646	DR000613	DR,\$DR	MBAC=7.91,RO S=8.95,DO=6.80,NBPA=8.00	7.91			1
647	DR000502	\$DR,DR	MBAC=7.91,RO S=8.70,DO=8.10,NBPA=6.95	7.91			1
648	DR000972	DR,\$DR	MBAC=7.91,RO S=8.15,DO=7.85,NBPA=7.75	7.91			1
649	DR000384	\$DR,DR	MBAC=7.91,RO S=7.50,DO=7.70,NBPA=8.55	7.91			1
650	DR000433	DR,\$DR	MBAC=7.91,RO S=7.05,DO=8.50,NBPA=8.20	7.91			1
651	DR000699	DR,\$DR	MBAC=7.91,RO S=7.05,DO=7.80,NBPA=8.90	7.91			1
652	DR001023	DR,\$DR	MBAC=7.90,RO S=8.00,DO=8.00,NBPA=7.70	7.90			1
653	DR001069	DR,\$DR	MBAC=7.90,RO S=7.90,DO=7.85,NBPA=7.95	7.90			1
654	DR000059	DR,\$DR	MBAC=7.90,RO S=7.90,DO=6.95,NBPA=8.85	7.90			1
655	DR001014	DR,\$DR	MBAC=7.90,RO S=7.75,DO=7.40,NBPA=8.55	7.90			1
656	DR001071	DR,\$DR	MBAC=7.90,RO S=7.20,DO=8.50,NBPA=8.00	7.90			1
657	DR000692	DR	MBAC=7.88,RO S=8.35,DO=7.45,NBPA=7.85	7.88			1
658	DR000857	DR,\$DR	MBAC=7.88,RO S=6.95,DO=7.30,NBPA=9.40	7.88			1
659	DR000907	DR,\$DR	MBAC=7.86,RO S=9.60,DO=7.00,NBPA=7.00	7.86			1
660	DR000525	\$DR	MBAC=7.86,RO S=8.80,DO=8.30,NBPA=6.50	7.86			1
661	DR000592	DR,\$DR	MBAC=7.86,RO S=8.65,DO=7.35,NBPA=7.60	7.86			1
662	DR000291	DR,\$DR	MBAC=7.86,RO S=8.60,DO=6.90,NBPA=8.10	7.86			1
663	DR000837	DR,\$DR	MBAC=7.86,RO S=8.20,DO=8.30,NBPA=7.10	7.86			1
664	DR000916	DR-MR,\$DR,DR	MBAC=7.86,RO S=8.00,DO=7.50,NBPA=8.10	7.86		MR	1
665	DR000738	\$DR,DR	MBAC=7.86,RO S=7.50,DO=9.65,NBPA=6.45	7.86			1

Nr	Legitim.	Optiuni	Note	Medie	Admis la	Obs.	S
666	DR001173	\$DR, DR	MBAC=7.86, RO <sup>-</sup> S=7.30, DO=8.40, NBPA=7.90	7.86			1
667	DR000640	DR, \$DR	MBAC=7.86, RO <sup>-</sup> S=7.05, DO=7.90, NBPA=8.65	7.86			1
668	DR000724	\$DR, DR	MBAC=7.85, RO <sup>-</sup> S=7.90, DO=8.35, NBPA=8.35	7.85			1
669	DR000508	\$DR, DR	MBAC=7.85, RO <sup>-</sup> S=7.60, DO=8.20, NBPA=7.75	7.85			1
670	DR000945	\$DR	MBAC=7.83, RO <sup>-</sup> S=9.50, DO=6.55, NBPA=7.45	7.83			1
671	DR001137	DR, \$DR	MBAC=7.83, RO <sup>-</sup> S=8.35, DO=6.45, NBPA=8.70	7.83			1
672	DR001088	DR, \$DR	MBAC=7.83, RO <sup>-</sup> S=7.70, DO=7.35, NBPA=8.45	7.83			1
673	DR000545	DR, \$DR	MBAC=7.83, RO <sup>-</sup> S=7.30, DO=8.15, NBPA=8.05	7.83			1
674	DR001018	\$DR, DR	MBAC=7.83, RO <sup>-</sup> S=6.30, DO=9.80, NBPA=7.40	7.83			1
675	DR000680	DR, \$DR	MBAC=7.81, RO <sup>-</sup> S=8.70, DO=7.20, NBPA=7.55	7.81			1
676	DR001015	DR, \$DR	MBAC=7.81, RO <sup>-</sup> S=8.20, DO=6.65, NBPA=8.60	7.81			1
677	DR000720	DR, \$DR	MBAC=7.81, RO <sup>-</sup> S=8.10, DO=7.00, NBPA=8.35	7.81			1
678	DR000652	DR, \$DR	MBAC=7.81, RO <sup>-</sup> S=7.85, DO=7.50, NBPA=8.10	7.81			1
679	DR001020	DR, \$DR	MBAC=7.81, RO <sup>-</sup> S=7.55, DO=8.00, NBPA=7.90	7.81			1
680	DR000428	DR, \$DR	MBAC=7.80, RO <sup>-</sup> S=8.45, DO=9.00, NBPA=5.95	7.80			1
681	DR000155	DR, \$DR	MBAC=7.80, RO <sup>-</sup> S=8.15, DO=8.45, NBPA=6.80	7.80			1
682	DR001089	DR, \$DR	MBAC=7.80, RO <sup>-</sup> S=6.90, DO=7.25, NBPA=9.25	7.80			1
683	DR000868	DR, \$DR	MBAC=7.78, RO <sup>-</sup> S=8.60, DO=5.90, NBPA=8.85	7.78			1
684	DR001068	DR, \$DR	MBAC=7.78, RO <sup>-</sup> S=6.15, DO=8.05, NBPA=9.15	7.78			1
685	DR001101	\$DR	MBAC=7.77, RO <sup>-</sup> S=8.00, DO=7.60, NBPA=8.40	7.77			1
686	DR000650	DR, \$DR	MBAC=7.77, RO <sup>-</sup> S=7.75, DO=8.70, NBPA=7.65	7.77			1
687	DR000104	\$DR, DR	MBAC=7.76, RO <sup>-</sup> S=7.55, DO=7.40, NBPA=8.35	7.76			1
688	DR000221	DR, \$DR	MBAC=7.76, RO <sup>-</sup> S=6.00, DO=7.40, NBPA=9.90	7.76			1
689	DR000284	DR, \$DR	MBAC=7.75, RO <sup>-</sup> S=8.25, DO=8.75, NBPA=6.25	7.75			1
690	DR000807	DR, \$DR	MBAC=7.75, RO <sup>-</sup> S=7.95, DO=7.85, NBPA=7.45	7.75			1
691	DR000875	DR, \$DR	MBAC=7.75, RO <sup>-</sup> S=7.70, DO=8.20, NBPA=7.35	7.75			1
692	DR217001	\$DR	MBAC=7.75, RO <sup>-</sup> S=7.00, DO=8.00, NBPA=8.00	7.75		RX	1
693	DR000843	DR, \$DR	MBAC=7.73, RO <sup>-</sup> S=8.35, DO=7.55, NBPA=7.30	7.73			1
694	DR001183	DR, \$DR	MBAC=7.73, RO <sup>-</sup> S=8.05, DO=5.95, NBPA=9.20	7.73			1
695	DR000641	DR, \$DR	MBAC=7.73, RO <sup>-</sup> S=7.75, DO=7.35, NBPA=8.10	7.73			1
696	DR000673	DR, \$DR	MBAC=7.73, RO <sup>-</sup> S=7.25, DO=8.05, NBPA=7.90	7.73			1
697	DR000172	DR, \$DR	MBAC=7.73, RO <sup>-</sup> S=7.20, DO=8.15, NBPA=7.85	7.73			1
698	DR000578	DR, \$DR	MBAC=7.73, RO <sup>-</sup> S=7.15, DO=8.10, NBPA=7.95	7.73			1
699	DR000411	DR, \$DR	MBAC=7.73, RO <sup>-</sup> S=0.00, DO=7.90, NBPA=7.80	7.73			1
700	DR000973	DR, \$DR	MBAC=7.71, RO <sup>-</sup> S=7.60, DO=7.60, NBPA=7.95	7.71			1
701	DR000383	DR, \$DR	MBAC=7.71, RO <sup>-</sup> S=7.55, DO=7.00, NBPA=8.60	7.71			1
702	DR000480	DR, \$DR	MBAC=7.71, RO <sup>-</sup> S=6.75, DO=7.60, NBPA=8.80	7.71			1
703	DR000576	\$DR, DR	MBAC=7.70, RO <sup>-</sup> S=7.55, DO=6.75, NBPA=8.80	7.70			1
704	DR000533	DR, \$DR	MBAC=7.70, RO <sup>-</sup> S=7.40, DO=5.15, NBPA=7.45	7.70			1
705	DR000685	DR, \$DR	MBAC=7.70, RO <sup>-</sup> S=7.20, DO=7.40, NBPA=8.50	7.70			1
706	DR217008	DR-MR, DR, \$DR	MBAC=7.70, RO <sup>-</sup> S=6.20, DO=8.40, NBPA=8.50	7.70		MR	1
707	DR000571	DR, \$DR	MBAC=7.68, RO <sup>-</sup> S=7.75, DO=7.30, NBPA=8.00	7.68			1
708	DR000025	DR	MBAC=7.68, RO <sup>-</sup> S=7.50, DO=7.80, NBPA=7.75	7.68			1
709	DR000565	\$DR, DR	MBAC=7.68, RO <sup>-</sup> S=7.35, DO=7.85, NBPA=7.85	7.68			1
710	DR000854	DR, \$DR	MBAC=7.67, RO <sup>-</sup> S=6.15, DO=8.50, NBPA=9.25	7.67			1
711	DR001060	\$DR, DR	MBAC=7.66, RO <sup>-</sup> S=8.20, DO=7.95, NBPA=6.85	7.66			1
712	DR000058	DR, \$DR	MBAC=7.66, RO <sup>-</sup> S=7.95, DO=7.10, NBPA=7.95	7.66			1
713	DR000723	DR, \$DR	MBAC=7.66, RO <sup>-</sup> S=7.65, DO=7.50, NBPA=7.85	7.66			1
714	DR000599	DR, \$DR	MBAC=7.65, RO <sup>-</sup> S=7.30, DO=7.55, NBPA=8.10	7.65			1
715	DR000771	DR, \$DR	MBAC=7.63, RO <sup>-</sup> S=8.30, DO=7.15, NBPA=7.45	7.63			1
716	DR000913	DR, \$DR	MBAC=7.63, RO <sup>-</sup> S=6.65, DO=7.05, NBPA=9.20	7.63			1
717	DR000357	DR, \$DR	MBAC=7.63, RO <sup>-</sup> S=5.95, DO=8.60, NBPA=8.35	7.63			1
718	DR000402	DR, \$DR	MBAC=7.63, RO <sup>-</sup> S=5.75, DO=8.20, NBPA=8.95	7.63			1
719	DR000572	DR, \$DR	MBAC=7.61, RO <sup>-</sup> S=8.20, DO=6.30, NBPA=8.35	7.61			1
720	DR000607	\$DR	MBAC=7.61, RO <sup>-</sup> S=8.05, DO=6.00, NBPA=8.80	7.61			1
721	DR000032	DR, \$DR	MBAC=7.61, RO <sup>-</sup> S=7.10, DO=8.05, NBPA=7.70	7.61			1
722	DR001103	DR, \$DR	MBAC=7.61, RO <sup>-</sup> S=6.25, DO=8.95, NBPA=7.65	7.61			1
723	DR000139	\$DR, DR	MBAC=7.60, RO <sup>-</sup> S=8.20, DO=5.90, NBPA=8.70	7.60			1
724	DR001131	DR, \$DR	MBAC=7.60, RO <sup>-</sup> S=7.65, DO=7.70, NBPA=7.45	7.60			1
725	DR000491	DR, \$DR	MBAC=7.60, RO <sup>-</sup> S=7.35, DO=6.30, NBPA=9.15	7.60			1
726	DR001208	\$DR	MBAC=7.60, RO <sup>-</sup> S=6.85, DO=8.00, NBPA=7.95	7.60			1
727	DR000773	\$DR, DR	MBAC=7.60, RO <sup>-</sup> S=6.00, DO=8.95, NBPA=8.00	7.60			1
728	DR000616	DR, \$DR	MBAC=7.58, RO <sup>-</sup> S=8.85, DO=5.50, NBPA=8.40	7.58			1
729	DR000628	DR, \$DR	MBAC=7.58, RO <sup>-</sup> S=8.80, DO=5.50, NBPA=8.45	7.58			1
730	DR000230	DR, \$DR	MBAC=7.58, RO <sup>-</sup> S=8.65, DO=8.20, NBPA=5.90	7.58			1
731	DR000897	DR, \$DR	MBAC=7.58, RO <sup>-</sup> S=8.25, DO=6.60, NBPA=7.90	7.58			1
732	DR000033	DR, \$DR	MBAC=7.58, RO <sup>-</sup> S=7.90, DO=5.65, NBPA=9.20	7.58			1
733	DR000177	\$DR	MBAC=7.58, RO <sup>-</sup> S=7.80, DO=5.80, NBPA=9.15	7.58			1
734	DR000522	DR, \$DR	MBAC=7.58, RO <sup>-</sup> S=7.60, DO=6.00, NBPA=9.15	7.58			1
735	DR000038	\$DR, DR	MBAC=7.58, RO <sup>-</sup> S=7.45, DO=7.50, NBPA=7.80	7.58			1
736	DR000005	DR, \$DR	MBAC=7.58, RO <sup>-</sup> S=6.85, DO=8.60, NBPA=7.30	7.58			1
737	DR000743	DR	MBAC=7.58, RO <sup>-</sup> S=6.55, DO=8.60, NBPA=7.60	7.58			1
738	DR000898	\$DR	MBAC=7.56, RO <sup>-</sup> S=8.20, DO=7.80, NBPA=6.70	7.56			1
739	DR000449	DR, \$DR	MBAC=7.56, RO <sup>-</sup> S=7.90, DO=7.25, NBPA=7.55	7.56			1
740	DR000227	DR, \$DR	MBAC=7.56, RO <sup>-</sup> S=7.70, DO=7.60, NBPA=6.55	7.56			1

Nr	Legitim.	Optiuni	Note	Medie	Admis la	Obs.	S
741	DR000446	DR, \$DR	MBAC=7.56, RO_S=6.65, DO=8.70, NBPA=7.35	7.56			1
742	DR000392	DR, \$DR	MBAC=7.56, RO_S=5.54, DO=8.20, NBPA=8.95	7.56			1
743	DR000564	DR, \$DR	MBAC=7.55, RO_S=8.60, DO=7.40, NBPA=6.65	7.55			1
744	DR000096	DR, \$DR	MBAC=7.55, RO_S=8.10, DO=7.40, NBPA=7.15	7.55			1
745	DR000726	\$DR, DR	MBAC=7.55, RO_S=6.65, DO=8.85, NBPA=7.15	7.55			1
746	DR000089	\$DR, DR	MBAC=7.55, RO_S=6.65, DO=7.25, NBPA=8.75	7.55			1
747	DR000249	DR, \$DR	MBAC=7.55, RO_S=5.95, DO=7.55, NBPA=9.15	7.55			1
748	DR001107	DR, \$DR	MBAC=7.53, RO_S=7.60, DO=6.40, NBPA=8.60	7.53			1
749	DR001167	DR, \$DR	MBAC=7.52, RO_S=7.45, DO=7.00, NBPA=9.00	7.52			1
750	DR001113	\$DR, DR	MBAC=7.51, RO_S=9.00, DO=5.35, NBPA=8.20	7.51			1
751	DR000605	DR, \$DR	MBAC=7.51, RO_S=8.10, DO=7.75, NBPA=6.70	7.51			1
752	DR000046	DR, \$DR	MBAC=7.51, RO_S=6.65, DO=7.85, NBPA=8.05	7.51			1
753	DR17029	DR-MR, DR, \$DR	MBAC=7.51, RO_S=6.15, DO=7.80, NBPA=8.60	7.51		MR	1
754	DR000081	\$DR	MBAC=7.50, RO_S=7.45, DO=6.05, NBPA=9.00	7.50			1
755	DR000870	DR, \$DR	MBAC=7.50, RO_S=7.40, DO=7.00, NBPA=8.10	7.50			1
756	DR217026	\$DR	MBAC=7.50, RO_S=7.00, DO=8.00, NBPA=7.00	7.50		RX	1
757	DR000887	DR, \$DR	MBAC=7.50, RO_S=7.00, DO=7.00, NBPA=7.00	7.50			1
758	DR000419	\$DR	MBAC=7.50, RO_S=7.00, DO=6.00, NBPA=7.00	7.50			1
759	DR000818	DR, \$DR	MBAC=7.48, RO_S=8.65, DO=6.65, NBPA=7.15	7.48			1
760	DR000873	DR, \$DR	MBAC=7.48, RO_S=7.85, DO=7.15, NBPA=7.45	7.48			1
761	DR000589	DR, \$DR	MBAC=7.46, RO_S=8.55, DO=5.50, NBPA=8.35	7.46			1
762	DR000053	DR, \$DR	MBAC=7.46, RO_S=7.55, DO=6.40, NBPA=8.45	7.46			1
763	DR000805	DR, \$DR	MBAC=7.46, RO_S=6.70, DO=7.40, NBPA=8.30	7.46			1
764	DR001157	DR, \$DR	MBAC=7.46, RO_S=6.15, DO=7.90, NBPA=8.35	7.46			1
765	DR000676	DR, \$DR	MBAC=7.45, RO_S=7.90, DO=8.05, NBPA=6.40	7.45			1
766	DR000329	DR, \$DR	MBAC=7.45, RO_S=7.50, DO=6.30, NBPA=8.55	7.45			1
767	DR217011	DR-MR, DR, \$DR	MBAC=7.45, RO_S=7.45, DO=6.10, NBPA=8.80	7.45		MR	1
768	DR000187	DR, \$DR	MBAC=7.45, RO_S=7.40, DO=6.10, NBPA=8.85	7.45			1
769	DR000851	DR, \$DR	MBAC=7.45, RO_S=7.25, DO=6.95, NBPA=8.15	7.45			1
770	DR000583	\$DR, DR	MBAC=7.45, RO_S=7.05, DO=7.15, NBPA=8.15	7.45			1
771	DR000066	\$DR, DR	MBAC=7.45, RO_S=7.00, DO=8.25, NBPA=7.10	7.45			1
772	DR000210	\$DR	MBAC=7.43, RO_S=8.80, DO=6.50, NBPA=7.00	7.43			1
773	DR217004	DR-DZ, DR	MBAC=7.43, RO_S=7.05, DO=8.80, NBPA=6.45	7.43		DZ	1
774	DR000216	DR, \$DR	MBAC=7.41, RO_S=9.15, DO=6.45, NBPA=6.65	7.41			1
775	DR000683	DR, \$DR	MBAC=7.41, RO_S=8.50, DO=7.00, NBPA=6.75	7.41			1
776	DR000682	DR, \$DR	MBAC=7.41, RO_S=8.15, DO=5.90, NBPA=8.20	7.41			1
777	DR001011	DR, \$DR	MBAC=7.41, RO_S=7.85, DO=5.30, NBPA=9.10	7.41			1
778	DR001201	DR, \$DR	MBAC=7.41, RO_S=5.40, DO=8.25, NBPA=8.60	7.41			1
779	DR000701	\$DR, DR	MBAC=7.40, RO_S=8.40, DO=7.25, NBPA=6.55	7.40			1
780	DR000547	DR, \$DR	MBAC=7.40, RO_S=6.70, DO=7.40, NBPA=8.10	7.40			1
781	DR000518	DR, \$DR	MBAC=7.38, RO_S=7.70, DO=7.10, NBPA=7.35	7.38			1
782	DR000707	DR, \$DR	MBAC=7.38, RO_S=7.50, DO=6.95, NBPA=7.70	7.38			1
783	DR000745	DR, \$DR	MBAC=7.38, RO_S=6.90, DO=7.05, NBPA=8.20	7.38			1
784	DR000015	DR, \$DR	MBAC=7.37, RO_S=6.90, DO=6.45, NBPA=8.25	7.37			1
785	DR000821	DR, \$DR	MBAC=7.36, RO_S=6.65, DO=8.70, NBPA=6.75	7.36			1
786	DR000834	DR, \$DR	MBAC=7.33, RO_S=7.95, DO=5.45, NBPA=8.60	7.33			1
787	DR000482	DR, \$DR	MBAC=7.33, RO_S=7.60, DO=5.85, NBPA=8.55	7.33			1
788	DR000218	DR, \$DR	MBAC=7.31, RO_S=8.45, DO=6.25, NBPA=7.25	7.31			1
789	DR000260	DR, \$DR	MBAC=7.31, RO_S=7.65, DO=5.65, NBPA=8.65	7.31			1
790	DR001087	DR, \$DR	MBAC=7.31, RO_S=6.00, DO=8.25, NBPA=7.70	7.31			1
791	DR001053	DR-MR, DR, \$DR	MBAC=7.31, RO_S=5.80, DO=7.10, NBPA=9.05	7.31		MR	1
792	DR000534	DR, \$DR	MBAC=7.30, RO_S=8.30, DO=5.15, NBPA=8.45	7.30			1
793	DR000931	DR, \$DR	MBAC=7.26, RO_S=7.40, DO=5.00, NBPA=9.40	7.26			1
794	DR000742	\$DR	MBAC=7.26, RO_S=7.35, DO=7.45, NBPA=7.00	7.26			1
795	DR000698	\$DR	MBAC=7.25, RO_S=7.55, DO=6.00, NBPA=8.20	7.25			1
796	DR000601	\$DR, DR	MBAC=7.25, RO_S=6.40, DO=6.70, NBPA=8.65	7.25			1
797	DR000456	\$DR, DR	MBAC=7.25, RO_S=6.00, DO=8.95, NBPA=6.80	7.25			1
798	DR217027	\$DR	MBAC=7.25, RO_S=6.00, DO=8.00, NBPA=6.00	7.25		RX	1
799	DR000157	\$DR, DR	MBAC=7.23, RO_S=7.90, DO=7.70, NBPA=6.10	7.23			1
800	DR001180	\$DR	MBAC=7.23, RO_S=7.70, DO=6.75, NBPA=7.25	7.23			1
801	DR000248	DR, \$DR	MBAC=7.23, RO_S=7.60, DO=8.50, NBPA=5.60	7.23			1
802	DR000470	DR, \$DR	MBAC=7.23, RO_S=6.50, DO=5.80, NBPA=9.40	7.23			1
803	DR000581	DR, \$DR	MBAC=7.21, RO_S=6.90, DO=7.10, NBPA=7.65	7.21			1
804	DR000989	DR, \$DR	MBAC=7.20, RO_S=7.80, DO=7.60, NBPA=6.20	7.20			1
805	DR000671	DR, \$DR	MBAC=7.20, RO_S=7.50, DO=7.55, NBPA=6.55	7.20			1
806	DR000438	DR, \$DR	MBAC=7.20, RO_S=6.55, DO=6.70, NBPA=8.35	7.20			1
807	DR000890	DR, \$DR	MBAC=7.18, RO_S=8.00, DO=6.30, NBPA=7.25	7.18			1
808	DR000440	\$DR	MBAC=7.18, RO_S=6.45, DO=7.45, NBPA=7.65	7.18			1
809	DR000268	DR, \$DR	MBAC=7.15, RO_S=7.80, DO=7.55, NBPA=6.10	7.15			1
810	DR001027	DR, \$DR	MBAC=7.15, RO_S=6.45, DO=7.35, NBPA=7.65	7.15			1
811	DR001056	\$DR, DR	MBAC=7.13, RO_S=7.30, DO=7.00, NBPA=7.10	7.13			1
812	DR000146	DR, \$DR	MBAC=7.11, RO_S=7.55, DO=6.90, NBPA=8.25	7.11			1
813	DR000553	DR, \$DR	MBAC=7.11, RO_S=6.30, DO=6.05, NBPA=9.00	7.11			1
814	DR000694	DR, \$DR	MBAC=7.10, RO_S=8.60, DO=5.05, NBPA=7.65	7.10			1
815	DR000960	DR, \$DR	MBAC=7.10, RO_S=6.90, DO=8.80, NBPA=5.60	7.10			1

Nr	Legitim.	Optiuni	Note	Medie	Admis la	Obs.	S
816	DR000085	\$DR, DR	MBAC=7.08, RO_S=6.70, DO=7.35, NBPA=7.20	7.08			1
817	DR000082	\$DR	MBAC=7.05, RO_S=7.05, DO=6.20, NBPA=7.90	7.05			1
818	DR000080	DR, \$DR	MBAC=7.03, RO_S=7.80, DO=5.80, NBPA=7.50	7.03			1
819	DR001007	DR, \$DR	MBAC=7.01, RO_S=7.60, DO=6.65, NBPA=6.80	7.01			1
820	DR000264	DR, \$DR	MBAC=7.01, RO_S=7.45, DO=5.30, NBPA=8.30	7.01			1
821	DR001046	DR, \$DR	MBAC=7.01, RO_S=7.25, DO=6.25, NBPA=7.55	7.01			1
822	DR000240	\$DR	MBAC=7.01, RO_S=6.50, DO=7.15, NBPA=7.40	7.01			1
823	DR000927	DR, \$DR	MBAC=7.01, RO_S=5.40, DO=6.35, NBPA=9.30	7.01			1
824	DR000270	DR, \$DR	MBAC=7.01, RO_S=5.35, DO=7.65, NBPA=8.05	7.01			1
825	DR000028	DR, \$DR	MBAC=7.00, RO_S=6.60, DO=7.85, NBPA=6.55	7.00			1
826	DR000696	\$DR, DR	MBAC=7.00, RO_S=6.60, DO=6.05, NBPA=8.35	7.00			1
827	DR001093	DR, \$DR	MBAC=7.00, RO_S=6.10, DO=7.00, NBPA=7.05	7.00			1
828	DR001143	DR, \$DR	MBAC=6.96, RO_S=7.15, DO=5.30, NBPA=8.45	6.96			1
829	DR000278	\$DR, DR	MBAC=6.95, RO_S=7.75, DO=7.55, NBPA=5.55	6.95			1
830	DR000717	DR, \$DR	MBAC=6.95, RO_S=5.20, DO=7.65, NBPA=8.00	6.95			1
831	DR001041	\$DR, DR	MBAC=6.93, RO_S=7.40, DO=5.90, NBPA=7.50	6.93			1
832	DR001001	\$DR	MBAC=6.93, RO_S=6.40, DO=5.90, NBPA=8.50	6.93			1
833	DR000562	DR, \$DR	MBAC=6.93, RO_S=6.15, DO=6.70, NBPA=7.95	6.93			1
834	DR000823	\$DR, DR	MBAC=6.93, RO_S=5.80, DO=8.55, NBPA=6.45	6.93			1
835	DR000225	\$DR	MBAC=6.92, RO_S=5.12, DO=8.00, NBPA=6.78	6.92			1
836	DR217020	\$DR	MBAC=6.91, RO_S=7.25, DO=5.70, NBPA=7.80	6.91		RX	1
837	DR000349	DR, \$DR	MBAC=6.91, RO_S=7.00, DO=7.90, NBPA=5.85	6.91			1
838	DR000539	DR, \$DR	MBAC=6.91, RO_S=6.90, DO=5.60, NBPA=8.25	6.91			1
839	DR000867	DR, \$DR	MBAC=6.91, RO_S=6.90, DO=5.00, NBPA=8.85	6.91			1
840	DR001155	DR, \$DR	MBAC=6.91, RO_S=6.15, DO=5.60, NBPA=9.00	6.91			1
841	DR000991	DR, \$DR	MBAC=6.91, RO_S=6.00, DO=5.55, NBPA=9.20	6.91			1
842	DR000171	DR, \$DR	MBAC=6.90, RO_S=6.70, DO=6.35, NBPA=7.65	6.90			1
843	DR000002	DR, \$DR	MBAC=6.88, RO_S=8.35, DO=6.50, NBPA=5.80	6.88			1
844	DR000789	DR, \$DR	MBAC=6.88, RO_S=8.00, DO=7.30, NBPA=5.35	6.88			1
845	DR000971	\$DR, DR	MBAC=6.88, RO_S=7.10, DO=6.05, NBPA=7.50	6.88			1
846	DR000568	DR, \$DR	MBAC=6.88, RO_S=6.80, DO=7.30, NBPA=6.55	6.88			1
847	DR000115	DR, \$DR	MBAC=6.88, RO_S=5.00, DO=7.70, NBPA=7.95	6.88			1
848	DR000620	DR, \$DR	MBAC=6.86, RO_S=9.20, DO=5.15, NBPA=6.25	6.86			1
849	DR000263	\$DR, DR	MBAC=6.86, RO_S=6.70, DO=7.05, NBPA=6.85	6.86			1
850	DR000022	\$DR	MBAC=6.85, RO_S=6.05, DO=6.70, NBPA=7.65	6.85			1
851	DR000373	DR, \$DR	MBAC=6.83, RO_S=8.30, DO=6.70, NBPA=5.50	6.83			1
852	DR000213	DR, \$DR	MBAC=6.83, RO_S=7.60, DO=6.50, NBPA=6.40	6.83			1
853	DR001112	\$DR, DR	MBAC=6.83, RO_S=6.60, DO=6.70, NBPA=7.20	6.83			1
854	DR001012	\$DR	MBAC=6.81, RO_S=7.80, DO=5.60, NBPA=7.05	6.81			1
855	DR000406	DR, \$DR	MBAC=6.81, RO_S=6.65, DO=7.60, NBPA=6.20	6.81			1
856	DR000454	\$DR, DR	MBAC=6.80, RO_S=8.25, DO=6.30, NBPA=5.85	6.80			1
857	DR000371	DR, \$DR	MBAC=6.80, RO_S=6.90, DO=8.40, NBPA=5.10	6.80			1
858	DR001205	\$DR	MBAC=6.80, RO_S=6.70, DO=7.70, NBPA=6.00	6.80			1
859	DR001036	DR, \$DR	MBAC=6.80, RO_S=6.30, DO=6.05, NBPA=8.05	6.80			1
860	DR001003	DR, \$DR	MBAC=6.78, RO_S=6.25, DO=5.80, NBPA=8.30	6.78			1
861	DR217014	DR, \$DR	MBAC=6.78, RO_S=5.50, DO=8.05, NBPA=6.80	6.78		RR	1
862	DR000253	DR, \$DR	MBAC=6.76, RO_S=5.90, DO=5.50, NBPA=8.90	6.76			1
863	DR000004	DR, \$DR	MBAC=6.76, RO_S=5.60, DO=5.60, NBPA=9.10	6.76			1
864	DR000715	\$DR	MBAC=6.75, RO_S=5.35, DO=7.85, NBPA=6.80	6.75			1
865	DR000360	\$DR	MBAC=6.73, RO_S=7.65, DO=5.85, NBPA=6.70	6.73			1
866	DR001138	DR, \$DR	MBAC=6.71, RO_S=7.60, DO=6.20, NBPA=6.35	6.71			1
867	DR001186	DR, \$DR	MBAC=6.71, RO_S=5.35, DO=8.95, NBPA=5.85	6.71			1
868	DR000429	DR, \$DR	MBAC=6.67, RO_S=7.90, DO=8.05, NBPA=5.65	6.67			1
869	DR217005	DR-MR, DR	MBAC=6.66, RO_S=8.05, DO=5.60, NBPA=6.35	6.66		MR	1
870	DR000209	\$DR	MBAC=6.66, RO_S=6.80, DO=6.00, NBPA=7.20	6.66			1
871	DR000841	DR, \$DR	MBAC=6.66, RO_S=5.90, DO=7.75, NBPA=6.35	6.66			1
872	DR000192	\$DR, DR	MBAC=6.65, RO_S=6.55, DO=5.00, NBPA=7.00	6.65			1
873	DR000077	\$DR, DR	MBAC=6.65, RO_S=6.20, DO=5.95, NBPA=7.80	6.65			1
874	DR000308	DR, \$DR	MBAC=6.63, RO_S=5.40, DO=6.75, NBPA=7.75	6.63			1
875	DR000242	DR, \$DR	MBAC=6.60, RO_S=6.30, DO=8.20, NBPA=5.30	6.60			1
876	DR000366	\$DR, DR	MBAC=6.60, RO_S=6.30, DO=5.60, NBPA=7.90	6.60			1
877	DR217009	DR-MR, DR	MBAC=6.58, RO_S=8.00, DO=5.80, NBPA=5.95	6.58		MR	1
878	DR000425	DR, \$DR	MBAC=6.58, RO_S=7.30, DO=5.50, NBPA=6.95	6.58			1
879	DR000769	DR, \$DR	MBAC=6.55, RO_S=6.45, DO=6.45, NBPA=6.75	6.55			1
880	DR000516	\$DR, DR	MBAC=6.53, RO_S=7.45, DO=5.20, NBPA=6.95	6.53			1
881	DR000646	DR, \$DR	MBAC=6.50, RO_S=6.80, DO=7.70, NBPA=5.00	6.50			1
882	DR000622	\$DR, DR	MBAC=6.50, RO_S=6.45, DO=5.00, NBPA=8.05	6.50			1
883	DR000749	DR, \$DR	MBAC=6.50, RO_S=6.10, DO=6.10, NBPA=7.30	6.50			1
884	DR001022	DR, \$DR	MBAC=6.48, RO_S=6.35, DO=6.45, NBPA=7.15	6.48			1
885	DR001149	DR, \$DR	MBAC=6.48, RO_S=5.50, DO=5.95, NBPA=8.00	6.48			1
886	DR000233	DR, \$DR	MBAC=6.45, RO_S=5.10, DO=5.85, NBPA=8.40	6.45			1
887	DR000045	\$DR	MBAC=6.43, RO_S=7.35, DO=5.90, NBPA=6.05	6.43			1
888	DR000149	\$DR	MBAC=6.40, RO_S=6.35, DO=5.20, NBPA=7.65	6.40			1
889	DR001172	DR, \$DR	MBAC=6.38, RO_S=7.70, DO=6.05, NBPA=5.40	6.38			1
890	DR001123	DR, \$DR	MBAC=6.36, RO_S=6.90, DO=7.20, NBPA=5.00	6.36			1

Nr	Legitim.	Optiuni	Note	Medie	Admis la	Obs.	S
891	DR000949	DR, \$DR	MBAC=6.36, RO_S=6.80, DO=5.35, NBPA=6.95	6.36			1
892	DR217021	DR-MR, DR, \$DR	MBAC=6.31, RO_S=7.35, DO=6.35, NBPA=5.25	6.31		MR	1
893	DR000982	DR, \$DR	MBAC=6.31, RO_S=6.75, DO=5.45, NBPA=6.75	6.31			1
894	DR001134	\$DR	MBAC=6.31, RO_S=5.20, DO=6.70, NBPA=7.05	6.31			1
895	DR000760	DR, \$DR	MBAC=6.30, RO_S=7.60, DO=5.35, NBPA=5.95	6.30			1
896	DR000476	DR, \$DR	MBAC=6.26, RO_S=5.10, DO=6.80, NBPA=6.90	6.26			1
897	DR000840	\$DR	MBAC=6.25, RO_S=6.35, DO=5.00, NBPA=7.40	6.25			1
898	DR000110	DR, \$DR	MBAC=6.25, RO_S=5.50, DO=6.20, NBPA=7.05	6.25			1
899	DR001203	DR, \$DR	MBAC=6.23, RO_S=6.90, DO=5.30, NBPA=6.50	6.23			1
900	DR001128	\$DR	MBAC=6.20, RO_S=6.55, DO=6.75, NBPA=5.30	6.20			1
901	DR000804	DR, \$DR	MBAC=6.18, RO_S=6.60, DO=6.70, NBPA=5.25	6.18			1
902	DR001108	\$DR, DR	MBAC=6.18, RO_S=6.10, DO=5.65, NBPA=6.80	6.18			1
903	DR000863	\$DR, DR	MBAC=6.16, RO_S=6.15, DO=7.05, NBPA=5.30	6.16			1
904	DR000332	\$DR, DR	MBAC=6.11, RO_S=5.05, DO=6.85, NBPA=6.45	6.11			1
905	DR000531	DR, \$DR	MBAC=6.10, RO_S=6.70, DO=5.60, NBPA=6.00	6.10			1
906	DR000776	\$DR, DR	MBAC=6.10, RO_S=5.40, DO=5.75, NBPA=7.15	6.10			1
907	DR001052	DR, \$DR	MBAC=6.10, RO_S=5.25, DO=5.35, NBPA=7.70	6.10			1
908	DR000106	\$DR	MBAC=6.06, RO_S=6.35, DO=5.45, NBPA=6.40	6.06			1
909	DR001210	\$DR	MBAC=6.06, RO_S=6.05, DO=6.30, NBPA=5.85	6.06			1
910	DR000893	\$DR, DR	MBAC=6.05, RO_S=6.10, DO=5.00, NBPA=7.05	6.05			1
911	DR000305	DR, \$DR	MBAC=6.03, RO_S=5.25, DO=5.45, NBPA=7.40	6.03			1
912	DR000790	\$DR, DR	MBAC=6.02, RO_S=5.90, DO=5.95, NBPA=7.00	6.02			1
913	DR000794	\$DR	MBAC=6.01, RO_S=5.40, DO=5.10, NBPA=7.55	6.01			1
914	DR000359	DR, \$DR	MBAC=6.01, RO_S=5.25, DO=6.75, NBPA=6.05	6.01			1
915	DR217030	\$DR	MBAC=6.00, RO_S=5.00, DO=6.00, NBPA=6.00	6.00		RX	1

PRESEDINTE COMISIE DE ADMITERE PE UNIVERSITATE,  
PROF.DR.ING. IOAN VASILE ABRUDAN

SECRETAR COMISIE DE ADMITERE PE UNIVERSITATE,  
PROF. DR. ING. MARIUS CRISTIAN LUCULESCU

PRESEDINTE COMISIE DE ADMITERE FACULTATE,  
PROF.DR. CRISTINEL IOAN MURZEA

SECRETAR COMISIE DE ADMITERE FACULTATE,  
ASIST. DR. LORENA GABRIELA NIȚOIU