

TABEL NOMINAL CU CANDIDATII IN AȘTEPTARE - DREPT ZI

Nr	Legitim.	Optiuni	Note	Medie	Admis la	Obs.	S
1	DR000695	DR	MBAC=9.63,RO_S=9.60,DO=9.40,NBPA=9.90	9.63			1
2	DR000621	DR	MBAC=9.63,RO_S=9.55,DO=9.55,NBPA=9.80	9.63			1
3	DR000443	DR	MBAC=9.61,RO_S=9.55,DO=9.30,NBPA=10.00	9.61			1
4	DR000603	DR	MBAC=9.58,RO_S=9.10,DO=9.70,NBPA=9.95	9.58			1
5	DR000084	DR	MBAC=9.56,RO_S=9.90,DO=8.80,NBPA=10.00	9.56			1
6	DR000352	DR	MBAC=9.56,RO_S=9.60,DO=9.50,NBPA=9.60	9.56			1
7	DR000036	DR	MBAC=9.53,RO_S=9.65,DO=8.95,NBPA=10.00	9.53			1
8	DR000827	DR	MBAC=9.53,RO_S=9.45,DO=9.45,NBPA=9.70	9.53			1
9	DR000786	DR	MBAC=9.53,RO_S=9.25,DO=9.35,NBPA=10.00	9.53			1
10	DR000677	DR	MBAC=9.51,RO_S=9.15,DO=9.70,NBPA=9.70	9.51			1
11	DR000801	DR	MBAC=9.46,RO_S=9.25,DO=9.30,NBPA=9.85	9.46			1
12	DR000393	DR	MBAC=9.45,RO_S=9.60,DO=9.10,NBPA=9.25	9.45			1
13	DR001171	DR	MBAC=9.45,RO_S=8.80,DO=9.75,NBPA=9.80	9.45			1
14	DR000630	DR	MBAC=9.43,RO_S=9.55,DO=9.40,NBPA=9.35	9.43			1
15	DR000423	DR	MBAC=9.43,RO_S=9.55,DO=8.95,NBPA=9.80	9.43			1
16	DR000076	DR	MBAC=9.43,RO_S=9.30,DO=9.50,NBPA=9.50	9.43			1
17	DR001191	DR	MBAC=9.43,RO_S=9.00,DO=9.65,NBPA=9.65	9.43			1
18	DR001116	DR	MBAC=9.41,RO_S=9.40,DO=9.25,NBPA=9.60	9.41			1
19	DR000073	DR	MBAC=9.41,RO_S=9.05,DO=9.20,NBPA=10.00	9.41			1
20	DR000464	DR	MBAC=9.41,RO_S=8.40,DO=9.85,NBPA=10.00	9.41			1
21	DR000030	DR	MBAC=9.40,RO_S=9.00,DO=9.45,NBPA=9.75	9.40			1
22	DR000202	DR	MBAC=9.36,RO_S=9.75,DO=9.00,NBPA=9.35	9.36			1
23	DR000590	DR	MBAC=9.36,RO_S=9.20,DO=8.90,NBPA=10.00	9.36			1
24	DR000396	DR	MBAC=9.36,RO_S=8.70,DO=9.85,NBPA=9.55	9.36			1
25	DR001146	DR	MBAC=9.35,RO_S=8.15,DO=10.00,NBPA=9.90	9.35			1
26	DR001063	DR	MBAC=9.33,RO_S=8.90,DO=9.30,NBPA=9.80	9.33			1
27	DR000297	DR	MBAC=9.31,RO_S=8.90,DO=9.65,NBPA=9.40	9.31			1
28	DR000588	DR	MBAC=9.30,RO_S=8.90,DO=9.80,NBPA=9.20	9.30			1
29	DR000526	DR	MBAC=9.30,RO_S=8.90,DO=9.15,NBPA=9.85	9.30			1
30	DR000888	DR	MBAC=9.28,RO_S=8.35,DO=9.80,NBPA=9.70	9.28			1
31	DR000716	DR	MBAC=9.26,RO_S=9.40,DO=9.05,NBPA=9.35	9.26			1
32	DR000267	DR	MBAC=9.26,RO_S=9.40,DO=8.60,NBPA=9.80	9.26			1
33	DR000019	DR	MBAC=9.23,RO_S=9.10,DO=9.25,NBPA=9.35	9.23			1
34	DR000761	DR	MBAC=9.23,RO_S=8.80,DO=8.90,NBPA=10.00	9.23			1
35	DR000069	DR	MBAC=9.18,RO_S=8.90,DO=8.75,NBPA=9.90	9.18			1
36	DR000228	DR	MBAC=9.18,RO_S=8.45,DO=9.15,NBPA=9.95	9.18			1
37	DR000395	DR	MBAC=9.16,RO_S=9.10,DO=8.60,NBPA=9.80	9.16			1
38	DR000505	DR	MBAC=9.16,RO_S=9.05,DO=9.40,NBPA=9.05	9.16			1
39	DR000536	DR	MBAC=9.16,RO_S=8.45,DO=9.35,NBPA=9.70	9.16			1
40	DR001136	DR	MBAC=9.15,RO_S=8.95,DO=9.25,NBPA=9.25	9.15			1
41	DR000961	DR	MBAC=9.15,RO_S=8.55,DO=9.40,NBPA=9.50	9.15			1
42	DR000811	DR	MBAC=9.11,RO_S=9.05,DO=9.25,NBPA=9.05	9.11			1
43	DR001037	DR	MBAC=9.11,RO_S=8.65,DO=9.30,NBPA=9.40	9.11			1
44	DR000881	DR	MBAC=9.10,RO_S=8.80,DO=8.90,NBPA=9.60	9.10			1
45	DR000490	DR, \$DR	MBAC=9.08,RO_S=8.50,DO=9.75,NBPA=9.00	9.08			1
46	DR000229	DR, \$DR	MBAC=9.08,RO_S=8.40,DO=9.70,NBPA=9.15	9.08			1
47	DR000781	DR, \$DR	MBAC=9.08,RO_S=8.15,DO=9.90,NBPA=9.20	9.08			1
48	DR001090	DR, \$DR	MBAC=9.07,RO_S=8.30,DO=10.00,NBPA=9.55	9.07			1
49	DR000559	DR, \$DR	MBAC=9.06,RO_S=9.45,DO=9.40,NBPA=8.35	9.06			1
50	DR000906	DR, \$DR	MBAC=9.06,RO_S=9.35,DO=9.15,NBPA=8.70	9.06			1
51	DR000431	DR, \$DR	MBAC=9.06,RO_S=9.30,DO=8.55,NBPA=9.35	9.06			1
52	DR000250	DR, \$DR	MBAC=9.06,RO_S=9.25,DO=8.90,NBPA=9.05	9.06			1
53	DR000808	DR, \$DR	MBAC=9.06,RO_S=9.20,DO=8.40,NBPA=9.60	9.06			1
54	DR000610	DR, \$DR	MBAC=9.06,RO_S=9.15,DO=8.95,NBPA=9.10	9.06			1
55	DR000090	DR, \$DR	MBAC=9.06,RO_S=9.10,DO=8.50,NBPA=9.60	9.06			1
56	DR000722	DR, \$DR	MBAC=9.06,RO_S=9.00,DO=8.85,NBPA=9.35	9.06			1
57	DR000292	DR, \$DR	MBAC=9.06,RO_S=8.85,DO=8.75,NBPA=9.60	9.06			1
58	DR000758	DR, \$DR	MBAC=9.06,RO_S=8.75,DO=8.80,NBPA=9.65	9.06			1
59	DR000101	DR, \$DR	MBAC=9.06,RO_S=8.70,DO=9.20,NBPA=9.30	9.06			1
60	DR000774	DR, \$DR	MBAC=9.06,RO_S=8.65,DO=9.50,NBPA=9.05	9.06			1
61	DR000341	DR, \$DR	MBAC=9.06,RO_S=8.55,DO=9.70,NBPA=8.95	9.06			1
62	DR000309	DR, \$DR	MBAC=9.06,RO_S=8.25,DO=9.45,NBPA=9.50	9.06			1
63	DR000644	DR, \$DR	MBAC=9.06,RO_S=8.05,DO=9.35,NBPA=9.80	9.06			1
64	DR000708	DR, \$DR	MBAC=9.05,RO_S=9.30,DO=8.35,NBPA=9.50	9.05			1
65	DR000732	DR, \$DR	MBAC=9.05,RO_S=9.10,DO=9.40,NBPA=8.65	9.05			1

Nr	Legitim.	Optiuni	Note	Medie	Admis la	Obs.	S
66	DR000856	DR	MBAC=9.05,RO S=9.10,DO=8.65,NBPA=9.40	9.05			1
67	DR001016	DR,\$DR	MBAC=9.05,RO S=9.10,DO=8.35,NBPA=9.70	9.05			1
68	DR000348	DR,\$DR	MBAC=9.05,RO S=9.00,DO=8.95,NBPA=9.20	9.05			1
69	DR001175	\$DR	MBAC=9.05,RO S=9.00,DO=8.85,NBPA=9.30	9.05			1
70	DR000400	DR,\$DR	MBAC=9.05,RO S=8.35,DO=9.90,NBPA=8.90	9.05			1
71	DR000321	DR,\$DR	MBAC=9.03,RO S=9.80,DO=7.40,NBPA=9.90	9.03			1
72	DR000895	DR,\$DR	MBAC=9.03,RO S=9.75,DO=9.45,NBPA=7.90	9.03			1
73	DR000222	DR,\$DR	MBAC=9.03,RO S=9.60,DO=8.85,NBPA=8.65	9.03			1
74	DR000624	DR,\$DR	MBAC=9.03,RO S=9.35,DO=8.45,NBPA=9.30	9.03			1
75	DR000385	DR,\$DR	MBAC=9.03,RO S=9.25,DO=8.90,NBPA=8.95	9.03			1
76	DR000379	DR,\$DR	MBAC=9.03,RO S=9.20,DO=9.15,NBPA=8.75	9.03			1
77	DR000237	DR,\$DR	MBAC=9.03,RO S=9.15,DO=9.25,NBPA=8.70	9.03			1
78	DR000197	\$DR,DR	MBAC=9.03,RO S=9.10,DO=8.60,NBPA=9.40	9.03			1
79	DR000474	DR,\$DR	MBAC=9.03,RO S=9.00,DO=8.80,NBPA=9.30	9.03			1
80	DR000703	DR,\$DR	MBAC=9.03,RO S=8.85,DO=9.70,NBPA=8.55	9.03			1
81	DR000123	DR,\$DR	MBAC=9.03,RO S=8.85,DO=9.15,NBPA=9.10	9.03			1
82	DR000655	DR,\$DR	MBAC=9.03,RO S=8.85,DO=9.10,NBPA=9.15	9.03			1
83	DR000481	DR,\$DR	MBAC=9.03,RO S=8.70,DO=8.90,NBPA=9.50	9.03			1
84	DR000310	DR,\$DR	MBAC=9.03,RO S=8.60,DO=9.35,NBPA=9.15	9.03			1
85	DR001193	DR,\$DR	MBAC=9.03,RO S=8.20,DO=8.90,NBPA=10.00	9.03			1
86	DR000136	DR,\$DR	MBAC=9.03,RO S=7.95,DO=9.25,NBPA=9.90	9.03			1
87	DR000757	DR,\$DR	MBAC=9.03,RO S=7.80,DO=9.55,NBPA=9.75	9.03			1
88	DR000759	DR,\$DR	MBAC=9.01,RO S=8.85,DO=9.10,NBPA=9.10	9.01			1
89	DR000484	DR,\$DR	MBAC=9.01,RO S=8.60,DO=9.50,NBPA=8.95	9.01			1
90	DR000799	DR,\$DR	MBAC=9.01,RO S=8.55,DO=8.90,NBPA=9.60	9.01			1
91	DR000001	DR,\$DR	MBAC=9.01,RO S=8.35,DO=9.30,NBPA=9.40	9.01			1
92	DR001013	\$DR,DR	MBAC=9.01,RO S=8.30,DO=9.25,NBPA=9.50	9.01			1
93	DR000941	DR,\$DR	MBAC=9.01,RO S=8.25,DO=9.60,NBPA=9.20	9.01			1
94	DR001082	DR,\$DR	MBAC=9.01,RO S=8.20,DO=9.85,NBPA=9.00	9.01			1
95	DR000109	DR,\$DR	MBAC=9.00,RO S=9.50,DO=8.90,NBPA=8.60	9.00			1
96	DR000842	DR,\$DR	MBAC=9.00,RO S=9.45,DO=8.35,NBPA=9.20	9.00			1
97	DR000962	DR,\$DR	MBAC=9.00,RO S=9.30,DO=8.80,NBPA=8.90	9.00			1
98	DR000561	DR,\$DR	MBAC=9.00,RO S=9.15,DO=7.85,NBPA=10.00	9.00			1
99	DR001028	DR,\$DR	MBAC=9.00,RO S=9.10,DO=8.40,NBPA=9.50	9.00			1
100	DR000817	DR,\$DR	MBAC=9.00,RO S=8.35,DO=9.05,NBPA=9.60	9.00			1
101	DR000751	DR,\$DR	MBAC=9.00,RO S=8.30,DO=9.10,NBPA=9.60	9.00			1
102	DR000829	DR,\$DR	MBAC=8.98,RO S=9.25,DO=8.75,NBPA=8.95	8.98			1
103	DR000606	DR,\$DR	MBAC=8.98,RO S=9.15,DO=7.90,NBPA=9.90	8.98			1
104	DR000662	\$DR,DR	MBAC=8.98,RO S=9.10,DO=9.05,NBPA=8.80	8.98			1
105	DR000528	DR,\$DR	MBAC=8.98,RO S=8.55,DO=9.20,NBPA=9.20	8.98			1
106	DR000950	DR	MBAC=8.98,RO S=8.50,DO=9.15,NBPA=9.30	8.98			1
107	DR000436	DR,\$DR	MBAC=8.98,RO S=8.30,DO=9.50,NBPA=9.15	8.98			1
108	DR000358	DR,\$DR	MBAC=8.98,RO S=8.20,DO=9.20,NBPA=9.55	8.98			1
109	DR000986	DR,\$DR	MBAC=8.98,RO S=7.80,DO=9.65,NBPA=9.50	8.98			1
110	DR000997	DR,\$DR	MBAC=8.97,RO S=8.20,DO=9.50,NBPA=9.60	8.97			1
111	DR000864	DR,\$DR	MBAC=8.96,RO S=9.85,DO=8.90,NBPA=8.15	8.96			1
112	DR001169	DR,\$DR	MBAC=8.96,RO S=9.45,DO=8.45,NBPA=9.00	8.96			1
113	DR001106	DR,\$DR	MBAC=8.96,RO S=9.35,DO=7.85,NBPA=9.70	8.96			1
114	DR001075	DR,\$DR	MBAC=8.96,RO S=9.20,DO=8.55,NBPA=9.15	8.96			1
115	DR001154	DR,\$DR	MBAC=8.96,RO S=9.10,DO=8.10,NBPA=9.70	8.96			1
116	DR001126	DR,\$DR	MBAC=8.96,RO S=8.65,DO=8.80,NBPA=9.45	8.96			1
117	DR000998	DR,\$DR	MBAC=8.96,RO S=8.30,DO=8.90,NBPA=9.70	8.96			1
118	DR000653	\$DR,DR	MBAC=8.95,RO S=9.60,DO=8.30,NBPA=8.95	8.95			1
119	DR000231	DR,\$DR	MBAC=8.95,RO S=9.15,DO=8.50,NBPA=9.20	8.95			1
120	DR000175	DR,\$DR	MBAC=8.95,RO S=9.00,DO=8.75,NBPA=9.10	8.95			1
121	DR000569	DR,\$DR	MBAC=8.95,RO S=8.75,DO=9.10,NBPA=9.00	8.95			1
122	DR000014	DR,\$DR	MBAC=8.95,RO S=8.70,DO=9.35,NBPA=8.80	8.95			1
123	DR001202	DR,\$DR	MBAC=8.95,RO S=8.40,DO=8.70,NBPA=9.75	8.95			1
124	DR000594	DR	MBAC=8.93,RO S=9.10,DO=9.95,NBPA=7.75	8.93			1
125	DR000507	DR,\$DR	MBAC=8.93,RO S=9.10,DO=9.45,NBPA=8.25	8.93			1
126	DR000632	DR,\$DR	MBAC=8.93,RO S=9.00,DO=8.95,NBPA=8.85	8.93			1
127	DR000645	DR,\$DR	MBAC=8.93,RO S=8.95,DO=8.35,NBPA=9.50	8.93			1
128	DR000280	DR,\$DR	MBAC=8.93,RO S=8.80,DO=9.75,NBPA=8.25	8.93			1
129	DR001168	DR,\$DR	MBAC=8.93,RO S=8.70,DO=8.75,NBPA=9.35	8.93			1
130	DR000196	\$DR,DR	MBAC=8.93,RO S=8.50,DO=9.10,NBPA=9.20	8.93			1
131	DR001147	DR,\$DR	MBAC=8.93,RO S=8.50,DO=8.75,NBPA=9.55	8.93			1
132	DR000651	DR,\$DR	MBAC=8.93,RO S=8.45,DO=8.70,NBPA=9.65	8.93			1
133	DR001040	DR,\$DR	MBAC=8.93,RO S=8.00,DO=9.20,NBPA=9.60	8.93			1
134	DR000150	DR,\$DR	MBAC=8.93,RO S=7.70,DO=9.60,NBPA=9.50	8.93			1
135	DR000152	DR,\$DR	MBAC=8.93,RO S=7.60,DO=9.50,NBPA=9.70	8.93			1
136	DR000153	DR,\$DR	MBAC=8.91,RO S=9.25,DO=8.55,NBPA=8.95	8.91			1
137	DR000558	DR	MBAC=8.91,RO S=9.00,DO=7.95,NBPA=9.80	8.91			1
138	DR000517	DR	MBAC=8.91,RO S=8.95,DO=8.65,NBPA=9.15	8.91			1
139	DR000167	DR,\$DR	MBAC=8.91,RO S=8.85,DO=8.65,NBPA=9.25	8.91			1
140	DR000453	DR,\$DR	MBAC=8.91,RO S=8.55,DO=9.20,NBPA=9.00	8.91			1

Nr	Legitim.	Optiuni	Note	Medie	Admis la	Obs.	S
141	DR000940	DR, \$DR	MBAC=8.91, RO_S=8.25, DO=8.75, NBPA=9.75	8.91			1
142	DR001097	DR	MBAC=8.90, RO_S=9.55, DO=8.05, NBPA=9.10	8.90			1
143	DR000399	DR, \$DR	MBAC=8.90, RO_S=9.45, DO=8.85, NBPA=8.40	8.90			1
144	DR000079	DR, \$DR	MBAC=8.90, RO_S=8.75, DO=8.70, NBPA=9.25	8.90			1
145	DR000966	DR, \$DR	MBAC=8.90, RO_S=8.75, DO=8.20, NBPA=9.75	8.90			1
146	DR001094	DR, \$DR	MBAC=8.90, RO_S=8.50, DO=8.80, NBPA=9.40	8.90			1
147	DR000010	DR, \$DR	MBAC=8.90, RO_S=8.05, DO=9.00, NBPA=9.65	8.90			1
148	DR000054	DR, \$DR	MBAC=8.88, RO_S=9.40, DO=8.65, NBPA=8.60	8.88			1
149	DR000068	DR, \$DR	MBAC=8.88, RO_S=8.75, DO=9.25, NBPA=8.65	8.88			1
150	DR000088	DR, \$DR	MBAC=8.88, RO_S=8.15, DO=8.95, NBPA=9.45	8.88			1
151	DR000043	DR, \$DR	MBAC=8.86, RO_S=9.30, DO=8.05, NBPA=9.25	8.86			1
152	DR000905	DR, \$DR	MBAC=8.86, RO_S=8.90, DO=8.05, NBPA=9.65	8.86			1
153	DR000183	DR, \$DR	MBAC=8.86, RO_S=8.60, DO=8.30, NBPA=9.70	8.86			1
154	DR000488	DR, \$DR	MBAC=8.86, RO_S=8.15, DO=9.85, NBPA=8.60	8.86			1
155	DR000129	DR, \$DR	MBAC=8.85, RO_S=9.80, DO=7.30, NBPA=9.45	8.85			1
156	DR000262	DR, \$DR	MBAC=8.85, RO_S=9.30, DO=8.90, NBPA=8.35	8.85			1
157	DR001174	DR, \$DR	MBAC=8.85, RO_S=9.00, DO=8.05, NBPA=9.50	8.85			1
158	DR000071	DR, \$DR	MBAC=8.85, RO_S=8.95, DO=8.70, NBPA=8.90	8.85			1
159	DR000948	DR, \$DR	MBAC=8.85, RO_S=8.90, DO=8.65, NBPA=9.00	8.85			1
160	DR000067	DR, \$DR	MBAC=8.85, RO_S=8.60, DO=8.55, NBPA=9.40	8.85			1
161	DR000635	DR, \$DR	MBAC=8.85, RO_S=8.40, DO=9.50, NBPA=8.65	8.85			1
162	DR000668	DR, \$DR	MBAC=8.85, RO_S=8.25, DO=9.65, NBPA=8.65	8.85			1
163	DR000442	DR, \$DR	MBAC=8.85, RO_S=7.80, DO=9.50, NBPA=9.25	8.85			1
164	DR001117	\$DR	MBAC=8.85, RO_S=7.60, DO=9.85, NBPA=9.10	8.85			1
165	DR000573	DR, \$DR	MBAC=8.83, RO_S=9.60, DO=8.40, NBPA=8.50	8.83			1
166	DR000862	DR, \$DR	MBAC=8.83, RO_S=9.55, DO=7.90, NBPA=9.05	8.83			1
167	DR000766	DR, \$DR	MBAC=8.83, RO_S=9.40, DO=7.95, NBPA=9.15	8.83			1
168	DR000548	DR, \$DR	MBAC=8.83, RO_S=8.85, DO=7.80, NBPA=9.85	8.83			1
169	DR000169	DR, \$DR	MBAC=8.83, RO_S=8.60, DO=8.30, NBPA=9.60	8.83			1
170	DR000688	DR, \$DR	MBAC=8.83, RO_S=8.25, DO=8.95, NBPA=9.30	8.83			1
171	DR001092	DR, \$DR	MBAC=8.83, RO_S=7.30, DO=9.75, NBPA=9.45	8.83			1
172	DR000527	DR, \$DR	MBAC=8.81, RO_S=9.75, DO=7.30, NBPA=9.40	8.81			1
173	DR000266	DR, \$DR	MBAC=8.81, RO_S=9.40, DO=8.35, NBPA=8.70	8.81			1
174	DR000690	DR, \$DR	MBAC=8.81, RO_S=9.40, DO=7.30, NBPA=9.75	8.81			1
175	DR000504	DR, \$DR	MBAC=8.81, RO_S=9.25, DO=7.85, NBPA=9.35	8.81			1
176	DR217019	DR-DZ, DR, \$DR	MBAC=8.81, RO_S=9.00, DO=8.55, NBPA=8.90	8.81		DZ	1
177	DR000659	DR, \$DR	MBAC=8.81, RO_S=8.85, DO=9.05, NBPA=8.55	8.81			1
178	DR000598	DR, \$DR	MBAC=8.81, RO_S=8.05, DO=9.00, NBPA=9.40	8.81			1
179	DR001095	DR, \$DR	MBAC=8.81, RO_S=8.00, DO=8.95, NBPA=9.50	8.81			1
180	DR000912	DR, \$DR	MBAC=8.81, RO_S=7.95, DO=8.65, NBPA=9.85	8.81			1
181	DR000669	DR, \$DR	MBAC=8.81, RO_S=7.90, DO=8.85, NBPA=9.70	8.81			1
182	DR000369	\$DR, DR	MBAC=8.81, RO_S=7.65, DO=9.55, NBPA=9.25	8.81			1
183	DR000814	DR, \$DR	MBAC=8.80, RO_S=9.45, DO=8.30, NBPA=8.65	8.80			1
184	DR000487	DR, \$DR	MBAC=8.80, RO_S=9.25, DO=9.70, NBPA=7.45	8.80			1
185	DR000258	\$DR, DR	MBAC=8.80, RO_S=8.90, DO=8.10, NBPA=9.40	8.80			1
186	DR000211	\$DR	MBAC=8.80, RO_S=8.70, DO=8.90, NBPA=8.80	8.80			1
187	DR000051	\$DR	MBAC=8.80, RO_S=8.60, DO=9.95, NBPA=9.50	8.80			1
188	DR000145	DR, \$DR	MBAC=8.80, RO_S=8.60, DO=8.50, NBPA=9.70	8.80			1
189	DR000130	\$DR	MBAC=8.80, RO_S=8.60, DO=8.50, NBPA=9.30	8.80			1
190	DR000405	DR, \$DR	MBAC=8.80, RO_S=8.35, DO=8.95, NBPA=9.10	8.80			1
191	DR000740	DR, \$DR	MBAC=8.80, RO_S=7.70, DO=9.05, NBPA=9.65	8.80			1
192	DR000432	DR, \$DR	MBAC=8.80, RO_S=7.55, DO=9.60, NBPA=9.25	8.80			1
193	DR000816	DR, \$DR	MBAC=8.78, RO_S=9.40, DO=7.20, NBPA=9.75	8.78			1
194	DR000968	DR, \$DR	MBAC=8.78, RO_S=9.15, DO=7.95, NBPA=9.25	8.78			1
195	DR000700	DR, \$DR	MBAC=8.78, RO_S=8.70, DO=7.90, NBPA=9.75	8.78			1
196	DR000521	DR, \$DR	MBAC=8.78, RO_S=8.40, DO=8.15, NBPA=9.80	8.78			1
197	DR000483	DR, \$DR	MBAC=8.78, RO_S=8.35, DO=8.30, NBPA=9.70	8.78			1
198	DR001045	DR, \$DR	MBAC=8.78, RO_S=8.25, DO=8.90, NBPA=9.20	8.78			1
199	DR000721	DR, \$DR	MBAC=8.78, RO_S=8.10, DO=9.10, NBPA=9.15	8.78			1
200	DR000412	DR, \$DR	MBAC=8.78, RO_S=8.00, DO=9.15, NBPA=9.20	8.78			1
201	DR000122	DR, \$DR	MBAC=8.78, RO_S=8.00, DO=8.95, NBPA=9.40	8.78			1
202	DR000500	DR, \$DR	MBAC=8.78, RO_S=7.85, DO=9.70, NBPA=8.80	8.78			1
203	DR000577	DR, \$DR	MBAC=8.76, RO_S=9.75, DO=8.15, NBPA=8.40	8.76			1
204	DR000477	DR, \$DR	MBAC=8.76, RO_S=9.60, DO=7.65, NBPA=9.05	8.76			1
205	DR000705	DR, \$DR	MBAC=8.76, RO_S=8.95, DO=7.65, NBPA=9.70	8.76			1
206	DR001159	DR, \$DR	MBAC=8.76, RO_S=8.90, DO=9.40, NBPA=8.00	8.76			1
207	DR000368	DR, \$DR	MBAC=8.76, RO_S=8.20, DO=8.85, NBPA=9.25	8.76			1
208	DR000666	DR, \$DR	MBAC=8.75, RO_S=9.30, DO=7.95, NBPA=9.00	8.75			1
209	DR000899	DR	MBAC=8.75, RO_S=9.15, DO=7.20, NBPA=9.90	8.75			1
210	DR000929	DR	MBAC=8.75, RO_S=9.00, DO=7.95, NBPA=9.30	8.75			1
211	DR000056	DR, \$DR	MBAC=8.75, RO_S=8.25, DO=9.40, NBPA=8.60	8.75			1
212	DR000693	\$DR, DR	MBAC=8.75, RO_S=8.10, DO=9.05, NBPA=9.10	8.75			1
213	DR000176	DR, \$DR	MBAC=8.75, RO_S=8.10, DO=8.90, NBPA=9.25	8.75			1
214	DR217007	\$DR	MBAC=8.75, RO_S=8.00, DO=8.00, NBPA=9.00	8.75			1
215	DR000702	DR, \$DR	MBAC=8.73, RO_S=9.45, DO=7.55, NBPA=9.20	8.73		RX	1

Nr	Legitim.	Optiuni	Note	Medie	Admis la	Obs.	S
216	DR000135	DR, \$DR	MBAC=8.73, RO S=9.15, DO=9.00, NBPA=8.05	8.73			1
217	DR000824	DR, \$DR	MBAC=8.73, RO S=8.55, DO=9.05, NBPA=8.60	8.73			1
218	DR000064	DR, \$DR	MBAC=8.73, RO S=8.50, DO=8.55, NBPA=9.15	8.73			1
219	DR000087	DR, \$DR	MBAC=8.73, RO S=8.35, DO=8.95, NBPA=8.90	8.73			1
220	DR000238	DR, \$DR	MBAC=8.73, RO S=8.35, DO=8.50, NBPA=9.35	8.73			1
221	DR000294	DR, \$DR	MBAC=8.73, RO S=8.00, DO=9.05, NBPA=9.15	8.73			1
222	DR000330	DR, \$DR	MBAC=8.71, RO S=9.70, DO=7.35, NBPA=9.10	8.71			1
223	DR000815	DR	MBAC=8.71, RO S=9.25, DO=7.75, NBPA=9.15	8.71			1
224	DR000793	DR, \$DR	MBAC=8.71, RO S=9.20, DO=7.20, NBPA=9.75	8.71			1
225	DR000093	\$DR	MBAC=8.71, RO S=8.80, DO=8.90, NBPA=8.45	8.71			1
226	DR001047	DR, \$DR	MBAC=8.71, RO S=8.70, DO=9.30, NBPA=8.15	8.71			1
227	DR000300	\$DR, DR	MBAC=8.71, RO S=6.85, DO=9.80, NBPA=9.50	8.71			1
228	DR000869	DR, \$DR	MBAC=8.70, RO S=9.30, DO=8.65, NBPA=8.15	8.70			1
229	DR000746	DR, \$DR	MBAC=8.70, RO S=8.80, DO=8.30, NBPA=9.00	8.70			1
230	DR000784	DR, \$DR	MBAC=8.70, RO S=8.70, DO=7.60, NBPA=9.80	8.70			1
231	DR000290	DR, \$DR	MBAC=8.70, RO S=7.60, DO=9.15, NBPA=9.35	8.70			1
232	DR000121	DR, \$DR	MBAC=8.68, RO S=9.25, DO=7.90, NBPA=8.90	8.68			1
233	DR000055	DR, \$DR	MBAC=8.68, RO S=8.30, DO=8.80, NBPA=8.95	8.68			1
234	DR000168	DR, \$DR	MBAC=8.68, RO S=8.15, DO=8.80, NBPA=9.10	8.68			1
235	DR000727	DR, \$DR	MBAC=8.68, RO S=8.10, DO=8.95, NBPA=9.00	8.68			1
236	DR000820	DR, \$DR	MBAC=8.68, RO S=7.90, DO=9.35, NBPA=8.80	8.68			1
237	DR000205	DR, \$DR	MBAC=8.66, RO S=9.25, DO=8.45, NBPA=8.30	8.66			1
238	DR000900	DR, \$DR	MBAC=8.66, RO S=8.80, DO=9.15, NBPA=8.05	8.66			1
239	DR000261	DR, \$DR	MBAC=8.66, RO S=8.30, DO=8.25, NBPA=9.45	8.66			1
240	DR000215	DR, \$DR	MBAC=8.66, RO S=8.20, DO=9.30, NBPA=8.50	8.66			1
241	DR000339	\$DR, DR	MBAC=8.66, RO S=7.90, DO=8.80, NBPA=9.30	8.66			1
242	DR000691	DR, \$DR	MBAC=8.65, RO S=9.70, DO=8.70, NBPA=7.55	8.65			1
243	DR000235	DR, \$DR	MBAC=8.65, RO S=9.00, DO=8.50, NBPA=8.45	8.65			1
244	DR000970	DR, \$DR	MBAC=8.65, RO S=9.00, DO=8.50, NBPA=8.45	8.65			1
245	DR001185	DR, \$DR	MBAC=8.65, RO S=9.00, DO=7.90, NBPA=9.05	8.65			1
246	DR000637	DR, \$DR	MBAC=8.65, RO S=8.55, DO=8.10, NBPA=9.30	8.65			1
247	DR000506	DR, \$DR	MBAC=8.65, RO S=8.20, DO=8.35, NBPA=9.40	8.65			1
248	DR000523	DR, \$DR	MBAC=8.65, RO S=8.00, DO=8.95, NBPA=9.00	8.65			1
249	DR000497	DR, \$DR	MBAC=8.63, RO S=8.55, DO=8.85, NBPA=8.50	8.63			1
250	DR000591	DR, \$DR	MBAC=8.63, RO S=8.50, DO=8.45, NBPA=8.95	8.63			1
251	DR000615	DR, \$DR	MBAC=8.63, RO S=8.45, DO=8.95, NBPA=8.50	8.63			1
252	DR000463	DR	MBAC=8.63, RO S=8.35, DO=8.90, NBPA=8.65	8.63			1
253	DR001026	DR, \$DR	MBAC=8.63, RO S=8.15, DO=9.30, NBPA=8.45	8.63			1
254	DR000866	DR, \$DR	MBAC=8.63, RO S=7.70, DO=8.50, NBPA=9.70	8.63			1
255	DR000625	DR, \$DR	MBAC=8.62, RO S=9.30, DO=8.80, NBPA=9.15	8.62			1
256	DR000320	DR, \$DR	MBAC=8.61, RO S=9.15, DO=7.45, NBPA=9.25	8.61			1
257	DR217006	DR, \$DR	MBAC=8.61, RO S=8.30, DO=9.35, NBPA=8.20	8.61		DZ	1
258	DR000614	DR, \$DR	MBAC=8.61, RO S=8.30, DO=8.45, NBPA=9.10	8.61			1
259	DR001206	DR, \$DR	MBAC=8.61, RO S=7.60, DO=8.65, NBPA=9.60	8.61			1
260	DR000719	DR, \$DR	MBAC=8.60, RO S=9.45, DO=7.00, NBPA=9.35	8.60			1
261	DR000041	\$DR, DR	MBAC=8.60, RO S=9.10, DO=7.15, NBPA=9.55	8.60			1
262	DR000886	DR, \$DR	MBAC=8.60, RO S=8.20, DO=9.30, NBPA=8.30	8.60			1
263	DR000398	DR, \$DR	MBAC=8.60, RO S=8.15, DO=8.85, NBPA=8.80	8.60			1
264	DR000555	DR, \$DR	MBAC=8.60, RO S=8.15, DO=8.70, NBPA=8.95	8.60			1
265	DR000282	DR, \$DR	MBAC=8.60, RO S=7.80, DO=10.00, NBPA=8.00	8.60			1
266	DR000469	DR, \$DR	MBAC=8.60, RO S=7.45, DO=9.50, NBPA=8.85	8.60			1
267	DR000763	\$DR, DR	MBAC=8.60, RO S=7.25, DO=9.15, NBPA=9.40	8.60			1
268	DR000667	DR, \$DR	MBAC=8.58, RO S=8.90, DO=8.00, NBPA=8.85	8.58			1
269	DR000489	DR, \$DR	MBAC=8.58, RO S=8.80, DO=8.55, NBPA=8.40	8.58			1
270	DR000031	\$DR, DR	MBAC=8.58, RO S=8.70, DO=7.55, NBPA=9.50	8.58			1
271	DR000162	\$DR, DR	MBAC=8.58, RO S=8.50, DO=8.05, NBPA=9.20	8.58			1
272	DR000486	DR, \$DR	MBAC=8.58, RO S=8.20, DO=8.45, NBPA=9.10	8.58			1
273	DR001070	DR	MBAC=8.56, RO S=9.65, DO=6.55, NBPA=9.50	8.56			1
274	DR000479	DR, \$DR	MBAC=8.56, RO S=8.50, DO=7.70, NBPA=9.50	8.56			1
275	DR001121	DR, \$DR	MBAC=8.56, RO S=8.45, DO=7.95, NBPA=9.30	8.56			1
276	DR000445	DR	MBAC=8.56, RO S=8.35, DO=7.85, NBPA=9.50	8.56			1
277	DR000444	DR, \$DR	MBAC=8.56, RO S=8.30, DO=8.20, NBPA=9.20	8.56			1
278	DR001165	DR, \$DR	MBAC=8.56, RO S=8.25, DO=8.15, NBPA=9.30	8.56			1
279	DR000884	DR, \$DR	MBAC=8.56, RO S=7.95, DO=8.50, NBPA=9.25	8.56			1
280	DR000052	\$DR	MBAC=8.56, RO S=7.40, DO=8.85, NBPA=7.90	8.56			1
281	DR000083	DR, \$DR	MBAC=8.55, RO S=8.85, DO=7.95, NBPA=8.85	8.55			1
282	DR000151	DR, \$DR	MBAC=8.55, RO S=8.75, DO=7.80, NBPA=9.10	8.55			1
283	DR000435	DR, \$DR	MBAC=8.55, RO S=8.60, DO=9.25, NBPA=7.80	8.55			1
284	DR000451	\$DR, DR	MBAC=8.55, RO S=8.60, DO=7.05, NBPA=10.00	8.55			1
285	DR001067	DR, \$DR	MBAC=8.55, RO S=8.40, DO=7.95, NBPA=9.30	8.55			1
286	DR000754	\$DR, DR	MBAC=8.55, RO S=8.30, DO=8.15, NBPA=9.20	8.55			1
287	DR000560	DR, \$DR	MBAC=8.55, RO S=7.90, DO=8.10, NBPA=9.65	8.55			1
288	DR000930	DR, \$DR	MBAC=8.55, RO S=7.75, DO=8.70, NBPA=9.20	8.55			1
289	DR000327	DR, \$DR	MBAC=8.53, RO S=9.25, DO=7.70, NBPA=8.65	8.53			1
290	DR000889	DR, \$DR	MBAC=8.53, RO S=8.95, DO=7.05, NBPA=9.60	8.53			1

Nr	Legitim.	Optiuni	Note	Medie	Admis la	Obs.	S
291	DR000710	DR, \$DR	MBAC=8.53, RO S=8.75, DO=8.85, NBPA=8.00	8.53			1
292	DR000924	DR, \$DR	MBAC=8.53, RO S=8.25, DO=8.85, NBPA=8.50	8.53			1
293	DR000985	DR, \$DR	MBAC=8.53, RO S=8.25, DO=8.05, NBPA=9.30	8.53			1
294	DR000391	DR, \$DR	MBAC=8.53, RO S=8.15, DO=7.75, NBPA=9.70	8.53			1
295	DR001125	DR, \$DR	MBAC=8.53, RO S=8.05, DO=9.65, NBPA=7.90	8.53			1
296	DR000958	DR, \$DR	MBAC=8.53, RO S=7.95, DO=9.15, NBPA=8.60	8.53			1
297	DR000649	DR, \$DR	MBAC=8.52, RO S=7.50, DO=9.75, NBPA=8.35	8.52			1
298	DR000165	DR, \$DR	MBAC=8.52, RO S=6.95, DO=9.60, NBPA=9.55	8.52			1
299	DR000830	DR, \$DR	MBAC=8.51, RO S=9.15, DO=7.30, NBPA=9.10	8.51			1
300	DR000750	DR, \$DR	MBAC=8.51, RO S=9.00, DO=7.45, NBPA=9.10	8.51			1
301	DR000434	DR, \$DR	MBAC=8.51, RO S=8.75, DO=8.60, NBPA=8.20	8.51			1
302	DR000062	DR, \$DR	MBAC=8.51, RO S=8.50, DO=8.25, NBPA=8.80	8.51			1
303	DR001122	DR, \$DR	MBAC=8.51, RO S=8.50, DO=7.40, NBPA=9.65	8.51			1
304	DR000375	DR, \$DR	MBAC=8.51, RO S=8.15, DO=8.00, NBPA=9.40	8.51			1
305	DR000665	DR, \$DR	MBAC=8.50, RO S=9.60, DO=8.50, NBPA=7.40	8.50			1
306	DR001102	DR, \$DR	MBAC=8.50, RO S=9.55, DO=9.30, NBPA=6.65	8.50			1
307	DR000455	DR, \$DR	MBAC=8.50, RO S=8.65, DO=7.30, NBPA=9.55	8.50			1
308	DR001141	DR, \$DR	MBAC=8.50, RO S=8.45, DO=8.25, NBPA=8.80	8.50			1
309	DR001024	DR, \$DR	MBAC=8.50, RO S=8.25, DO=8.20, NBPA=9.05	8.50			1
310	DR000681	\$DR	MBAC=8.50, RO S=8.20, DO=8.60, NBPA=8.70	8.50			1
311	DR000861	DR, DR-DZ, \$DR	MBAC=8.50, RO S=7.75, DO=8.20, NBPA=9.55	8.50		DZ	1
312	DR000538	DR, \$DR	MBAC=8.50, RO S=7.45, DO=8.65, NBPA=9.40	8.50			1
313	DR000987	DR, \$DR	MBAC=8.50, RO S=7.40, DO=8.85, NBPA=9.25	8.50			1
314	DR001181	DR, \$DR	MBAC=8.49, RO S=9.00, DO=8.49, NBPA=8.49	8.49			1
315	DR000956	DR, \$DR	MBAC=8.48, RO S=8.80, DO=7.20, NBPA=9.45	8.48			1
316	DR000584	DR, \$DR	MBAC=8.48, RO S=8.70, DO=7.65, NBPA=9.10	8.48			1
317	DR000908	DR, \$DR	MBAC=8.48, RO S=8.35, DO=8.95, NBPA=8.15	8.48			1
318	DR000978	DR, \$DR	MBAC=8.48, RO S=8.30, DO=7.70, NBPA=9.45	8.48			1
319	DR000427	DR	MBAC=8.48, RO S=7.00, DO=9.40, NBPA=9.05	8.48			1
320	DR000892	DR, \$DR	MBAC=8.47, RO S=8.35, DO=9.10, NBPA=9.60	8.47			1
321	DR000540	DR, \$DR	MBAC=8.46, RO S=9.30, DO=7.45, NBPA=8.65	8.46			1
322	DR001073	DR, \$DR	MBAC=8.46, RO S=8.60, DO=9.15, NBPA=9.20	8.46			1
323	DR001086	DR, \$DR	MBAC=8.46, RO S=8.15, DO=8.60, NBPA=8.65	8.46			1
324	DR000725	DR, \$DR	MBAC=8.46, RO S=8.15, DO=8.40, NBPA=8.85	8.46			1
325	DR000140	DR, \$DR	MBAC=8.46, RO S=7.90, DO=9.10, NBPA=8.45	8.46			1
326	DR001029	DR, \$DR	MBAC=8.45, RO S=9.55, DO=7.20, NBPA=8.60	8.45			1
327	DR000008	DR, \$DR	MBAC=8.45, RO S=8.65, DO=7.70, NBPA=9.00	8.45			1
328	DR000328	DR, \$DR	MBAC=8.45, RO S=8.50, DO=8.60, NBPA=8.25	8.45			1
329	DR000586	DR, \$DR	MBAC=8.45, RO S=8.50, DO=8.35, NBPA=8.50	8.45			1
330	DR000963	DR, \$DR	MBAC=8.45, RO S=8.45, DO=8.50, NBPA=8.40	8.45			1
331	DR001209	\$DR	MBAC=8.45, RO S=8.35, DO=7.50, NBPA=9.50	8.45			1
332	DR000556	DR, \$DR	MBAC=8.45, RO S=8.10, DO=8.95, NBPA=8.30	8.45			1
333	DR000777	DR, \$DR	MBAC=8.45, RO S=7.85, DO=9.10, NBPA=8.40	8.45			1
334	DR000189	DR, \$DR	MBAC=8.45, RO S=7.65, DO=9.35, NBPA=8.35	8.45			1
335	DR000988	DR, \$DR	MBAC=8.45, RO S=7.20, DO=8.65, NBPA=9.50	8.45			1
336	DR000465	DR, \$DR	MBAC=8.45, RO S=6.70, DO=9.70, NBPA=8.95	8.45			1
337	DR000910	DR, \$DR	MBAC=8.43, RO S=9.45, DO=6.45, NBPA=9.40	8.43			1
338	DR000853	DR, \$DR	MBAC=8.43, RO S=8.65, DO=8.25, NBPA=8.40	8.43			1
339	DR000011	\$DR, DR	MBAC=8.43, RO S=8.60, DO=8.05, NBPA=8.65	8.43			1
340	DR000127	DR, \$DR	MBAC=8.43, RO S=8.45, DO=6.85, NBPA=10.00	8.43			1
341	DR000619	DR, \$DR	MBAC=8.43, RO S=8.35, DO=7.70, NBPA=9.25	8.43			1
342	DR000421	DR, \$DR	MBAC=8.43, RO S=7.70, DO=9.85, NBPA=7.75	8.43			1
343	DR000952	DR, \$DR	MBAC=8.43, RO S=7.70, DO=9.35, NBPA=8.25	8.43			1
344	DR000542	DR, \$DR	MBAC=8.41, RO S=9.85, DO=7.40, NBPA=8.00	8.41			1
345	DR000353	\$DR, DR	MBAC=8.41, RO S=8.65, DO=7.95, NBPA=8.65	8.41			1
346	DR000037	DR, \$DR	MBAC=8.41, RO S=8.20, DO=8.80, NBPA=8.25	8.41			1
347	DR000859	DR, \$DR	MBAC=8.41, RO S=8.10, DO=7.55, NBPA=9.60	8.41			1
348	DR000049	DR, \$DR	MBAC=8.41, RO S=7.55, DO=9.20, NBPA=8.50	8.41			1
349	DR000657	DR, \$DR	MBAC=8.40, RO S=7.85, DO=7.70, NBPA=9.65	8.40			1
350	DR000846	DR, \$DR	MBAC=8.40, RO S=6.70, DO=9.70, NBPA=8.80	8.40			1
351	DR001031	DR, \$DR	MBAC=8.38, RO S=8.95, DO=7.20, NBPA=9.00	8.38			1
352	DR000734	DR, \$DR	MBAC=8.38, RO S=8.50, DO=7.45, NBPA=9.20	8.38			1
353	DR217025	DR-MR, DR, \$DR	MBAC=8.38, RO S=8.25, DO=8.15, NBPA=8.75	8.38		MR	1
354	DR000923	DR, \$DR	MBAC=8.38, RO S=7.70, DO=8.65, NBPA=8.80	8.38			1
355	DR001194	DR, \$DR	MBAC=8.38, RO S=6.35, DO=10.00, NBPA=8.80	8.38			1
356	DR000457	DR, \$DR	MBAC=8.36, RO S=9.05, DO=7.25, NBPA=8.80	8.36			1
357	DR001048	DR, \$DR	MBAC=8.36, RO S=9.00, DO=8.55, NBPA=7.55	8.36			1
358	DR000408	DR, \$DR	MBAC=8.36, RO S=8.80, DO=7.80, NBPA=8.50	8.36			1
359	DR000529	DR, \$DR	MBAC=8.36, RO S=8.65, DO=7.35, NBPA=9.10	8.36			1
360	DR001145	DR, \$DR	MBAC=8.36, RO S=8.50, DO=8.65, NBPA=8.30	8.36			1
361	DR000551	DR, \$DR	MBAC=8.36, RO S=8.40, DO=7.80, NBPA=8.90	8.36			1
362	DR000891	DR	MBAC=8.36, RO S=8.30, DO=8.50, NBPA=8.30	8.36			1
363	DR000125	DR, \$DR	MBAC=8.36, RO S=8.05, DO=9.00, NBPA=8.05	8.36			1
364	DR000468	\$DR, DR	MBAC=8.36, RO S=8.00, DO=8.40, NBPA=8.70	8.36			1
365	DR001182	DR, \$DR	MBAC=8.36, RO S=7.75, DO=9.10, NBPA=8.25	8.36			1

Nr	Legitim.	Optiuni	Note	Medie	Admis la	Obs.	S
366	DR000415	DR, \$DR	MBAC=8.36, RO_S=7.25, DO=8.65, NBPA=9.20	8.36			1
367	DR001049	DR	MBAC=8.36, RO_S=6.80, DO=8.70, NBPA=9.60	8.36			1
368	DR001033	DR	MBAC=8.35, RO_S=8.90, DO=8.45, NBPA=7.70	8.35			1
369	DR000471	DR, \$DR	MBAC=8.35, RO_S=8.80, DO=7.60, NBPA=8.65	8.35			1
370	DR000844	DR	MBAC=8.35, RO_S=8.40, DO=8.15, NBPA=8.50	8.35			1
371	DR001132	DR, \$DR	MBAC=8.33, RO_S=9.55, DO=8.10, NBPA=7.35	8.33			1
372	DR000094	DR, \$DR	MBAC=8.33, RO_S=8.55, DO=7.75, NBPA=8.70	8.33			1
373	DR001072	DR, \$DR	MBAC=8.33, RO_S=8.20, DO=8.25, NBPA=8.55	8.33			1
374	DR000042	\$DR	MBAC=8.33, RO_S=8.05, DO=7.70, NBPA=9.25	8.33			1
375	DR000350	DR, \$DR	MBAC=8.33, RO_S=7.95, DO=9.40, NBPA=7.65	8.33			1
376	DR000741	DR, \$DR	MBAC=8.33, RO_S=7.40, DO=8.60, NBPA=9.00	8.33			1
377	DR000120	DR, \$DR	MBAC=8.32, RO_S=7.70, DO=8.15, NBPA=9.70	8.32			1
378	DR001177	DR, \$DR	MBAC=8.31, RO_S=9.50, DO=7.40, NBPA=8.05	8.31			1
379	DR001074	DR, \$DR	MBAC=8.31, RO_S=9.35, DO=7.20, NBPA=8.40	8.31			1
380	DR000034	DR, \$DR	MBAC=8.31, RO_S=8.50, DO=8.05, NBPA=8.40	8.31			1
381	DR000850	DR, \$DR	MBAC=8.31, RO_S=8.30, DO=7.30, NBPA=9.35	8.31			1
382	DR000926	DR, \$DR	MBAC=8.31, RO_S=8.20, DO=8.05, NBPA=8.70	8.31			1
383	DR001161	DR, \$DR	MBAC=8.31, RO_S=7.65, DO=8.55, NBPA=8.75	8.31			1
384	DR000498	DR, \$DR	MBAC=8.30, RO_S=8.50, DO=9.30, NBPA=7.10	8.30			1
385	DR000460	DR, \$DR	MBAC=8.30, RO_S=8.45, DO=6.80, NBPA=9.65	8.30			1
386	DR000413	DR	MBAC=8.30, RO_S=8.25, DO=7.95, NBPA=8.70	8.30			1
387	DR001017	DR, \$DR	MBAC=8.30, RO_S=8.20, DO=7.95, NBPA=8.75	8.30			1
388	DR000792	DR, \$DR	MBAC=8.30, RO_S=8.20, DO=7.65, NBPA=9.05	8.30			1
389	DR000932	DR, \$DR	MBAC=8.30, RO_S=8.05, DO=9.70, NBPA=7.15	8.30			1
390	DR000404	DR, \$DR	MBAC=8.30, RO_S=8.00, DO=8.40, NBPA=8.50	8.30			1
391	DR001188	\$DR	MBAC=8.30, RO_S=7.95, DO=7.50, NBPA=9.45	8.30			1
392	DR000520	DR, \$DR	MBAC=8.30, RO_S=7.70, DO=8.65, NBPA=8.55	8.30			1
393	DR000472	DR, \$DR	MBAC=8.30, RO_S=7.15, DO=9.00, NBPA=8.75	8.30			1
394	DR000765	DR	MBAC=8.30, RO_S=6.90, DO=8.15, NBPA=9.85	8.30			1
395	DR000337	DR, \$DR	MBAC=8.28, RO_S=8.90, DO=6.10, NBPA=9.85	8.28			1
396	DR000224	DR, \$DR	MBAC=8.28, RO_S=8.60, DO=7.90, NBPA=8.35	8.28			1
397	DR000430	\$DR, DR	MBAC=8.28, RO_S=8.40, DO=7.50, NBPA=7.80	8.28			1
398	DR001104	DR, \$DR	MBAC=8.28, RO_S=6.80, DO=9.15, NBPA=8.90	8.28			1
399	DR000311	DR, \$DR	MBAC=8.28, RO_S=6.60, DO=9.40, NBPA=8.85	8.28			1
400	DR000016	\$DR, DR	MBAC=8.26, RO_S=7.80, DO=8.10, NBPA=8.90	8.26			1
401	DR001150	DR, \$DR	MBAC=8.26, RO_S=7.00, DO=8.75, NBPA=8.40	8.26			1
402	DR000647	DR, \$DR	MBAC=8.26, RO_S=6.75, DO=9.50, NBPA=8.55	8.26			1
403	DR000549	\$DR, DR	MBAC=8.25, RO_S=9.00, DO=8.45, NBPA=7.30	8.25			1
404	DR000922	DR, \$DR	MBAC=8.25, RO_S=7.90, DO=8.35, NBPA=8.50	8.25			1
405	DR000082	DR, \$DR	MBAC=8.25, RO_S=7.50, DO=8.75, NBPA=8.50	8.25			1
406	DR000541	DR, \$DR	MBAC=8.25, RO_S=7.45, DO=9.05, NBPA=8.25	8.25			1
407	DR000855	DR, \$DR	MBAC=8.25, RO_S=7.30, DO=8.70, NBPA=8.75	8.25			1
408	DR000762	\$DR, DR	MBAC=8.23, RO_S=8.80, DO=8.50, NBPA=7.40	8.23			1
409	DR000964	DR, \$DR	MBAC=8.23, RO_S=8.10, DO=7.70, NBPA=8.90	8.23			1
410	DR001110	DR, \$DR	MBAC=8.23, RO_S=7.75, DO=7.30, NBPA=9.65	8.23			1
411	DR000939	DR	MBAC=8.23, RO_S=7.40, DO=8.45, NBPA=8.85	8.23			1
412	DR000009	DR	MBAC=8.23, RO_S=6.45, DO=9.00, NBPA=9.25	8.23			1
413	DR000914	DR	MBAC=8.22, RO_S=5.75, DO=9.05, NBPA=9.45	8.22			1
414	DR000102	DR, \$DR	MBAC=8.21, RO_S=8.65, DO=7.90, NBPA=8.10	8.21			1
415	DR000704	DR, \$DR	MBAC=8.21, RO_S=8.55, DO=9.95, NBPA=6.15	8.21			1
416	DR000860	DR, \$DR	MBAC=8.21, RO_S=8.30, DO=7.15, NBPA=9.20	8.21			1
417	DR000381	DR, \$DR	MBAC=8.21, RO_S=8.05, DO=8.30, NBPA=8.30	8.21			1
418	DR000684	\$DR, DR	MBAC=8.21, RO_S=7.65, DO=8.40, NBPA=8.60	8.21			1
419	DR000938	DR, \$DR	MBAC=8.21, RO_S=7.35, DO=9.65, NBPA=7.65	8.21			1
420	DR000852	DR, \$DR	MBAC=8.20, RO_S=8.70, DO=8.25, NBPA=7.65	8.20			1
421	DR000403	DR, \$DR	MBAC=8.20, RO_S=8.65, DO=7.65, NBPA=8.30	8.20			1
422	DR001133	DR, \$DR	MBAC=8.20, RO_S=8.50, DO=6.95, NBPA=9.15	8.20			1
423	DR000494	DR, \$DR	MBAC=8.20, RO_S=8.40, DO=7.85, NBPA=8.35	8.20			1
424	DR000812	DR, \$DR	MBAC=8.20, RO_S=8.35, DO=6.55, NBPA=9.70	8.20			1
425	DR000503	DR, \$DR	MBAC=8.20, RO_S=8.20, DO=8.15, NBPA=8.25	8.20			1
426	DR000537	DR, \$DR	MBAC=8.20, RO_S=8.10, DO=8.20, NBPA=8.30	8.20			1
427	DR000265	DR, \$DR	MBAC=8.20, RO_S=8.00, DO=7.35, NBPA=9.25	8.20			1
428	DR000086	DR, \$DR	MBAC=8.20, RO_S=7.85, DO=7.40, NBPA=9.35	8.20			1
429	DR001158	DR, \$DR	MBAC=8.20, RO_S=6.65, DO=8.35, NBPA=8.75	8.20			1
430	DR000519	DR, \$DR	MBAC=8.18, RO_S=8.95, DO=6.70, NBPA=8.90	8.18			1
431	DR000767	DR, \$DR	MBAC=8.18, RO_S=8.50, DO=7.90, NBPA=8.15	8.18			1
432	DR000281	DR, \$DR	MBAC=8.18, RO_S=8.30, DO=7.90, NBPA=8.35	8.18			1
433	DR000039	\$DR, DR	MBAC=8.18, RO_S=8.30, DO=6.45, NBPA=9.80	8.18			1
434	DR217003	DR-MR, DR, \$DR	MBAC=8.18, RO_S=7.75, DO=8.35, NBPA=8.45	8.18		MR	1
435	DR001002	DR, \$DR	MBAC=8.18, RO_S=7.35, DO=8.70, NBPA=8.50	8.18			1
436	DR000788	DR, \$DR	MBAC=8.18, RO_S=7.15, DO=9.80, NBPA=7.60	8.18			1
437	DR000957	DR, \$DR	MBAC=8.18, RO_S=7.15, DO=8.90, NBPA=8.50	8.18			1
438	DR000382	\$DR, DR	MBAC=8.18, RO_S=7.05, DO=8.20, NBPA=9.30	8.18			1
439	DR000686	DR, \$DR	MBAC=8.16, RO_S=8.50, DO=7.30, NBPA=8.70	8.16			1
440	DR000636	DR, \$DR	MBAC=8.16, RO_S=8.00, DO=7.00, NBPA=9.50	8.16			1

Nr	Legitim.	Optiuni	Note	Medie	Admis la	Obs.	S
441	DR000459	DR, \$DR	MBAC=8.16, RO S=7.40, DO=9.95, NBPA=7.15	8.16			1
442	DR000813	DR, \$DR	MBAC=8.15, RO S=8.10, DO=8.25, NBPA=8.10	8.15			1
443	DR000100	DR, \$DR	MBAC=8.15, RO S=7.30, DO=8.20, NBPA=8.95	8.15			1
444	DR000316	DR, \$DR	MBAC=8.13, RO S=8.50, DO=7.70, NBPA=8.20	8.13			1
445	DR000911	DR, \$DR	MBAC=8.13, RO S=8.05, DO=6.75, NBPA=9.60	8.13			1
446	DR000318	DR, \$DR	MBAC=8.13, RO S=7.30, DO=7.95, NBPA=9.15	8.13			1
447	DR001100	DR, \$DR	MBAC=8.13, RO S=7.00, DO=9.10, NBPA=8.30	8.13			1
448	DR000156	DR, \$DR	MBAC=8.11, RO S=8.70, DO=7.25, NBPA=8.40	8.11			1
449	DR000596	DR, \$DR	MBAC=8.11, RO S=7.65, DO=9.30, NBPA=7.40	8.11			1
450	DR000661	\$DR	MBAC=8.11, RO S=7.35, DO=8.15, NBPA=8.85	8.11			1
451	DR000390	DR, \$DR	MBAC=8.11, RO S=6.95, DO=8.30, NBPA=9.10	8.11			1
452	DR000458	DR, \$DR	MBAC=8.10, RO S=8.30, DO=7.95, NBPA=8.05	8.10			1
453	DR000063	\$DR	MBAC=8.10, RO S=8.30, DO=7.20, NBPA=8.80	8.10			1
454	DR000981	DR, \$DR	MBAC=8.10, RO S=8.25, DO=7.95, NBPA=8.05	8.10			1
455	DR000935	\$DR, DR	MBAC=8.10, RO S=8.05, DO=7.70, NBPA=8.55	8.10			1
456	DR000307	DR, \$DR	MBAC=8.10, RO S=7.70, DO=7.25, NBPA=9.35	8.10			1
457	DR000955	DR, \$DR	MBAC=8.10, RO S=7.65, DO=7.70, NBPA=8.95	8.10			1
458	DR001009	DR, \$DR	MBAC=8.10, RO S=7.05, DO=9.75, NBPA=7.50	8.10			1
459	DR000737	DR, \$DR	MBAC=8.10, RO S=6.80, DO=7.80, NBPA=9.70	8.10			1
460	DR000593	DR, \$DR	MBAC=8.08, RO S=8.60, DO=7.75, NBPA=7.90	8.08			1
461	DR000511	DR, \$DR	MBAC=8.08, RO S=8.50, DO=7.55, NBPA=8.20	8.08			1
462	DR001200	DR, \$DR	MBAC=8.08, RO S=8.40, DO=6.45, NBPA=9.40	8.08			1
463	DR000587	DR, \$DR	MBAC=8.08, RO S=8.05, DO=9.35, NBPA=6.85	8.08			1
464	DR001119	DR, \$DR	MBAC=8.08, RO S=7.90, DO=7.35, NBPA=9.00	8.08			1
465	DR000185	DR, \$DR	MBAC=8.06, RO S=9.10, DO=7.30, NBPA=7.80	8.06			1
466	DR000394	\$DR	MBAC=8.06, RO S=8.70, DO=7.00, NBPA=8.50	8.06			1
467	DR001189	DR, \$DR	MBAC=8.06, RO S=7.80, DO=6.80, NBPA=9.60	8.06			1
468	DR000990	DR, \$DR	MBAC=8.06, RO S=7.20, DO=9.50, NBPA=9.60	8.06			1
469	DR000133	\$DR, DR	MBAC=8.06, RO S=5.90, DO=9.50, NBPA=8.80	8.06			1
470	DR001061	DR, \$DR	MBAC=8.05, RO S=8.00, DO=7.00, NBPA=9.15	8.05			1
471	DR000473	DR, \$DR	MBAC=8.05, RO S=8.00, DO=6.90, NBPA=9.25	8.05			1
472	DR000075	DR, \$DR	MBAC=8.05, RO S=7.80, DO=7.65, NBPA=8.70	8.05			1
473	DR000343	DR, \$DR	MBAC=8.05, RO S=7.50, DO=8.05, NBPA=8.60	8.05			1
474	DR000580	\$DR	MBAC=8.05, RO S=6.85, DO=8.45, NBPA=8.85	8.05			1
475	DR000279	\$DR	MBAC=8.03, RO S=8.60, DO=8.40, NBPA=7.10	8.03			1
476	DR001144	\$DR	MBAC=8.03, RO S=8.60, DO=7.30, NBPA=8.20	8.03			1
477	DR000795	DR, \$DR	MBAC=8.03, RO S=7.95, DO=7.15, NBPA=9.00	8.03			1
478	DR000340	DR, \$DR	MBAC=8.03, RO S=6.90, DO=7.85, NBPA=8.50	8.03			1
479	DR000437	\$DR, DR	MBAC=8.03, RO S=6.50, DO=8.70, NBPA=8.90	8.03			1
480	DR000299	DR, \$DR	MBAC=8.02, RO S=8.30, DO=8.10, NBPA=8.70	8.02			1
481	DR000496	DR, \$DR	MBAC=8.01, RO S=8.45, DO=7.70, NBPA=7.90	8.01			1
482	DR000582	DR, \$DR	MBAC=8.01, RO S=8.30, DO=8.35, NBPA=9.05	8.01			1
483	DR001152	DR, \$DR	MBAC=8.01, RO S=8.30, DO=7.15, NBPA=8.60	8.01			1
484	DR000566	DR, \$DR	MBAC=8.01, RO S=8.25, DO=6.55, NBPA=9.25	8.01			1
485	DR001032	DR, \$DR	MBAC=8.01, RO S=7.65, DO=9.25, NBPA=7.15	8.01			1
486	DR000770	DR, \$DR	MBAC=8.01, RO S=7.05, DO=8.70, NBPA=8.25	8.01			1
487	DR000832	DR, \$DR	MBAC=8.01, RO S=7.00, DO=7.95, NBPA=9.10	8.01			1
488	DR000501	\$DR, DR	MBAC=8.00, RO S=7.85, DO=8.25, NBPA=7.90	8.00			1
489	DR000331	\$DR, DR	MBAC=8.00, RO S=7.70, DO=7.50, NBPA=8.80	8.00			1
490	DR000713	DR, \$DR	MBAC=8.00, RO S=7.60, DO=8.30, NBPA=8.10	8.00			1
491	DR001054	DR, \$DR	MBAC=8.00, RO S=7.00, DO=8.00, NBPA=7.00	8.00			1
492	DR000325	DR, \$DR	MBAC=8.00, RO S=6.95, DO=8.75, NBPA=8.30	8.00			1
493	DR001142	DR-MR, DR	MBAC=8.00, RO S=6.70, DO=9.55, NBPA=7.75	8.00		MR	1
494	DR000936	\$DR, DR	MBAC=7.98, RO S=8.45, DO=5.80, NBPA=9.70	7.98			1
495	DR001139	DR, \$DR	MBAC=7.98, RO S=7.80, DO=8.85, NBPA=7.30	7.98			1
496	DR001034	\$DR	MBAC=7.98, RO S=7.75, DO=7.90, NBPA=8.30	7.98			1
497	DR001111	DR, \$DR	MBAC=7.98, RO S=7.70, DO=8.65, NBPA=7.60	7.98			1
498	DR000802	DR, \$DR	MBAC=7.96, RO S=9.65, DO=5.90, NBPA=8.35	7.96			1
499	DR000729	\$DR	MBAC=7.96, RO S=7.80, DO=7.55, NBPA=8.55	7.96			1
500	DR000493	DR, \$DR	MBAC=7.96, RO S=7.75, DO=7.35, NBPA=8.80	7.96			1
501	DR000658	DR, \$DR	MBAC=7.96, RO S=7.35, DO=7.90, NBPA=8.65	7.96			1
502	DR000736	DR, \$DR	MBAC=7.96, RO S=7.20, DO=7.55, NBPA=9.15	7.96			1
503	DR000918	DR, \$DR	MBAC=7.95, RO S=8.35, DO=7.40, NBPA=8.10	7.95			1
504	DR001035	\$DR	MBAC=7.93, RO S=9.50, DO=7.05, NBPA=7.25	7.93			1
505	DR000847	DR, \$DR	MBAC=7.93, RO S=8.00, DO=8.70, NBPA=7.10	7.93			1
506	DR000478	DR, \$DR	MBAC=7.93, RO S=7.75, DO=8.70, NBPA=7.35	7.93			1
507	DR000954	DR, \$DR	MBAC=7.93, RO S=6.70, DO=7.55, NBPA=9.55	7.93			1
508	DR000613	DR, \$DR	MBAC=7.91, RO S=8.95, DO=6.80, NBPA=8.00	7.91			1
509	DR000502	\$DR, DR	MBAC=7.91, RO S=8.70, DO=8.10, NBPA=6.95	7.91			1
510	DR000972	DR, \$DR	MBAC=7.91, RO S=8.15, DO=7.85, NBPA=7.75	7.91			1
511	DR000384	\$DR, DR	MBAC=7.91, RO S=7.50, DO=7.70, NBPA=8.55	7.91			1
512	DR000433	DR, \$DR	MBAC=7.91, RO S=7.05, DO=8.50, NBPA=8.20	7.91			1
513	DR000699	DR, \$DR	MBAC=7.91, RO S=7.05, DO=7.80, NBPA=8.90	7.91			1
514	DR001023	DR, \$DR	MBAC=7.90, RO S=8.00, DO=8.00, NBPA=7.70	7.90			1
515	DR001069	DR, \$DR	MBAC=7.90, RO S=7.90, DO=7.85, NBPA=7.95	7.90			1

Nr	Legitim.	Optiuni	Note	Medie	Admis la	Obs.	S
516	DR000059	DR, \$DR	MBAC=7.90, RO S=7.90, DO=6.95, NBPA=8.85	7.90			1
517	DR001014	DR, \$DR	MBAC=7.90, RO S=7.75, DO=7.40, NBPA=8.55	7.90			1
518	DR001071	DR, \$DR	MBAC=7.90, RO S=7.20, DO=8.50, NBPA=8.00	7.90			1
519	DR000692	DR	MBAC=7.88, RO S=8.35, DO=7.45, NBPA=7.85	7.88			1
520	DR000857	DR, \$DR	MBAC=7.88, RO S=6.95, DO=7.30, NBPA=9.40	7.88			1
521	DR000907	DR, \$DR	MBAC=7.86, RO S=9.60, DO=7.00, NBPA=7.00	7.86			1
522	DR000525	\$DR	MBAC=7.86, RO S=8.80, DO=8.30, NBPA=6.50	7.86			1
523	DR000592	DR, \$DR	MBAC=7.86, RO S=8.65, DO=7.35, NBPA=7.60	7.86			1
524	DR000291	DR, \$DR	MBAC=7.86, RO S=8.60, DO=6.90, NBPA=8.10	7.86			1
525	DR000837	DR, \$DR	MBAC=7.86, RO S=8.20, DO=8.30, NBPA=7.10	7.86			1
526	DR000916	DR-MR, \$DR, DR	MBAC=7.86, RO S=8.00, DO=7.50, NBPA=8.10	7.86		MR	1
527	DR000738	\$DR, DR	MBAC=7.86, RO S=7.50, DO=9.65, NBPA=6.45	7.86			1
528	DR001173	\$DR, DR	MBAC=7.86, RO S=7.30, DO=8.40, NBPA=7.90	7.86			1
529	DR000640	DR, \$DR	MBAC=7.86, RO S=7.05, DO=7.90, NBPA=8.65	7.86			1
530	DR000724	\$DR, DR	MBAC=7.85, RO S=7.90, DO=8.35, NBPA=8.35	7.85			1
531	DR000508	\$DR, DR	MBAC=7.85, RO S=7.60, DO=8.20, NBPA=7.75	7.85			1
532	DR000945	\$DR	MBAC=7.83, RO S=9.50, DO=6.55, NBPA=7.45	7.83			1
533	DR001137	DR, \$DR	MBAC=7.83, RO S=8.35, DO=6.45, NBPA=8.70	7.83			1
534	DR001088	DR, \$DR	MBAC=7.83, RO S=7.70, DO=7.35, NBPA=8.45	7.83			1
535	DR000545	DR, \$DR	MBAC=7.83, RO S=7.30, DO=8.15, NBPA=8.05	7.83			1
536	DR001018	\$DR, DR	MBAC=7.83, RO S=6.30, DO=9.80, NBPA=7.40	7.83			1
537	DR000680	DR, \$DR	MBAC=7.81, RO S=8.70, DO=7.20, NBPA=7.55	7.81			1
538	DR001015	DR, \$DR	MBAC=7.81, RO S=8.20, DO=6.65, NBPA=8.60	7.81			1
539	DR000720	DR, \$DR	MBAC=7.81, RO S=8.10, DO=7.00, NBPA=8.35	7.81			1
540	DR000652	DR, \$DR	MBAC=7.81, RO S=7.85, DO=7.50, NBPA=8.10	7.81			1
541	DR001020	DR, \$DR	MBAC=7.81, RO S=7.55, DO=8.00, NBPA=7.90	7.81			1
542	DR000428	DR, \$DR	MBAC=7.80, RO S=8.45, DO=9.00, NBPA=5.95	7.80			1
543	DR000155	DR, \$DR	MBAC=7.80, RO S=8.15, DO=8.45, NBPA=6.80	7.80			1
544	DR001089	DR, \$DR	MBAC=7.80, RO S=6.90, DO=7.25, NBPA=9.25	7.80			1
545	DR000868	DR, \$DR	MBAC=7.78, RO S=8.60, DO=5.90, NBPA=8.85	7.78			1
546	DR001068	DR, \$DR	MBAC=7.78, RO S=6.15, DO=8.05, NBPA=9.15	7.78			1
547	DR001101	\$DR	MBAC=7.77, RO S=8.00, DO=7.60, NBPA=8.40	7.77			1
548	DR000650	DR, \$DR	MBAC=7.77, RO S=7.75, DO=8.70, NBPA=7.65	7.77			1
549	DR000104	\$DR, DR	MBAC=7.76, RO S=7.55, DO=7.40, NBPA=8.35	7.76			1
550	DR000221	DR, \$DR	MBAC=7.76, RO S=6.00, DO=7.40, NBPA=9.90	7.76			1
551	DR000284	DR, \$DR	MBAC=7.75, RO S=8.25, DO=8.75, NBPA=6.25	7.75			1
552	DR000807	DR, \$DR	MBAC=7.75, RO S=7.95, DO=7.85, NBPA=7.45	7.75			1
553	DR000875	DR, \$DR	MBAC=7.75, RO S=7.70, DO=8.20, NBPA=7.35	7.75			1
554	DR217001	\$DR	MBAC=7.75, RO S=7.00, DO=8.00, NBPA=8.00	7.75		RX	1
555	DR000843	DR, \$DR	MBAC=7.73, RO S=8.35, DO=7.55, NBPA=7.30	7.73			1
556	DR001183	DR, \$DR	MBAC=7.73, RO S=8.05, DO=5.95, NBPA=9.20	7.73			1
557	DR000641	DR, \$DR	MBAC=7.73, RO S=7.75, DO=7.35, NBPA=8.10	7.73			1
558	DR000673	DR, \$DR	MBAC=7.73, RO S=7.25, DO=8.05, NBPA=7.90	7.73			1
559	DR000172	DR, \$DR	MBAC=7.73, RO S=7.20, DO=8.15, NBPA=7.85	7.73			1
560	DR000578	DR, \$DR	MBAC=7.73, RO S=7.15, DO=8.10, NBPA=7.95	7.73			1
561	DR000411	DR, \$DR	MBAC=7.73, RO S=0.00, DO=7.90, NBPA=7.80	7.73			1
562	DR000973	DR, \$DR	MBAC=7.71, RO S=7.60, DO=7.60, NBPA=7.95	7.71			1
563	DR000383	DR, \$DR	MBAC=7.71, RO S=7.55, DO=7.00, NBPA=8.60	7.71			1
564	DR000480	DR, \$DR	MBAC=7.71, RO S=6.75, DO=7.60, NBPA=8.80	7.71			1
565	DR000576	\$DR, DR	MBAC=7.70, RO S=7.55, DO=6.75, NBPA=8.80	7.70			1
566	DR000533	DR, \$DR	MBAC=7.70, RO S=7.40, DO=5.15, NBPA=7.45	7.70			1
567	DR000685	DR, \$DR	MBAC=7.70, RO S=7.20, DO=7.40, NBPA=8.50	7.70			1
568	DR217008	DR-MR, DR, \$DR	MBAC=7.70, RO S=6.20, DO=8.40, NBPA=8.50	7.70		MR	1
569	DR000571	DR, \$DR	MBAC=7.68, RO S=7.75, DO=7.30, NBPA=8.00	7.68			1
570	DR000025	DR	MBAC=7.68, RO S=7.50, DO=7.80, NBPA=7.75	7.68			1
571	DR000565	\$DR, DR	MBAC=7.68, RO S=7.35, DO=7.85, NBPA=7.85	7.68			1
572	DR000854	DR, \$DR	MBAC=7.67, RO S=6.15, DO=8.50, NBPA=9.25	7.67			1
573	DR001060	\$DR, DR	MBAC=7.66, RO S=8.20, DO=7.95, NBPA=6.85	7.66			1
574	DR000058	DR, \$DR	MBAC=7.66, RO S=7.95, DO=7.10, NBPA=7.95	7.66			1
575	DR000723	DR, \$DR	MBAC=7.66, RO S=7.65, DO=7.50, NBPA=7.85	7.66			1
576	DR000599	DR, \$DR	MBAC=7.65, RO S=7.30, DO=7.55, NBPA=8.10	7.65			1
577	DR000771	DR, \$DR	MBAC=7.63, RO S=8.30, DO=7.15, NBPA=7.45	7.63			1
578	DR000913	DR, \$DR	MBAC=7.63, RO S=6.65, DO=7.05, NBPA=9.20	7.63			1
579	DR000357	DR, \$DR	MBAC=7.63, RO S=5.95, DO=8.60, NBPA=8.35	7.63			1
580	DR000402	DR, \$DR	MBAC=7.63, RO S=5.75, DO=8.20, NBPA=8.95	7.63			1
581	DR000572	DR, \$DR	MBAC=7.61, RO S=8.20, DO=6.30, NBPA=8.35	7.61			1
582	DR000607	\$DR	MBAC=7.61, RO S=8.05, DO=6.00, NBPA=8.80	7.61			1
583	DR000032	DR, \$DR	MBAC=7.61, RO S=7.10, DO=8.05, NBPA=7.70	7.61			1
584	DR001103	DR, \$DR	MBAC=7.61, RO S=6.25, DO=8.95, NBPA=7.65	7.61			1
585	DR000139	\$DR, DR	MBAC=7.60, RO S=8.20, DO=5.90, NBPA=8.70	7.60			1
586	DR001131	DR, \$DR	MBAC=7.60, RO S=7.65, DO=7.70, NBPA=7.45	7.60			1
587	DR000491	DR, \$DR	MBAC=7.60, RO S=7.35, DO=6.30, NBPA=9.15	7.60			1
588	DR001208	\$DR	MBAC=7.60, RO S=6.85, DO=8.00, NBPA=7.95	7.60			1
589	DR000773	\$DR, DR	MBAC=7.60, RO S=6.00, DO=8.95, NBPA=8.00	7.60			1
590	DR000616	DR, \$DR	MBAC=7.58, RO S=8.85, DO=5.50, NBPA=8.40	7.58			1

Nr	Legitim.	Optiuni	Note	Medie	Admis la	Obs.	S
591	DR000628	DR, \$DR	MBAC=7.58, RO S=8.80, DO=5.50, NBPA=8.45	7.58			1
592	DR000230	DR, \$DR	MBAC=7.58, RO S=8.65, DO=8.20, NBPA=5.90	7.58			1
593	DR000897	DR, \$DR	MBAC=7.58, RO S=8.25, DO=6.60, NBPA=7.90	7.58			1
594	DR000033	DR, \$DR	MBAC=7.58, RO S=7.90, DO=5.65, NBPA=9.20	7.58			1
595	DR000177	\$DR	MBAC=7.58, RO S=7.80, DO=5.80, NBPA=9.15	7.58			1
596	DR000522	DR, \$DR	MBAC=7.58, RO S=7.60, DO=6.00, NBPA=9.15	7.58			1
597	DR000038	\$DR, DR	MBAC=7.58, RO S=7.45, DO=7.50, NBPA=7.80	7.58			1
598	DR000005	DR, \$DR	MBAC=7.58, RO S=6.85, DO=8.60, NBPA=7.30	7.58			1
599	DR000743	DR	MBAC=7.58, RO S=6.55, DO=8.60, NBPA=7.60	7.58			1
600	DR000898	\$DR	MBAC=7.56, RO S=8.20, DO=7.80, NBPA=6.70	7.56			1
601	DR000449	DR, \$DR	MBAC=7.56, RO S=7.90, DO=7.25, NBPA=7.55	7.56			1
602	DR000227	DR, \$DR	MBAC=7.56, RO S=7.70, DO=7.60, NBPA=6.55	7.56			1
603	DR000446	DR, \$DR	MBAC=7.56, RO S=6.65, DO=8.70, NBPA=7.35	7.56			1
604	DR000392	DR, \$DR	MBAC=7.56, RO S=5.54, DO=8.20, NBPA=8.95	7.56			1
605	DR000564	DR, \$DR	MBAC=7.55, RO S=8.60, DO=7.40, NBPA=6.65	7.55			1
606	DR000096	DR, \$DR	MBAC=7.55, RO S=8.10, DO=7.40, NBPA=7.15	7.55			1
607	DR000726	\$DR, DR	MBAC=7.55, RO S=6.65, DO=8.85, NBPA=7.15	7.55			1
608	DR000089	\$DR, DR	MBAC=7.55, RO S=6.65, DO=7.25, NBPA=8.75	7.55			1
609	DR000249	DR, \$DR	MBAC=7.55, RO S=5.95, DO=7.55, NBPA=9.15	7.55			1
610	DR001107	DR, \$DR	MBAC=7.53, RO S=7.60, DO=6.40, NBPA=8.60	7.53			1
611	DR001167	DR, \$DR	MBAC=7.52, RO S=7.45, DO=7.00, NBPA=9.00	7.52			1
612	DR001113	\$DR, DR	MBAC=7.51, RO S=9.00, DO=5.35, NBPA=8.20	7.51			1
613	DR000605	DR, \$DR	MBAC=7.51, RO S=8.10, DO=7.75, NBPA=6.70	7.51			1
614	DR000046	DR, \$DR	MBAC=7.51, RO S=6.65, DO=7.85, NBPA=8.05	7.51			1
615	DR217029	DR-MR, DR, \$DR	MBAC=7.51, RO S=6.15, DO=7.80, NBPA=8.60	7.51		MR	1
616	DR000081	\$DR	MBAC=7.50, RO S=7.45, DO=6.05, NBPA=9.00	7.50			1
617	DR000870	DR, \$DR	MBAC=7.50, RO S=7.40, DO=7.00, NBPA=8.10	7.50			1
618	DR217026	\$DR	MBAC=7.50, RO S=7.00, DO=8.00, NBPA=7.00	7.50		RX	1
619	DR000887	DR, \$DR	MBAC=7.50, RO S=7.00, DO=7.00, NBPA=7.00	7.50			1
620	DR000419	\$DR	MBAC=7.50, RO S=7.00, DO=6.00, NBPA=7.00	7.50			1
621	DR000818	DR, \$DR	MBAC=7.48, RO S=8.65, DO=6.65, NBPA=7.15	7.48			1
622	DR000873	DR, \$DR	MBAC=7.48, RO S=7.85, DO=7.15, NBPA=7.45	7.48			1
623	DR000589	DR, \$DR	MBAC=7.46, RO S=8.55, DO=5.50, NBPA=8.35	7.46			1
624	DR000053	DR, \$DR	MBAC=7.46, RO S=7.55, DO=6.40, NBPA=8.45	7.46			1
625	DR000805	DR, \$DR	MBAC=7.46, RO S=6.70, DO=7.40, NBPA=8.30	7.46			1
626	DR001157	DR, \$DR	MBAC=7.46, RO S=6.15, DO=7.90, NBPA=8.35	7.46			1
627	DR000676	DR, \$DR	MBAC=7.45, RO S=7.90, DO=8.05, NBPA=6.40	7.45			1
628	DR000329	DR, \$DR	MBAC=7.45, RO S=7.50, DO=6.30, NBPA=8.55	7.45			1
629	DR217011	DR-MR, DR, \$DR	MBAC=7.45, RO S=7.45, DO=6.10, NBPA=8.80	7.45		MR	1
630	DR000187	DR, \$DR	MBAC=7.45, RO S=7.40, DO=6.10, NBPA=8.85	7.45			1
631	DR000851	DR, \$DR	MBAC=7.45, RO S=7.25, DO=6.95, NBPA=8.15	7.45			1
632	DR000583	\$DR, DR	MBAC=7.45, RO S=7.05, DO=7.15, NBPA=8.15	7.45			1
633	DR000066	\$DR, DR	MBAC=7.45, RO S=7.00, DO=8.25, NBPA=7.10	7.45			1
634	DR000210	\$DR	MBAC=7.43, RO S=8.80, DO=6.50, NBPA=7.00	7.43			1
635	DR217004	DR-DZ, DR	MBAC=7.43, RO S=7.05, DO=8.80, NBPA=6.45	7.43		DZ	1
636	DR000216	DR, \$DR	MBAC=7.41, RO S=9.15, DO=6.45, NBPA=6.65	7.41			1
637	DR000683	DR, \$DR	MBAC=7.41, RO S=8.50, DO=7.00, NBPA=6.75	7.41			1
638	DR000682	DR, \$DR	MBAC=7.41, RO S=8.15, DO=5.90, NBPA=8.20	7.41			1
639	DR001011	DR, \$DR	MBAC=7.41, RO S=7.85, DO=5.30, NBPA=9.10	7.41			1
640	DR001201	DR, \$DR	MBAC=7.41, RO S=5.40, DO=8.25, NBPA=8.60	7.41			1
641	DR000701	\$DR, DR	MBAC=7.40, RO S=8.40, DO=7.25, NBPA=6.55	7.40			1
642	DR000547	DR, \$DR	MBAC=7.40, RO S=6.70, DO=7.40, NBPA=8.10	7.40			1
643	DR000518	DR, \$DR	MBAC=7.38, RO S=7.70, DO=7.10, NBPA=7.35	7.38			1
644	DR000707	DR, \$DR	MBAC=7.38, RO S=7.50, DO=6.95, NBPA=7.70	7.38			1
645	DR000745	DR, \$DR	MBAC=7.38, RO S=6.90, DO=7.05, NBPA=8.20	7.38			1
646	DR000015	DR, \$DR	MBAC=7.37, RO S=6.90, DO=6.45, NBPA=8.25	7.37			1
647	DR000821	DR, \$DR	MBAC=7.36, RO S=6.65, DO=8.70, NBPA=6.75	7.36			1
648	DR000834	DR, \$DR	MBAC=7.33, RO S=7.95, DO=5.45, NBPA=8.60	7.33			1
649	DR000482	DR, \$DR	MBAC=7.33, RO S=7.60, DO=5.85, NBPA=8.55	7.33			1
650	DR000218	DR, \$DR	MBAC=7.31, RO S=8.45, DO=6.25, NBPA=7.25	7.31			1
651	DR000260	DR, \$DR	MBAC=7.31, RO S=7.65, DO=5.65, NBPA=8.65	7.31			1
652	DR001087	DR, \$DR	MBAC=7.31, RO S=6.00, DO=8.25, NBPA=7.70	7.31			1
653	DR001053	DR-MR, DR, \$DR	MBAC=7.31, RO S=5.80, DO=7.10, NBPA=9.05	7.31		MR	1
654	DR000534	DR, \$DR	MBAC=7.30, RO S=8.30, DO=5.15, NBPA=8.45	7.30			1
655	DR000931	DR, \$DR	MBAC=7.26, RO S=7.40, DO=5.00, NBPA=9.40	7.26			1
656	DR000742	\$DR	MBAC=7.26, RO S=7.35, DO=7.45, NBPA=7.00	7.26			1
657	DR000698	\$DR	MBAC=7.25, RO S=7.55, DO=6.00, NBPA=8.20	7.25			1
658	DR000601	\$DR, DR	MBAC=7.25, RO S=6.40, DO=6.70, NBPA=8.65	7.25			1
659	DR000456	\$DR, DR	MBAC=7.25, RO S=6.00, DO=8.95, NBPA=6.80	7.25			1
660	DR217027	\$DR	MBAC=7.25, RO S=6.00, DO=8.00, NBPA=6.00	7.25		RX	1
661	DR000157	\$DR, DR	MBAC=7.23, RO S=7.90, DO=7.70, NBPA=6.10	7.23			1
662	DR001180	\$DR	MBAC=7.23, RO S=7.70, DO=6.75, NBPA=7.25	7.23			1
663	DR000248	DR, \$DR	MBAC=7.23, RO S=7.60, DO=8.50, NBPA=5.60	7.23			1
664	DR000470	DR, \$DR	MBAC=7.23, RO S=6.50, DO=5.80, NBPA=9.40	7.23			1
665	DR000581	DR, \$DR	MBAC=7.21, RO S=6.90, DO=7.10, NBPA=7.65	7.21			1

Nr	Legitim.	Optiuni	Note	Medie	Admis la	Obs.	S
666	DR000989	DR, \$DR	MBAC=7.20, RO_S=7.80, DO=7.60, NBPA=6.20	7.20			1
667	DR000671	DR, \$DR	MBAC=7.20, RO_S=7.50, DO=7.55, NBPA=6.55	7.20			1
668	DR000438	DR, \$DR	MBAC=7.20, RO_S=6.55, DO=6.70, NBPA=8.35	7.20			1
669	DR000890	DR, \$DR	MBAC=7.18, RO_S=8.00, DO=6.30, NBPA=7.25	7.18			1
670	DR000440	\$DR	MBAC=7.18, RO_S=6.45, DO=7.45, NBPA=7.65	7.18			1
671	DR000268	DR, \$DR	MBAC=7.15, RO_S=7.80, DO=7.55, NBPA=6.10	7.15			1
672	DR001027	DR, \$DR	MBAC=7.15, RO_S=6.45, DO=7.35, NBPA=7.65	7.15			1
673	DR001056	\$DR, DR	MBAC=7.13, RO_S=7.30, DO=7.00, NBPA=7.10	7.13			1
674	DR000146	DR, \$DR	MBAC=7.11, RO_S=7.55, DO=6.90, NBPA=8.25	7.11			1
675	DR000553	DR, \$DR	MBAC=7.11, RO_S=6.30, DO=6.05, NBPA=9.00	7.11			1
676	DR000694	DR, \$DR	MBAC=7.10, RO_S=8.60, DO=5.05, NBPA=7.65	7.10			1
677	DR000960	DR, \$DR	MBAC=7.10, RO_S=6.90, DO=8.80, NBPA=5.60	7.10			1
678	DR000085	\$DR, DR	MBAC=7.08, RO_S=6.70, DO=7.35, NBPA=7.20	7.08			1
679	DR000882	\$DR	MBAC=7.05, RO_S=7.05, DO=6.20, NBPA=7.90	7.05			1
680	DR000080	DR, \$DR	MBAC=7.03, RO_S=7.80, DO=5.80, NBPA=7.50	7.03			1
681	DR001007	DR, \$DR	MBAC=7.01, RO_S=7.60, DO=6.65, NBPA=6.80	7.01			1
682	DR000264	DR, \$DR	MBAC=7.01, RO_S=7.45, DO=5.30, NBPA=8.30	7.01			1
683	DR001046	DR, \$DR	MBAC=7.01, RO_S=7.25, DO=6.25, NBPA=7.55	7.01			1
684	DR000240	\$DR	MBAC=7.01, RO_S=6.50, DO=7.15, NBPA=7.40	7.01			1
685	DR000927	DR, \$DR	MBAC=7.01, RO_S=5.40, DO=6.35, NBPA=9.30	7.01			1
686	DR000270	DR, \$DR	MBAC=7.01, RO_S=5.35, DO=7.65, NBPA=8.05	7.01			1
687	DR000028	DR, \$DR	MBAC=7.00, RO_S=6.60, DO=7.85, NBPA=6.55	7.00			1
688	DR000696	\$DR, DR	MBAC=7.00, RO_S=6.60, DO=6.05, NBPA=8.35	7.00			1
689	DR001093	DR, \$DR	MBAC=7.00, RO_S=6.10, DO=7.00, NBPA=7.05	7.00			1
690	DR001143	DR, \$DR	MBAC=6.96, RO_S=7.15, DO=5.30, NBPA=8.45	6.96			1
691	DR000278	\$DR, DR	MBAC=6.95, RO_S=7.75, DO=7.55, NBPA=5.55	6.95			1
692	DR000717	DR, \$DR	MBAC=6.95, RO_S=5.20, DO=7.65, NBPA=8.00	6.95			1
693	DR001041	\$DR, DR	MBAC=6.93, RO_S=7.40, DO=5.90, NBPA=7.50	6.93			1
694	DR001001	\$DR	MBAC=6.93, RO_S=6.40, DO=5.90, NBPA=8.50	6.93			1
695	DR000562	DR, \$DR	MBAC=6.93, RO_S=6.15, DO=6.70, NBPA=7.95	6.93			1
696	DR000823	\$DR, DR	MBAC=6.93, RO_S=5.80, DO=8.55, NBPA=6.45	6.93			1
697	DR000225	\$DR	MBAC=6.92, RO_S=5.12, DO=8.00, NBPA=6.78	6.92			1
698	DR217020	\$DR	MBAC=6.91, RO_S=7.25, DO=5.70, NBPA=7.80	6.91		RX	1
699	DR000349	DR, \$DR	MBAC=6.91, RO_S=7.00, DO=7.90, NBPA=5.85	6.91			1
700	DR000539	DR, \$DR	MBAC=6.91, RO_S=6.90, DO=5.60, NBPA=8.25	6.91			1
701	DR000867	DR, \$DR	MBAC=6.91, RO_S=6.90, DO=5.00, NBPA=8.85	6.91			1
702	DR001155	DR, \$DR	MBAC=6.91, RO_S=6.15, DO=5.60, NBPA=9.00	6.91			1
703	DR000991	DR, \$DR	MBAC=6.91, RO_S=6.00, DO=5.55, NBPA=9.20	6.91			1
704	DR000171	DR, \$DR	MBAC=6.90, RO_S=6.70, DO=6.35, NBPA=7.65	6.90			1
705	DR000002	DR, \$DR	MBAC=6.88, RO_S=8.35, DO=6.50, NBPA=5.80	6.88			1
706	DR000789	DR, \$DR	MBAC=6.88, RO_S=8.00, DO=7.30, NBPA=5.35	6.88			1
707	DR000971	\$DR, DR	MBAC=6.88, RO_S=7.10, DO=6.05, NBPA=7.50	6.88			1
708	DR000568	DR, \$DR	MBAC=6.88, RO_S=6.80, DO=7.30, NBPA=6.55	6.88			1
709	DR000115	DR, \$DR	MBAC=6.88, RO_S=5.00, DO=7.70, NBPA=7.95	6.88			1
710	DR000620	DR, \$DR	MBAC=6.86, RO_S=9.20, DO=5.15, NBPA=6.25	6.86			1
711	DR000263	\$DR, DR	MBAC=6.86, RO_S=6.70, DO=7.05, NBPA=6.85	6.86			1
712	DR000022	\$DR	MBAC=6.85, RO_S=6.05, DO=6.70, NBPA=7.65	6.85			1
713	DR000373	DR, \$DR	MBAC=6.83, RO_S=8.30, DO=6.70, NBPA=5.50	6.83			1
714	DR000213	DR, \$DR	MBAC=6.83, RO_S=7.60, DO=6.50, NBPA=6.40	6.83			1
715	DR001112	\$DR, DR	MBAC=6.83, RO_S=6.60, DO=6.70, NBPA=7.20	6.83			1
716	DR001012	\$DR	MBAC=6.81, RO_S=7.80, DO=5.60, NBPA=7.05	6.81			1
717	DR000406	DR, \$DR	MBAC=6.81, RO_S=6.65, DO=7.60, NBPA=6.20	6.81			1
718	DR000454	\$DR, DR	MBAC=6.80, RO_S=8.25, DO=6.30, NBPA=5.85	6.80			1
719	DR000371	DR, \$DR	MBAC=6.80, RO_S=6.90, DO=8.40, NBPA=5.10	6.80			1
720	DR001205	\$DR	MBAC=6.80, RO_S=6.70, DO=7.70, NBPA=6.00	6.80			1
721	DR001036	DR, \$DR	MBAC=6.80, RO_S=6.30, DO=6.05, NBPA=8.05	6.80			1
722	DR001003	DR, \$DR	MBAC=6.78, RO_S=6.25, DO=5.80, NBPA=8.30	6.78			1
723	DR217014	DR, \$DR	MBAC=6.78, RO_S=5.50, DO=8.05, NBPA=6.80	6.78		RR	1
724	DR000253	DR, \$DR	MBAC=6.76, RO_S=5.90, DO=5.50, NBPA=8.90	6.76			1
725	DR000004	DR, \$DR	MBAC=6.76, RO_S=5.60, DO=5.60, NBPA=9.10	6.76			1
726	DR000715	\$DR	MBAC=6.75, RO_S=5.35, DO=7.85, NBPA=6.80	6.75			1
727	DR000360	\$DR	MBAC=6.73, RO_S=7.65, DO=5.85, NBPA=6.70	6.73			1
728	DR001138	DR, \$DR	MBAC=6.71, RO_S=7.60, DO=6.20, NBPA=6.35	6.71			1
729	DR001186	DR, \$DR	MBAC=6.71, RO_S=5.35, DO=8.95, NBPA=5.85	6.71			1
730	DR000429	DR, \$DR	MBAC=6.67, RO_S=7.90, DO=8.05, NBPA=5.65	6.67			1
731	DR217005	DR-MR, DR	MBAC=6.66, RO_S=8.05, DO=5.60, NBPA=6.35	6.66		MR	1
732	DR000209	\$DR	MBAC=6.66, RO_S=6.80, DO=6.00, NBPA=7.20	6.66			1
733	DR000841	DR, \$DR	MBAC=6.66, RO_S=5.90, DO=7.75, NBPA=6.35	6.66			1
734	DR000192	\$DR, DR	MBAC=6.65, RO_S=6.55, DO=5.00, NBPA=7.00	6.65			1
735	DR000077	\$DR, DR	MBAC=6.65, RO_S=6.20, DO=5.95, NBPA=7.80	6.65			1
736	DR000308	DR, \$DR	MBAC=6.63, RO_S=5.40, DO=6.75, NBPA=7.75	6.63			1
737	DR000242	DR, \$DR	MBAC=6.60, RO_S=6.30, DO=8.20, NBPA=5.30	6.60			1
738	DR000366	\$DR, DR	MBAC=6.60, RO_S=6.30, DO=5.60, NBPA=7.90	6.60			1
739	DR217009	DR-MR, DR	MBAC=6.58, RO_S=8.00, DO=5.80, NBPA=5.95	6.58		MR	1
740	DR000425	DR, \$DR	MBAC=6.58, RO_S=7.30, DO=5.50, NBPA=6.95	6.58			1

Nr	Legitim.	Optiuni	Note	Medie	Admis la	Obs.	S
741	DR000769	DR, \$DR	MBAC=6.55, RO_S=6.45, DO=6.45, NBPA=6.75	6.55			1
742	DR000516	\$DR, DR	MBAC=6.53, RO_S=7.45, DO=5.20, NBPA=6.95	6.53			1
743	DR000646	DR, \$DR	MBAC=6.50, RO_S=6.80, DO=7.70, NBPA=5.00	6.50			1
744	DR000622	\$DR, DR	MBAC=6.50, RO_S=6.45, DO=5.00, NBPA=8.05	6.50			1
745	DR000749	DR, \$DR	MBAC=6.50, RO_S=6.10, DO=6.10, NBPA=7.30	6.50			1
746	DR001022	DR, \$DR	MBAC=6.48, RO_S=6.35, DO=6.45, NBPA=7.15	6.48			1
747	DR001149	DR, \$DR	MBAC=6.48, RO_S=5.50, DO=5.95, NBPA=8.00	6.48			1
748	DR000233	DR, \$DR	MBAC=6.45, RO_S=5.10, DO=5.85, NBPA=8.40	6.45			1
749	DR000045	\$DR	MBAC=6.43, RO_S=7.35, DO=5.90, NBPA=6.05	6.43			1
750	DR000149	\$DR	MBAC=6.40, RO_S=6.35, DO=5.20, NBPA=7.65	6.40			1
751	DR001172	DR, \$DR	MBAC=6.38, RO_S=7.70, DO=6.05, NBPA=5.40	6.38			1
752	DR001123	DR, \$DR	MBAC=6.36, RO_S=6.90, DO=7.20, NBPA=5.00	6.36			1
753	DR000949	DR, \$DR	MBAC=6.36, RO_S=6.80, DO=5.35, NBPA=6.95	6.36			1
754	DR217021	DR-MR, DR, \$DR	MBAC=6.31, RO_S=7.35, DO=6.35, NBPA=5.25	6.31		MR	1
755	DR000982	DR, \$DR	MBAC=6.31, RO_S=6.75, DO=5.45, NBPA=6.75	6.31			1
756	DR001134	\$DR	MBAC=6.31, RO_S=5.20, DO=6.70, NBPA=7.05	6.31			1
757	DR000760	DR, \$DR	MBAC=6.30, RO_S=7.60, DO=5.35, NBPA=5.95	6.30			1
758	DR000476	DR, \$DR	MBAC=6.26, RO_S=5.10, DO=6.80, NBPA=6.90	6.26			1
759	DR000840	\$DR	MBAC=6.25, RO_S=6.35, DO=5.00, NBPA=7.40	6.25			1
760	DR000110	DR, \$DR	MBAC=6.25, RO_S=5.50, DO=6.20, NBPA=7.05	6.25			1
761	DR001203	DR, \$DR	MBAC=6.23, RO_S=6.90, DO=5.30, NBPA=6.50	6.23			1
762	DR001128	\$DR	MBAC=6.20, RO_S=6.55, DO=6.75, NBPA=5.30	6.20			1
763	DR000804	DR, \$DR	MBAC=6.18, RO_S=6.60, DO=6.70, NBPA=5.25	6.18			1
764	DR001108	\$DR, DR	MBAC=6.18, RO_S=6.10, DO=5.65, NBPA=6.80	6.18			1
765	DR000863	\$DR, DR	MBAC=6.16, RO_S=6.15, DO=7.05, NBPA=5.30	6.16			1
766	DR000332	\$DR, DR	MBAC=6.11, RO_S=5.05, DO=6.85, NBPA=6.45	6.11			1
767	DR000531	DR, \$DR	MBAC=6.10, RO_S=6.70, DO=5.60, NBPA=6.00	6.10			1
768	DR000776	\$DR, DR	MBAC=6.10, RO_S=5.40, DO=5.75, NBPA=7.15	6.10			1
769	DR001052	DR, \$DR	MBAC=6.10, RO_S=5.25, DO=5.35, NBPA=7.70	6.10			1
770	DR000106	\$DR	MBAC=6.06, RO_S=6.35, DO=5.45, NBPA=6.40	6.06			1
771	DR001210	\$DR	MBAC=6.06, RO_S=6.05, DO=6.30, NBPA=5.85	6.06			1
772	DR000893	\$DR, DR	MBAC=6.05, RO_S=6.10, DO=5.00, NBPA=7.05	6.05			1
773	DR000305	DR, \$DR	MBAC=6.03, RO_S=5.25, DO=5.45, NBPA=7.40	6.03			1
774	DR000790	\$DR, DR	MBAC=6.02, RO_S=5.90, DO=5.95, NBPA=7.00	6.02			1
775	DR000794	\$DR	MBAC=6.01, RO_S=5.40, DO=5.10, NBPA=7.55	6.01			1
776	DR000359	DR, \$DR	MBAC=6.01, RO_S=5.25, DO=6.75, NBPA=6.05	6.01			1
777	DR217030	\$DR	MBAC=6.00, RO_S=5.00, DO=6.00, NBPA=6.00	6.00		RX	1

PRESEDINTE COMISIE DE ADMITERE PE UNIVERSITATE,
PROF.DR.ING. IOAN VASILE ABRUDAN

SECRETAR COMISIE DE ADMITERE PE UNIVERSITATE,
PROF. DR. ING. MARIUS CRISTIAN LUCULESCU

PRESEDINTE COMISIE DE ADMITERE FACULTATE,
PROF.DR. CRISTINEL IOAN MURZEA

SECRETAR COMISIE DE ADMITERE FACULTATE,
ASIST. DR. LORENA GABRIELA NIȚOIU