

CANDIDATI RESPINSI DATORITA MEDIEI DE ADMITERE SAU ELIMINARII DIN LISTE DATORITA NECONFIRMARII LOCULUI - DREPT ZI

Nr	Legitim.	Optiuni	Note	Medie	Admis la	Obs.	S
1	DR000602	DR, \$DR	MBAC=9.95, RO_S=9.85, DO=10.00, NBPA=10.00	9.95			1
2	DR001080	DR	MBAC=9.95, RO_S=9.85, DO=10.00, NBPA=10.00	9.95			1
3	DR000849	DR, \$DR	MBAC=9.91, RO_S=9.90, DO=9.85, NBPA=10.00	9.91			1
4	DR000302	DR, \$DR	MBAC=9.91, RO_S=9.85, DO=9.90, NBPA=10.00	9.91			1
5	DR000925	DR, \$DR	MBAC=9.90, RO_S=9.70, DO=10.00, NBPA=10.00	9.90			1
6	DR001057	DR, \$DR	MBAC=9.85, RO_S=9.95, DO=9.70, NBPA=9.90	9.85			1
7	DR000273	DR, \$DR	MBAC=9.85, RO_S=9.85, DO=9.80, NBPA=9.90	9.85			1
8	DR000974	DR	MBAC=9.83, RO_S=9.95, DO=9.85, NBPA=9.70	9.83			1
9	DR000364	DR, \$DR	MBAC=9.81, RO_S=9.70, DO=10.00, NBPA=9.75	9.81			1
10	DR000838	DR, \$DR	MBAC=9.81, RO_S=9.50, DO=10.00, NBPA=9.95	9.81			1
11	DR000756	DR, \$DR	MBAC=9.80, RO_S=9.80, DO=9.80, NBPA=9.80	9.80			1
12	DR000953	DR, \$DR	MBAC=9.78, RO_S=10.00, DO=10.00, NBPA=9.35	9.78			1
13	DR000342	DR, \$DR	MBAC=9.78, RO_S=9.80, DO=9.55, NBPA=10.00	9.78			1
14	DR000380	DR, \$DR	MBAC=9.78, RO_S=9.70, DO=9.80, NBPA=9.85	9.78			1
15	DR000276	DR, \$DR	MBAC=9.76, RO_S=10.00, DO=9.50, NBPA=9.80	9.76			1
16	DR000672	DR, \$DR	MBAC=9.75, RO_S=9.90, DO=9.65, NBPA=9.70	9.75			1
17	DR000975	DR, \$DR	MBAC=9.75, RO_S=9.75, DO=9.60, NBPA=9.90	9.75			1
18	DR001115	DR, \$DR	MBAC=9.75, RO_S=9.75, DO=9.60, NBPA=9.90	9.75			1
19	DR000206	DR	MBAC=9.75, RO_S=9.65, DO=9.60, NBPA=10.00	9.75			1
20	DR000466	DR, \$DR	MBAC=9.75, RO_S=9.65, DO=9.60, NBPA=10.00	9.75			1
21	DR000796	DR, \$DR	MBAC=9.75, RO_S=9.55, DO=10.00, NBPA=9.70	9.75			1
22	DR000919	DR, \$DR	MBAC=9.75, RO_S=9.45, DO=9.80, NBPA=10.00	9.75			1
23	DR001197	DR, \$DR	MBAC=9.73, RO_S=9.70, DO=9.50, NBPA=10.00	9.73			1
24	DR000376	DR, \$DR	MBAC=9.73, RO_S=9.60, DO=9.80, NBPA=9.80	9.73			1
25	DR001083	DR, \$DR	MBAC=9.73, RO_S=9.55, DO=9.65, NBPA=10.00	9.73			1
26	DR000791	DR, \$DR	MBAC=9.73, RO_S=9.45, DO=9.95, NBPA=9.80	9.73			1
27	DR000006	DR, \$DR	MBAC=9.73, RO_S=9.30, DO=10.00, NBPA=9.90	9.73			1
28	DR000752	DR, \$DR	MBAC=9.71, RO_S=9.60, DO=10.00, NBPA=9.55	9.71			1
29	DR000631	DR, \$DR	MBAC=9.71, RO_S=9.50, DO=9.85, NBPA=9.80	9.71			1
30	DR000116	DR, \$DR	MBAC=9.71, RO_S=9.45, DO=9.80, NBPA=9.90	9.71			1
31	DR001044	DR, \$DR	MBAC=9.71, RO_S=9.35, DO=9.95, NBPA=9.85	9.71			1
32	DR000244	DR, \$DR	MBAC=9.70, RO_S=9.70, DO=9.40, NBPA=10.00	9.70			1
33	DR000246	DR, \$DR	MBAC=9.68, RO_S=9.90, DO=9.35, NBPA=9.80	9.68			1
34	DR000448	DR, \$DR	MBAC=9.68, RO_S=9.60, DO=9.75, NBPA=9.70	9.68			1
35	DR000544	DR, \$DR	MBAC=9.68, RO_S=9.40, DO=9.70, NBPA=9.95	9.68			1
36	DR000166	DR, \$DR	MBAC=9.68, RO_S=9.35, DO=9.70, NBPA=10.00	9.68			1
37	DR000143	DR, \$DR	MBAC=9.68, RO_S=9.25, DO=10.00, NBPA=9.80	9.68			1
38	DR000642	DR, \$DR	MBAC=9.66, RO_S=9.75, DO=9.30, NBPA=9.95	9.66			1
39	DR000243	DR, \$DR	MBAC=9.66, RO_S=9.65, DO=10.00, NBPA=9.35	9.66			1
40	DR000785	DR, \$DR	MBAC=9.66, RO_S=9.65, DO=9.80, NBPA=9.55	9.66			1
41	DR001038	DR, \$DR	MBAC=9.66, RO_S=9.60, DO=9.55, NBPA=9.85	9.66			1
42	DR000782	DR, \$DR	MBAC=9.65, RO_S=9.65, DO=9.55, NBPA=9.75	9.65			1
43	DR000439	DR, \$DR	MBAC=9.63, RO_S=9.85, DO=9.75, NBPA=9.30	9.63			1
44	DR000131	DR, \$DR	MBAC=9.63, RO_S=9.85, DO=9.60, NBPA=9.45	9.63			1
45	DR000347	DR, \$DR	MBAC=9.63, RO_S=9.75, DO=9.40, NBPA=9.75	9.63			1
46	DR000161	DR, \$DR	MBAC=9.63, RO_S=9.60, DO=9.40, NBPA=9.90	9.63			1
47	DR000401	DR, \$DR	MBAC=9.63, RO_S=9.50, DO=9.70, NBPA=9.70	9.63			1
48	DR000495	DR, \$DR	MBAC=9.63, RO_S=9.25, DO=9.90, NBPA=9.75	9.63			1
49	DR001176	DR, \$DR	MBAC=9.63, RO_S=9.15, DO=9.90, NBPA=9.85	9.63			1
50	DR000904	DR, \$DR	MBAC=9.61, RO_S=8.85, DO=10.00, NBPA=10.00	9.61			1
51	DR000915	DR, \$DR	MBAC=9.60, RO_S=9.70, DO=9.50, NBPA=9.60	9.60			1
52	DR000234	DR, \$DR	MBAC=9.60, RO_S=9.60, DO=9.60, NBPA=9.60	9.60			1
53	DR000232	DR, \$DR	MBAC=9.60, RO_S=9.60, DO=9.50, NBPA=9.70	9.60			1
54	DR000839	DR, \$DR	MBAC=9.60, RO_S=9.55, DO=9.45, NBPA=9.65	9.60			1
55	DR000643	DR, \$DR	MBAC=9.60, RO_S=9.40, DO=9.80, NBPA=9.60	9.60			1
56	DR000178	DR, \$DR	MBAC=9.60, RO_S=9.20, DO=9.90, NBPA=9.70	9.60			1
57	DR000257	DR, \$DR	MBAC=9.58, RO_S=9.80, DO=9.45, NBPA=9.50	9.58			1
58	DR000992	DR, \$DR	MBAC=9.58, RO_S=9.65, DO=9.40, NBPA=9.70	9.58			1
59	DR000753	DR, \$DR	MBAC=9.58, RO_S=9.15, DO=10.00, NBPA=9.60	9.58			1
60	DR000226	DR, \$DR	MBAC=9.58, RO_S=9.15, DO=9.80, NBPA=9.80	9.58			1
61	DR000323	DR, \$DR	MBAC=9.58, RO_S=9.05, DO=9.70, NBPA=10.00	9.58			1
62	DR000880	DR, \$DR	MBAC=9.56, RO_S=10.00, DO=8.80, NBPA=9.90	9.56			1
63	DR001198	DR, \$DR	MBAC=9.56, RO_S=9.30, DO=9.70, NBPA=9.70	9.56			1
64	DR001162	\$DR	MBAC=9.56, RO_S=8.95, DO=9.80, NBPA=9.95	9.56			1
65	DR000322	DR, \$DR	MBAC=9.55, RO_S=9.65, DO=9.20, NBPA=9.80	9.55			1

Nr	Legitim.	Optiuni	Note	Medie	Admis la	Obs.	S
66	DR000674	DR, \$DR	MBAC=9.55, RO S=9.35, DO=9.90, NBPA=9.40	9.55			1
67	DR000826	DR, \$DR	MBAC=9.55, RO S=9.00, DO=9.95, NBPA=9.70	9.55			1
68	DR000909	DR, \$DR	MBAC=9.55, RO S=8.95, DO=10.00, NBPA=9.70	9.55			1
69	DR001058	\$DR	MBAC=9.55, RO S=8.90, DO=10.00, NBPA=9.75	9.55			1
70	DR000023	DR, \$DR	MBAC=9.53, RO S=9.25, DO=9.85, NBPA=9.50	9.53			1
71	DR000271	DR, \$DR	MBAC=9.53, RO S=9.20, DO=9.60, NBPA=9.80	9.53			1
72	DR000283	DR, \$DR	MBAC=9.53, RO S=9.10, DO=9.55, NBPA=9.95	9.53			1
73	DR001160	DR, \$DR	MBAC=9.51, RO S=9.60, DO=9.45, NBPA=9.50	9.51			1
74	DR001004	DR, \$DR	MBAC=9.51, RO S=9.45, DO=9.40, NBPA=9.70	9.51			1
75	DR001207	DR, \$DR	MBAC=9.51, RO S=9.40, DO=9.40, NBPA=9.75	9.51			1
76	DR000755	DR, \$DR	MBAC=9.51, RO S=9.35, DO=9.25, NBPA=9.95	9.51			1
77	DR000485	DR, \$DR	MBAC=9.51, RO S=9.10, DO=9.80, NBPA=9.65	9.51			1
78	DR000198	DR, \$DR	MBAC=9.51, RO S=8.75, DO=9.90, NBPA=9.90	9.51			1
79	DR000524	DR, \$DR	MBAC=9.51, RO S=8.75, DO=9.85, NBPA=9.95	9.51			1
80	DR000288	DR, \$DR	MBAC=9.50, RO S=9.75, DO=9.35, NBPA=9.40	9.50			1
81	DR000611	DR, \$DR	MBAC=9.50, RO S=9.40, DO=9.50, NBPA=9.60	9.50			1
82	DR001006	DR, \$DR	MBAC=9.50, RO S=9.35, DO=10.00, NBPA=9.15	9.50			1
83	DR000112	DR, \$DR	MBAC=9.50, RO S=9.10, DO=9.70, NBPA=9.70	9.50			1
84	DR000585	DR, \$DR	MBAC=9.48, RO S=9.60, DO=9.15, NBPA=9.70	9.48			1
85	DR000026	DR, \$DR	MBAC=9.48, RO S=9.20, DO=9.55, NBPA=9.70	9.48			1
86	DR000361	DR, \$DR	MBAC=9.48, RO S=9.10, DO=9.55, NBPA=9.80	9.48			1
87	DR000983	DR, \$DR	MBAC=9.46, RO S=9.70, DO=9.60, NBPA=9.10	9.46			1
88	DR000091	DR, \$DR	MBAC=9.46, RO S=9.50, DO=9.70, NBPA=9.20	9.46			1
89	DR000247	DR, \$DR	MBAC=9.46, RO S=9.50, DO=9.00, NBPA=9.90	9.46			1
90	DR000825	DR, \$DR	MBAC=9.46, RO S=9.45, DO=9.35, NBPA=9.60	9.46			1
91	DR000338	DR, \$DR	MBAC=9.46, RO S=9.35, DO=9.70, NBPA=9.60	9.46			1
92	DR000287	DR, \$DR	MBAC=9.46, RO S=9.30, DO=9.20, NBPA=9.90	9.46			1
93	DR001195	DR, \$DR	MBAC=9.46, RO S=9.20, DO=9.60, NBPA=9.60	9.46			1
94	DR001148	DR, \$DR	MBAC=9.45, RO S=9.50, DO=9.65, NBPA=9.20	9.45			1
95	DR000965	DR, \$DR	MBAC=9.45, RO S=9.45, DO=9.35, NBPA=9.55	9.45			1
96	DR000095	DR, \$DR	MBAC=9.45, RO S=9.40, DO=9.70, NBPA=9.25	9.45			1
97	DR001153	DR, \$DR	MBAC=9.45, RO S=9.30, DO=9.55, NBPA=9.50	9.45			1
98	DR000492	DR, \$DR	MBAC=9.45, RO S=9.25, DO=9.60, NBPA=9.50	9.45			1
99	DR000903	DR, \$DR	MBAC=9.43, RO S=9.55, DO=9.75, NBPA=9.00	9.43			1
100	DR000648	DR, \$DR	MBAC=9.43, RO S=9.40, DO=9.80, NBPA=9.10	9.43			1
101	DR001190	DR, \$DR	MBAC=9.43, RO S=9.40, DO=9.55, NBPA=9.35	9.43			1
102	DR000346	DR, \$DR	MBAC=9.43, RO S=9.30, DO=9.05, NBPA=9.95	9.43			1
103	DR000996	DR, \$DR	MBAC=9.43, RO S=9.20, DO=9.20, NBPA=9.90	9.43			1
104	DR000833	DR, \$DR	MBAC=9.43, RO S=8.65, DO=9.65, NBPA=10.00	9.43			1
105	DR000236	DR, \$DR	MBAC=9.41, RO S=9.65, DO=8.80, NBPA=9.80	9.41			1
106	DR001008	DR, \$DR	MBAC=9.41, RO S=9.55, DO=8.95, NBPA=9.75	9.41			1
107	DR000461	DR, \$DR	MBAC=9.41, RO S=9.00, DO=9.25, NBPA=10.00	9.41			1
108	DR000554	DR, \$DR	MBAC=9.41, RO S=8.45, DO=9.90, NBPA=9.90	9.41			1
109	DR000164	DR, \$DR	MBAC=9.38, RO S=9.45, DO=9.70, NBPA=9.00	9.38			1
110	DR000810	DR, \$DR	MBAC=9.38, RO S=9.20, DO=9.65, NBPA=9.30	9.38			1
111	DR000800	DR, \$DR	MBAC=9.38, RO S=8.90, DO=9.25, NBPA=10.00	9.38			1
112	DR000835	DR, \$DR	MBAC=9.38, RO S=8.65, DO=9.90, NBPA=9.60	9.38			1
113	DR000050	DR, \$DR	MBAC=9.36, RO S=9.50, DO=10.00, NBPA=9.80	9.36			1
114	DR001118	DR, \$DR	MBAC=9.36, RO S=9.20, DO=9.10, NBPA=9.80	9.36			1
115	DR001204	DR, \$DR	MBAC=9.36, RO S=8.95, DO=9.50, NBPA=9.65	9.36			1
116	DR000612	DR, \$DR	MBAC=9.36, RO S=8.90, DO=9.50, NBPA=9.70	9.36			1
117	DR000934	DR, \$DR	MBAC=9.35, RO S=9.50, DO=9.20, NBPA=9.35	9.35			1
118	DR001000	DR, \$DR	MBAC=9.35, RO S=9.50, DO=8.60, NBPA=9.95	9.35			1
119	DR000627	DR, \$DR	MBAC=9.35, RO S=9.40, DO=9.90, NBPA=8.75	9.35			1
120	DR000977	DR, \$DR	MBAC=9.33, RO S=9.60, DO=9.65, NBPA=8.75	9.33			1
121	DR000513	DR, \$DR	MBAC=9.33, RO S=9.30, DO=9.45, NBPA=9.25	9.33			1
122	DR000512	DR, \$DR	MBAC=9.31, RO S=9.30, DO=9.55, NBPA=9.10	9.31			1
123	DR000208	DR, \$DR	MBAC=9.31, RO S=8.75, DO=9.60, NBPA=9.60	9.31			1
124	DR000203	DR, \$DR	MBAC=9.31, RO S=8.45, DO=9.80, NBPA=9.70	9.31			1
125	DR000530	DR, \$DR	MBAC=9.30, RO S=9.80, DO=9.00, NBPA=9.10	9.30			1
126	DR001114	DR, \$DR	MBAC=9.30, RO S=9.25, DO=9.40, NBPA=9.25	9.30			1
127	DR000099	DR, \$DR	MBAC=9.30, RO S=9.05, DO=9.50, NBPA=9.35	9.30			1
128	DR000312	DR, \$DR	MBAC=9.30, RO S=8.80, DO=9.50, NBPA=9.60	9.30			1
129	DR000509	DR, \$DR	MBAC=9.30, RO S=8.65, DO=9.25, NBPA=10.00	9.30			1
130	DR000675	DR, \$DR	MBAC=9.28, RO S=9.45, DO=9.20, NBPA=9.20	9.28			1
131	DR000060	DR, \$DR	MBAC=9.28, RO S=9.15, DO=9.25, NBPA=9.45	9.28			1
132	DR000313	DR, \$DR	MBAC=9.28, RO S=9.00, DO=8.85, NBPA=10.00	9.28			1
133	DR000098	DR, \$DR	MBAC=9.28, RO S=8.70, DO=9.70, NBPA=9.45	9.28			1
134	DR001065	DR, \$DR	MBAC=9.26, RO S=9.90, DO=9.30, NBPA=8.60	9.26			1
135	DR000967	DR, \$DR	MBAC=9.26, RO S=9.15, DO=9.10, NBPA=9.55	9.26			1
136	DR000969	DR, \$DR	MBAC=9.26, RO S=8.90, DO=9.10, NBPA=9.80	9.26			1
137	DR000148	DR, \$DR	MBAC=9.26, RO S=8.65, DO=9.25, NBPA=9.90	9.26			1
138	DR217028	DR-MR, DR, \$DR	MBAC=8.75, RO S=8.25, DO=9.00, NBPA=9.00	8.75		MR	1

PRESEDINTE COMISIE DE ADMITERE FACULTATE,
PROF.DR. CRISTINEL IOAN MURZEA

SECRETAR COMISIE DE ADMITERE FACULTATE,
ASIST. DR. LORENA GABRIELA NIȚOIU