

TABEL NOMINAL CU CANDIDATII ADMISI PE LOCURI CU TAXA IN ORDINE DESCRESCATOARE A MEDIILOR DREPT

Nr	Legitim.	Optiuni	Note	Medie	Admis la	Obs.	S
1	DR001055	DR, \$DR	MBAC=9.71, RO_S=9.55, DO=9.60, NBPA=10.00	9.71	\$DR		1
2	DR001129	DR, \$DR	MBAC=9.68, RO_S=9.60, DO=9.55, NBPA=9.90	9.68	\$DR		1
3	DR000836	DR, \$DR	MBAC=9.68, RO_S=9.55, DO=9.80, NBPA=9.70	9.68	\$DR		1
4	DR000600	DR, \$DR	MBAC=9.61, RO_S=9.20, DO=9.95, NBPA=9.70	9.61	\$DR		1
5	DR000735	DR, \$DR	MBAC=9.61, RO_S=9.15, DO=9.70, NBPA=10.00	9.61	\$DR		1
6	DR000351	DR, \$DR	MBAC=9.60, RO_S=9.30, DO=9.55, NBPA=9.95	9.60	\$DR		1
7	DR000107	DR, \$DR	MBAC=9.60, RO_S=9.20, DO=10.00, NBPA=9.60	9.60	\$DR		1
8	DR000301	DR, \$DR	MBAC=9.58, RO_S=9.80, DO=9.65, NBPA=9.30	9.58	\$DR		1
9	DR000200	DR, \$DR	MBAC=9.58, RO_S=9.50, DO=9.35, NBPA=9.90	9.58	\$DR		1
10	DR000567	DR, \$DR	MBAC=9.56, RO_S=9.45, DO=9.25, NBPA=10.00	9.56	\$DR		1
11	DR000920	DR, \$DR	MBAC=9.56, RO_S=9.35, DO=9.80, NBPA=9.55	9.56	\$DR		1
12	DR000314	DR, \$DR	MBAC=9.56, RO_S=9.30, DO=9.60, NBPA=9.80	9.56	\$DR		1
13	DR000595	DR, \$DR	MBAC=9.56, RO_S=9.10, DO=9.75, NBPA=9.85	9.56	\$DR		1
14	DR000574	DR, \$DR	MBAC=9.56, RO_S=8.85, DO=9.85, NBPA=10.00	9.56	\$DR		1
15	DR000117	DR, \$DR	MBAC=9.55, RO_S=9.60, DO=9.85, NBPA=9.20	9.55	\$DR		1
16	DR000207	DR, \$DR	MBAC=9.55, RO_S=9.55, DO=9.70, NBPA=9.40	9.55	\$DR		1
17	DR000021	DR, \$DR	MBAC=9.55, RO_S=9.40, DO=9.55, NBPA=9.70	9.55	\$DR		1
18	DR000293	DR, \$DR	MBAC=9.55, RO_S=9.40, DO=9.55, NBPA=9.70	9.55	\$DR		1
19	DR000660	DR, \$DR	MBAC=9.55, RO_S=9.10, DO=9.65, NBPA=9.90	9.55	\$DR		1
20	DR000865	DR, \$DR	MBAC=9.55, RO_S=9.10, DO=9.55, NBPA=10.00	9.55	\$DR		1
21	DR000780	DR, \$DR	MBAC=9.53, RO_S=9.35, DO=9.80, NBPA=9.45	9.53	\$DR		1
22	DR000557	DR, \$DR	MBAC=9.51, RO_S=9.70, DO=9.15, NBPA=9.70	9.51	\$DR		1
23	DR000597	DR, \$DR	MBAC=9.51, RO_S=9.45, DO=9.70, NBPA=9.40	9.51	\$DR		1
24	DR000374	DR, \$DR	MBAC=9.51, RO_S=9.45, DO=9.35, NBPA=9.75	9.51	\$DR		1
25	DR000354	DR, \$DR	MBAC=9.51, RO_S=8.95, DO=10.00, NBPA=9.60	9.51	\$DR		1
26	DR000256	DR, \$DR	MBAC=9.51, RO_S=8.95, DO=9.80, NBPA=9.80	9.51	\$DR		1
27	DR000048	DR, \$DR	MBAC=9.50, RO_S=9.55, DO=9.55, NBPA=9.40	9.50	\$DR		1
28	DR000783	DR, \$DR	MBAC=9.50, RO_S=9.40, DO=9.75, NBPA=9.35	9.50	\$DR		1
29	DR000272	DR, \$DR	MBAC=9.50, RO_S=9.15, DO=9.60, NBPA=9.75	9.50	\$DR		1
30	DR000678	DR, \$DR	MBAC=9.50, RO_S=9.15, DO=9.35, NBPA=10.00	9.50	\$DR		1
31	DR001085	DR, \$DR	MBAC=9.50, RO_S=9.00, DO=10.00, NBPA=9.50	9.50	\$DR		1
32	DR000407	DR, \$DR	MBAC=9.50, RO_S=8.90, DO=10.00, NBPA=9.60	9.50	\$DR		1
33	DR000003	DR, \$DR	MBAC=9.50, RO_S=8.70, DO=10.00, NBPA=9.80	9.50	\$DR		1
34	DR000959	DR, \$DR	MBAC=9.48, RO_S=9.65, DO=9.10, NBPA=9.70	9.48	\$DR		1
35	DR000623	DR, \$DR	MBAC=9.48, RO_S=9.60, DO=9.40, NBPA=9.45	9.48	\$DR		1
36	DR001105	DR, \$DR	MBAC=9.48, RO_S=9.40, DO=9.50, NBPA=9.55	9.48	\$DR		1
37	DR000543	DR, \$DR	MBAC=9.48, RO_S=9.10, DO=9.45, NBPA=9.90	9.48	\$DR		1
38	DR001021	DR, \$DR	MBAC=9.48, RO_S=9.10, DO=9.35, NBPA=10.00	9.48	\$DR		1
39	DR000012	DR, \$DR	MBAC=9.48, RO_S=9.00, DO=9.70, NBPA=9.75	9.48	\$DR		1
40	DR000447	DR, \$DR	MBAC=9.46, RO_S=9.50, DO=9.45, NBPA=9.45	9.46	\$DR		1
41	DR000731	DR, \$DR	MBAC=9.46, RO_S=9.15, DO=9.85, NBPA=9.40	9.46	\$DR		1
42	DR000184	DR, \$DR	MBAC=9.46, RO_S=8.70, DO=9.70, NBPA=10.00	9.46	\$DR		1
43	DR001151	DR, \$DR	MBAC=9.45, RO_S=9.80, DO=9.20, NBPA=9.35	9.45	\$DR		1
44	DR000418	DR, \$DR	MBAC=9.45, RO_S=9.75, DO=8.70, NBPA=9.90	9.45	\$DR		1
45	DR000937	DR, \$DR	MBAC=9.45, RO_S=9.45, DO=9.75, NBPA=9.15	9.45	\$DR		1
46	DR000154	DR, \$DR	MBAC=9.45, RO_S=9.25, DO=9.60, NBPA=9.50	9.45	\$DR		1
47	DR000103	DR, \$DR	MBAC=9.45, RO_S=8.75, DO=9.60, NBPA=10.00	9.45	\$DR		1
48	DR000902	DR, \$DR	MBAC=9.43, RO_S=10.00, DO=9.45, NBPA=8.85	9.43	\$DR		1
49	DR000944	DR, \$DR	MBAC=9.43, RO_S=9.15, DO=9.65, NBPA=9.50	9.43	\$DR		1
50	DR000831	DR, \$DR	MBAC=9.43, RO_S=9.10, DO=9.50, NBPA=9.70	9.43	\$DR		1
51	DR001078	DR, \$DR	MBAC=9.43, RO_S=9.00, DO=9.60, NBPA=9.70	9.43	\$DR		1
52	DR000372	DR, \$DR	MBAC=9.43, RO_S=8.85, DO=9.60, NBPA=9.85	9.43	\$DR		1
53	DR001030	DR, \$DR	MBAC=9.43, RO_S=8.50, DO=10.00, NBPA=9.80	9.43	\$DR		1
54	DR000389	DR, \$DR	MBAC=9.41, RO_S=9.85, DO=9.80, NBPA=8.60	9.41	\$DR		1
55	DR000377	DR, \$DR	MBAC=9.41, RO_S=9.55, DO=9.30, NBPA=9.40	9.41	\$DR		1
56	DR000217	DR, \$DR	MBAC=9.41, RO_S=9.25, DO=9.60, NBPA=9.40	9.41	\$DR		1
57	DR000378	DR, \$DR	MBAC=9.41, RO_S=9.10, DO=9.25, NBPA=9.90	9.41	\$DR		1
58	DR001199	DR, \$DR	MBAC=9.41, RO_S=9.10, DO=9.25, NBPA=9.90	9.41	\$DR		1
59	DR000546	DR, \$DR	MBAC=9.41, RO_S=9.05, DO=9.20, NBPA=10.00	9.41	\$DR		1
60	DR000128	DR, \$DR	MBAC=9.41, RO_S=9.00, DO=9.45, NBPA=9.80	9.41	\$DR		1
61	DR000142	DR, \$DR	MBAC=9.41, RO_S=8.90, DO=9.55, NBPA=9.80	9.41	\$DR		1
62	DR000306	DR, \$DR	MBAC=9.41, RO_S=8.50, DO=9.85, NBPA=9.90	9.41	\$DR		1
63	DR000188	DR, \$DR	MBAC=9.40, RO_S=9.80, DO=9.30, NBPA=9.10	9.40	\$DR		1
64	DR000013	DR, \$DR	MBAC=9.40, RO_S=9.10, DO=9.90, NBPA=9.20	9.40	\$DR		1

Nr	Legitim.	Optiuni	Note	Medie	Admis la	Obs.	S
65	DR001039	DR, \$DR	MBAC=9.40, RO S=9.05, DO=10.00, NBPA=9.15	9.40	\$DR		1
66	DR000744	\$DR	MBAC=9.40, RO S=9.00, DO=10.00, NBPA=9.20	9.40	\$DR		1
67	DR000663	DR, \$DR	MBAC=9.40, RO S=8.90, DO=9.40, NBPA=9.90	9.40	\$DR		1
68	DR001050	DR, \$DR	MBAC=9.40, RO S=8.85, DO=9.55, NBPA=9.80	9.40	\$DR		1
69	DR000822	DR, \$DR	MBAC=9.40, RO S=8.85, DO=9.35, NBPA=10.00	9.40	\$DR		1
70	DR000917	DR, \$DR	MBAC=9.38, RO S=9.70, DO=9.05, NBPA=9.40	9.38	\$DR		1
71	DR000007	DR, \$DR	MBAC=9.38, RO S=9.45, DO=9.70, NBPA=9.00	9.38	\$DR		1
72	DR000336	DR, \$DR	MBAC=9.38, RO S=9.30, DO=9.25, NBPA=9.60	9.38	\$DR		1
73	DR000980	DR, \$DR	MBAC=9.38, RO S=9.10, DO=9.80, NBPA=9.25	9.38	\$DR		1
74	DR000074	DR, \$DR	MBAC=9.38, RO S=9.00, DO=9.15, NBPA=10.00	9.38	\$DR		1
75	DR000570	DR, \$DR	MBAC=9.38, RO S=8.85, DO=10.00, NBPA=9.30	9.38	\$DR		1
76	DR000747	DR, \$DR	MBAC=9.38, RO S=8.55, DO=10.00, NBPA=9.60	9.38	\$DR		1
77	DR000706	DR, \$DR	MBAC=9.36, RO S=9.55, DO=9.20, NBPA=9.35	9.36	\$DR		1
78	DR000424	DR, \$DR	MBAC=9.36, RO S=9.55, DO=8.90, NBPA=9.65	9.36	\$DR		1
79	DR000778	DR, \$DR	MBAC=9.36, RO S=9.25, DO=9.05, NBPA=9.80	9.36	\$DR		1
80	DR000047	DR, \$DR	MBAC=9.36, RO S=9.10, DO=9.80, NBPA=9.20	9.36	\$DR		1
81	DR000181	DR, \$DR	MBAC=9.36, RO S=9.05, DO=9.25, NBPA=9.80	9.36	\$DR		1
82	DR000976	DR, \$DR	MBAC=9.36, RO S=8.90, DO=9.30, NBPA=9.90	9.36	\$DR		1
83	DR000173	DR, \$DR	MBAC=9.36, RO S=8.65, DO=9.60, NBPA=9.85	9.36	\$DR		1
84	DR000057	DR, \$DR	MBAC=9.35, RO S=9.55, DO=8.90, NBPA=9.60	9.35	\$DR		1
85	DR000190	DR, \$DR	MBAC=9.35, RO S=9.30, DO=8.85, NBPA=9.90	9.35	\$DR		1
86	DR000040	DR, \$DR	MBAC=9.35, RO S=9.20, DO=9.40, NBPA=9.45	9.35	\$DR		1
87	DR000134	DR, \$DR	MBAC=9.35, RO S=9.00, DO=9.80, NBPA=9.25	9.35	\$DR		1
88	DR001170	DR, \$DR	MBAC=9.33, RO S=9.75, DO=8.70, NBPA=9.55	9.33	\$DR		1
89	DR000303	DR, \$DR	MBAC=9.33, RO S=9.50, DO=8.70, NBPA=9.80	9.33	\$DR		1
90	DR000298	DR, \$DR	MBAC=9.33, RO S=9.40, DO=8.75, NBPA=9.85	9.33	\$DR		1
91	DR000239	\$DR	MBAC=9.33, RO S=8.80, DO=9.20, NBPA=10.00	9.33	\$DR		1
92	DR000285	DR, \$DR	MBAC=9.33, RO S=8.20, DO=10.00, NBPA=9.80	9.33	\$DR		1
93	DR000326	DR, \$DR	MBAC=9.31, RO S=9.70, DO=8.35, NBPA=9.90	9.31	\$DR		1
94	DR000510	DR, \$DR	MBAC=9.31, RO S=9.30, DO=9.30, NBPA=9.35	9.31	\$DR		1
95	DR000764	DR, \$DR	MBAC=9.31, RO S=8.85, DO=9.55, NBPA=9.55	9.31	\$DR		1
96	DR000214	DR, \$DR	MBAC=9.31, RO S=8.85, DO=9.40, NBPA=9.70	9.31	\$DR		1
97	DR001109	DR, \$DR	MBAC=9.31, RO S=8.75, DO=9.35, NBPA=9.85	9.31	\$DR		1
98	DR001098	\$DR	MBAC=9.30, RO S=9.80, DO=8.80, NBPA=9.30	9.30	\$DR		1
99	DR000182	DR, \$DR	MBAC=9.30, RO S=9.35, DO=9.35, NBPA=9.20	9.30	\$DR		1
100	DR000191	DR, \$DR	MBAC=9.30, RO S=9.30, DO=9.30, NBPA=9.30	9.30	\$DR		1
101	DR000714	DR, \$DR	MBAC=9.30, RO S=9.15, DO=9.65, NBPA=9.10	9.30	\$DR		1
102	DR001079	DR, \$DR	MBAC=9.30, RO S=8.75, DO=9.25, NBPA=9.90	9.30	\$DR		1
103	DR000441	DR, \$DR	MBAC=9.30, RO S=8.55, DO=9.55, NBPA=9.80	9.30	\$DR		1
104	DR000748	DR, \$DR	MBAC=9.28, RO S=9.75, DO=9.50, NBPA=8.60	9.28	\$DR		1
105	DR000467	DR, \$DR	MBAC=9.28, RO S=9.65, DO=9.05, NBPA=9.15	9.28	\$DR		1
106	DR000711	DR, \$DR	MBAC=9.28, RO S=9.55, DO=8.30, NBPA=10.00	9.28	\$DR		1
107	DR000147	DR, \$DR	MBAC=9.28, RO S=9.15, DO=8.90, NBPA=9.80	9.28	\$DR		1
108	DR000787	DR, \$DR	MBAC=9.28, RO S=9.05, DO=10.00, NBPA=9.80	9.28	\$DR		1
109	DR000656	DR, \$DR	MBAC=9.26, RO S=9.05, DO=9.80, NBPA=8.95	9.26	\$DR		1
110	DR001066	DR, \$DR	MBAC=9.26, RO S=8.95, DO=9.55, NBPA=9.30	9.26	\$DR		1
111	DR000876	DR, \$DR	MBAC=9.26, RO S=8.20, DO=9.60, NBPA=10.00	9.26	\$DR		1
112	DR001166	DR, \$DR	MBAC=9.25, RO S=9.70, DO=8.70, NBPA=9.35	9.25	\$DR		1
113	DR000317	DR, \$DR	MBAC=9.25, RO S=9.50, DO=9.75, NBPA=8.50	9.25	\$DR		1
114	DR000885	DR, \$DR	MBAC=9.25, RO S=9.50, DO=8.25, NBPA=10.00	9.25	\$DR		1
115	DR000251	DR, \$DR	MBAC=9.25, RO S=9.30, DO=9.45, NBPA=9.00	9.25	\$DR		1
116	DR000947	DR, \$DR	MBAC=9.25, RO S=9.20, DO=8.75, NBPA=9.80	9.25	\$DR		1
117	DR000617	DR, \$DR	MBAC=9.25, RO S=9.00, DO=9.15, NBPA=9.60	9.25	\$DR		1
118	DR000255	DR, \$DR	MBAC=9.25, RO S=8.75, DO=9.45, NBPA=9.55	9.25	\$DR		1
119	DR000797	DR, \$DR	MBAC=9.23, RO S=9.40, DO=9.00, NBPA=9.30	9.23	\$DR		1
120	DR001130	DR, \$DR	MBAC=9.23, RO S=9.35, DO=8.85, NBPA=9.50	9.23	\$DR		1
121	DR000626	DR, \$DR	MBAC=9.23, RO S=9.25, DO=9.65, NBPA=8.80	9.23	\$DR		1
122	DR001156	DR, \$DR	MBAC=9.23, RO S=9.20, DO=9.50, NBPA=9.00	9.23	\$DR		1
123	DR000204	DR, \$DR	MBAC=9.23, RO S=8.95, DO=9.30, NBPA=9.45	9.23	\$DR		1
124	DR000879	DR, \$DR	MBAC=9.23, RO S=8.90, DO=9.35, NBPA=9.45	9.23	\$DR		1
125	DR000289	DR, \$DR	MBAC=9.23, RO S=8.40, DO=9.30, NBPA=10.00	9.23	\$DR		1
126	DR000426	DR, \$DR	MBAC=9.21, RO S=9.50, DO=8.65, NBPA=9.50	9.21	\$DR		1
127	DR000514	DR, \$DR	MBAC=9.21, RO S=9.00, DO=9.25, NBPA=9.40	9.21	\$DR		1
128	DR000515	DR, \$DR	MBAC=9.21, RO S=8.65, DO=9.75, NBPA=9.25	9.21	\$DR		1
129	DR000386	DR, \$DR	MBAC=9.20, RO S=9.35, DO=9.25, NBPA=9.00	9.20	\$DR		1
130	DR001127	DR, \$DR	MBAC=9.20, RO S=9.15, DO=9.15, NBPA=9.30	9.20	\$DR		1
131	DR000550	DR, \$DR	MBAC=9.20, RO S=9.15, DO=8.60, NBPA=9.85	9.20	\$DR		1
132	DR000728	DR, \$DR	MBAC=9.20, RO S=9.00, DO=9.60, NBPA=9.60	9.20	\$DR		1
133	DR000984	DR, \$DR	MBAC=9.20, RO S=8.60, DO=9.40, NBPA=9.60	9.20	\$DR		1
134	DR001163	\$DR	MBAC=9.20, RO S=8.40, DO=9.70, NBPA=9.50	9.20	\$DR		1
135	DR000712	DR, \$DR	MBAC=9.20, RO S=8.35, DO=9.55, NBPA=9.70	9.20	\$DR		1
136	DR000462	DR, \$DR	MBAC=9.18, RO S=9.25, DO=8.50, NBPA=9.80	9.18	\$DR		1
137	DR000775	DR, \$DR	MBAC=9.18, RO S=9.00, DO=9.35, NBPA=9.20	9.18	\$DR		1
138	DR000877	DR, \$DR	MBAC=9.18, RO S=8.95, DO=9.35, NBPA=9.25	9.18	\$DR		1
139	DR000809	DR, \$DR	MBAC=9.18, RO S=8.65, DO=9.35, NBPA=9.55	9.18	\$DR		1

Nr	Legitim.	Optiuni	Note	Medie	Admis la	Obs.	S
140	DR000275	DR, \$DR	MBAC=9.16, RO S=9.30, DO=9.25, NBPA=8.95	9.16	\$DR		1
141	DR000078	DR, \$DR	MBAC=9.16, RO S=9.30, DO=8.80, NBPA=9.40	9.16	\$DR		1
142	DR000901	DR, \$DR	MBAC=9.16, RO S=9.30, DO=8.65, NBPA=9.55	9.16	\$DR		1
143	DR000928	DR, \$DR	MBAC=9.16, RO S=9.25, DO=8.75, NBPA=9.50	9.16	\$DR		1
144	DR000894	DR, \$DR	MBAC=9.16, RO S=9.00, DO=9.45, NBPA=9.05	9.16	\$DR		1
145	DR000186	DR, \$DR	MBAC=9.16, RO S=8.80, DO=9.60, NBPA=9.10	9.16	\$DR		1
146	DR000828	DR, \$DR	MBAC=9.16, RO S=8.70, DO=9.20, NBPA=9.60	9.16	\$DR		1
147	DR001042	DR, \$DR	MBAC=9.16, RO S=8.65, DO=9.30, NBPA=9.55	9.16	\$DR		1
148	DR000414	DR, \$DR	MBAC=9.16, RO S=8.50, DO=9.00, NBPA=10.00	9.16	\$DR		1
149	DR000356	DR, \$DR	MBAC=9.16, RO S=8.25, DO=9.95, NBPA=9.30	9.16	\$DR		1
150	DR000806	DR, \$DR	MBAC=9.15, RO S=8.45, DO=9.65, NBPA=9.35	9.15	\$DR		1
151	DR001196	DR, \$DR	MBAC=9.15, RO S=8.35, DO=9.50, NBPA=9.60	9.15	\$DR		1
152	DR000730	DR, \$DR	MBAC=9.15, RO S=7.85, DO=10.00, NBPA=9.20	9.15	\$DR		1
153	DR000994	DR, \$DR	MBAC=9.13, RO S=9.00, DO=8.50, NBPA=9.90	9.13	\$DR		1
154	DR000029	DR, \$DR	MBAC=9.13, RO S=8.95, DO=8.80, NBPA=9.65	9.13	\$DR		1
155	DR000020	DR, \$DR	MBAC=9.13, RO S=8.90, DO=9.70, NBPA=8.80	9.13	\$DR		1
156	DR000639	DR, \$DR	MBAC=9.13, RO S=8.85, DO=8.90, NBPA=9.65	9.13	\$DR		1
157	DR000608	DR, \$DR	MBAC=9.11, RO S=9.25, DO=9.10, NBPA=9.00	9.11	\$DR		1
158	DR000819	DR, \$DR	MBAC=9.11, RO S=8.70, DO=8.85, NBPA=9.80	9.11	\$DR		1
159	DR000201	DR, \$DR	MBAC=9.11, RO S=8.05, DO=9.75, NBPA=9.55	9.11	\$DR		1
160	DR000286	DR, \$DR	MBAC=9.10, RO S=9.30, DO=9.00, NBPA=9.00	9.10	\$DR		1
161	DR000629	DR, \$DR	MBAC=9.10, RO S=8.95, DO=8.70, NBPA=9.65	9.10	\$DR		1
162	DR000654	DR, \$DR	MBAC=9.10, RO S=8.90, DO=8.60, NBPA=9.80	9.10	\$DR		1
163	DR000105	DR, \$DR	MBAC=9.10, RO S=8.70, DO=9.60, NBPA=9.00	9.10	\$DR		1
164	DR000044	DR, \$DR	MBAC=9.10, RO S=8.70, DO=9.10, NBPA=9.50	9.10	\$DR		1
165	DR000333	DR, \$DR	MBAC=9.10, RO S=8.65, DO=10.00, NBPA=8.65	9.10	\$DR		1
166	DR001179	DR, \$DR	MBAC=9.10, RO S=8.65, DO=9.60, NBPA=9.05	9.10	\$DR		1
167	DR001084	DR, \$DR	MBAC=9.10, RO S=8.60, DO=8.80, NBPA=9.90	9.10	\$DR		1
168	DR000532	DR, \$DR	MBAC=9.08, RO S=9.35, DO=9.75, NBPA=8.15	9.08	\$DR		1
169	DR000679	DR, \$DR	MBAC=9.08, RO S=9.30, DO=8.35, NBPA=9.60	9.08	\$DR		1
170	DR000896	\$DR	MBAC=9.08, RO S=8.95, DO=9.60, NBPA=8.70	9.08	\$DR		1
171	DR000124	DR, \$DR	MBAC=9.08, RO S=8.80, DO=9.30, NBPA=9.15	9.08	\$DR		1
172	DR000933	DR, \$DR	MBAC=9.08, RO S=8.75, DO=9.30, NBPA=9.20	9.08	\$DR		1
173	DR000450	DR, \$DR	MBAC=9.08, RO S=8.60, DO=9.55, NBPA=9.10	9.08	\$DR		1
174	DR000871	DR, \$DR	MBAC=9.08, RO S=8.55, DO=9.25, NBPA=9.45	9.08	\$DR		1
175	DR000490	DR, \$DR	MBAC=9.08, RO S=8.50, DO=9.75, NBPA=9.00	9.08	\$DR		1
176	DR000229	DR, \$DR	MBAC=9.08, RO S=8.40, DO=9.70, NBPA=9.15	9.08	\$DR		1
177	DR000781	DR, \$DR	MBAC=9.08, RO S=8.15, DO=9.90, NBPA=9.20	9.08	\$DR		1
178	DR001090	DR, \$DR	MBAC=9.07, RO S=8.30, DO=10.00, NBPA=9.55	9.07	\$DR		1
179	DR000559	DR, \$DR	MBAC=9.06, RO S=9.45, DO=9.40, NBPA=8.35	9.06	\$DR		1
180	DR000906	DR, \$DR	MBAC=9.06, RO S=9.35, DO=9.15, NBPA=8.70	9.06	\$DR		1
181	DR000431	DR, \$DR	MBAC=9.06, RO S=9.30, DO=8.55, NBPA=9.35	9.06	\$DR		1
182	DR000250	DR, \$DR	MBAC=9.06, RO S=9.25, DO=8.90, NBPA=9.05	9.06	\$DR		1
183	DR000808	DR, \$DR	MBAC=9.06, RO S=9.20, DO=8.40, NBPA=9.60	9.06	\$DR		1
184	DR000610	DR, \$DR	MBAC=9.06, RO S=9.15, DO=8.95, NBPA=9.10	9.06	\$DR		1
185	DR000090	DR, \$DR	MBAC=9.06, RO S=9.10, DO=8.50, NBPA=9.60	9.06	\$DR		1
186	DR000722	DR, \$DR	MBAC=9.06, RO S=9.00, DO=8.85, NBPA=9.35	9.06	\$DR		1
187	DR000292	DR, \$DR	MBAC=9.06, RO S=8.85, DO=8.75, NBPA=9.60	9.06	\$DR		1
188	DR000758	DR, \$DR	MBAC=9.06, RO S=8.75, DO=8.80, NBPA=9.65	9.06	\$DR		1
189	DR000101	DR, \$DR	MBAC=9.06, RO S=8.70, DO=9.20, NBPA=9.30	9.06	\$DR		1
190	DR000774	DR, \$DR	MBAC=9.06, RO S=8.65, DO=9.50, NBPA=9.05	9.06	\$DR		1
191	DR000341	DR, \$DR	MBAC=9.06, RO S=8.55, DO=9.70, NBPA=8.95	9.06	\$DR		1
192	DR000309	DR, \$DR	MBAC=9.06, RO S=8.25, DO=9.45, NBPA=9.50	9.06	\$DR		1
193	DR000644	DR, \$DR	MBAC=9.06, RO S=8.05, DO=9.35, NBPA=9.80	9.06	\$DR		1
194	DR000708	DR, \$DR	MBAC=9.05, RO S=9.30, DO=8.35, NBPA=9.50	9.05	\$DR		1
195	DR000732	DR, \$DR	MBAC=9.05, RO S=9.10, DO=9.40, NBPA=8.65	9.05	\$DR		1
196	DR001016	DR, \$DR	MBAC=9.05, RO S=9.10, DO=8.35, NBPA=9.70	9.05	\$DR		1
197	DR000348	DR, \$DR	MBAC=9.05, RO S=9.00, DO=8.95, NBPA=9.20	9.05	\$DR		1
198	DR001175	\$DR	MBAC=9.05, RO S=9.00, DO=8.85, NBPA=9.30	9.05	\$DR		1
199	DR000400	DR, \$DR	MBAC=9.05, RO S=8.35, DO=9.90, NBPA=8.90	9.05	\$DR		1
200	DR000321	DR, \$DR	MBAC=9.03, RO S=9.80, DO=7.40, NBPA=9.90	9.03	\$DR		1
201	DR000895	DR, \$DR	MBAC=9.03, RO S=9.75, DO=9.45, NBPA=7.90	9.03	\$DR		1
202	DR000222	DR, \$DR	MBAC=9.03, RO S=9.60, DO=8.85, NBPA=8.65	9.03	\$DR		1
203	DR000624	DR, \$DR	MBAC=9.03, RO S=9.35, DO=8.45, NBPA=9.30	9.03	\$DR		1
204	DR000385	DR, \$DR	MBAC=9.03, RO S=9.25, DO=8.90, NBPA=8.95	9.03	\$DR		1
205	DR000379	DR, \$DR	MBAC=9.03, RO S=9.20, DO=9.15, NBPA=8.75	9.03	\$DR		1
206	DR000237	DR, \$DR	MBAC=9.03, RO S=9.15, DO=9.25, NBPA=8.70	9.03	\$DR		1
207	DR000197	\$DR, DR	MBAC=9.03, RO S=9.10, DO=8.60, NBPA=9.40	9.03	\$DR		1
208	DR000474	DR, \$DR	MBAC=9.03, RO S=9.00, DO=8.80, NBPA=9.30	9.03	\$DR		1
209	DR000703	DR, \$DR	MBAC=9.03, RO S=8.85, DO=9.70, NBPA=8.55	9.03	\$DR		1
210	DR000123	DR, \$DR	MBAC=9.03, RO S=8.85, DO=9.15, NBPA=9.10	9.03	\$DR		1
211	DR000655	DR, \$DR	MBAC=9.03, RO S=8.85, DO=9.10, NBPA=9.15	9.03	\$DR		1
212	DR000481	DR, \$DR	MBAC=9.03, RO S=8.70, DO=8.90, NBPA=9.50	9.03	\$DR		1
213	DR000310	DR, \$DR	MBAC=9.03, RO S=8.60, DO=9.35, NBPA=9.15	9.03	\$DR		1
214	DR001193	DR, \$DR	MBAC=9.03, RO S=8.20, DO=8.90, NBPA=10.00	9.03	\$DR		1

Nr	Legitim.	Optiuni	Note	Medie	Admis la	Obs.	S
215	DR000136	DR, \$DR	MBAC=9.03, RO_S=7.95, DO=9.25, NBPA=9.90	9.03	\$DR		1
216	DR000757	DR, \$DR	MBAC=9.03, RO_S=7.80, DO=9.55, NBPA=9.75	9.03	\$DR		1
217	DR000759	DR, \$DR	MBAC=9.01, RO_S=8.85, DO=9.10, NBPA=9.10	9.01	\$DR		1
218	DR000484	DR, \$DR	MBAC=9.01, RO_S=8.60, DO=9.50, NBPA=8.95	9.01	\$DR		1
219	DR000799	DR, \$DR	MBAC=9.01, RO_S=8.55, DO=8.90, NBPA=9.60	9.01	\$DR		1
220	DR000001	DR, \$DR	MBAC=9.01, RO_S=8.35, DO=9.30, NBPA=9.40	9.01	\$DR		1
221	DR001013	\$DR, DR	MBAC=9.01, RO_S=8.30, DO=9.25, NBPA=9.50	9.01	\$DR		1
222	DR000941	DR, \$DR	MBAC=9.01, RO_S=8.25, DO=9.60, NBPA=9.20	9.01	\$DR		1
223	DR001082	DR, \$DR	MBAC=9.01, RO_S=8.20, DO=9.85, NBPA=9.00	9.01	\$DR		1
224	DR000109	DR, \$DR	MBAC=9.00, RO_S=9.50, DO=8.90, NBPA=8.60	9.00	\$DR		1
225	DR000842	DR, \$DR	MBAC=9.00, RO_S=9.45, DO=8.35, NBPA=9.20	9.00	\$DR		1
226	DR000962	DR, \$DR	MBAC=9.00, RO_S=9.30, DO=8.80, NBPA=8.90	9.00	\$DR		1
227	DR000561	DR, \$DR	MBAC=9.00, RO_S=9.15, DO=7.85, NBPA=10.00	9.00	\$DR		1
228	DR001028	DR, \$DR	MBAC=9.00, RO_S=9.10, DO=8.40, NBPA=9.50	9.00	\$DR		1
229	DR000817	DR, \$DR	MBAC=9.00, RO_S=8.35, DO=9.05, NBPA=9.60	9.00	\$DR		1
230	DR000751	DR, \$DR	MBAC=9.00, RO_S=8.30, DO=9.10, NBPA=9.60	9.00	\$DR		1
231	DR000829	DR, \$DR	MBAC=8.98, RO_S=9.25, DO=8.75, NBPA=8.95	8.98	\$DR		1
232	DR000606	DR, \$DR	MBAC=8.98, RO_S=9.15, DO=7.90, NBPA=9.90	8.98	\$DR		1
233	DR000662	\$DR, DR	MBAC=8.98, RO_S=9.10, DO=9.05, NBPA=8.80	8.98	\$DR		1
234	DR000528	DR, \$DR	MBAC=8.98, RO_S=8.55, DO=9.20, NBPA=9.20	8.98	\$DR		1
235	DR000436	DR, \$DR	MBAC=8.98, RO_S=8.30, DO=9.50, NBPA=9.15	8.98	\$DR		1
236	DR000358	DR, \$DR	MBAC=8.98, RO_S=8.20, DO=9.20, NBPA=9.55	8.98	\$DR		1
237	DR000986	DR, \$DR	MBAC=8.98, RO_S=7.80, DO=9.65, NBPA=9.50	8.98	\$DR		1
238	DR000997	DR, \$DR	MBAC=8.97, RO_S=8.20, DO=9.50, NBPA=9.60	8.97	\$DR		1
239	DR000864	DR, \$DR	MBAC=8.96, RO_S=9.85, DO=8.90, NBPA=8.15	8.96	\$DR		1
240	DR001169	DR, \$DR	MBAC=8.96, RO_S=9.45, DO=8.45, NBPA=9.00	8.96	\$DR		1
241	DR001106	DR, \$DR	MBAC=8.96, RO_S=9.35, DO=7.85, NBPA=9.70	8.96	\$DR		1
242	DR001075	DR, \$DR	MBAC=8.96, RO_S=9.20, DO=8.55, NBPA=9.15	8.96	\$DR		1
243	DR001154	DR, \$DR	MBAC=8.96, RO_S=9.10, DO=8.10, NBPA=9.70	8.96	\$DR		1
244	DR001126	DR, \$DR	MBAC=8.96, RO_S=8.65, DO=8.80, NBPA=9.45	8.96	\$DR		1

PRESEDINTE COMISIE DE ADMITERE PE UNIVERSITATE,
PROF.DR.ING. IOAN VASILE ABRUDAN

SECRETAR COMISIE DE ADMITERE PE UNIVERSITATE,
PROF. DR. ING. MARIUS CRISTIAN LUCULESCU

PRESEDINTE COMISIE DE ADMITERE FACULTATE,
PROF.DR. CRISTINEL IOAN MURZEA

SECRETAR COMISIE DE ADMITERE FACULTATE,
ASIST. DR. LORENA GABRIELA NIȚOIU